

Theory of the inverse Faraday effect in dissipative Rashba electron systems: Floquet engineering perspective

Miho Tanaka^{1,*} and Masahiro Sato^{1,2,†}

¹*Department of Physics, Ibaraki University, Mito, Ibaraki 310-8512, Japan*

²*Department of Physics, Chiba University, Chiba 263-8522, Japan*

(Dated: April 1, 2024)

We theoretically study the inverse Faraday effect (IFE), i.e., photo-induced magnetization, in two-dimensional Rashba spin-orbit coupled electron systems irradiated by a circularly polarized light. Quantum master (GKSL) equation enables us to accurately compute the laser driven dynamics, taking inevitable dissipation effects into account. To find the universal features of laser-driven magnetization and its dynamics, we investigate (i) the nonequilibrium steady state (NESS) driven by a continuous wave (CW) and (ii) ultrafast spin dynamics driven by short laser pulses. In the NESS (i), the laser-induced magnetization and its dependence of several parameters (laser frequency, laser field strength, temperature, dissipation strength, etc.) are shown to be in good agreement with the predictions from Floquet theory for dissipative systems in the high-frequency regime. In the case (ii), we focus on ferromagnetic metal states by introducing an effective magnetic field to the Rashba model as the mean field of electron-electron interaction. We find that a precession of the magnetic moment occurs due to the pulse-driven instantaneous magnetic field and the initial phase of the precession is controlled by changing the sign of light polarization. This is well consistent with the spin dynamics observed in experiments of laser-pulse-driven IFE. We discuss how the pulse-driven dynamics are captured by the Floquet theory. Our results provides a microscopic method to compute ultrafast dynamics in many electron systems irradiated by intense light.

I. INTRODUCTION

Controlling static or low-frequency properties of systems by applying an higher-frequency external field is called Floquet engineering (FE) [1–4]. The FE is based on the Floquet theorem for differential equations. Applications of Floquet theorem has a long history [5, 6] since 19-th century, while in the last decade, the concept and techniques of FE have widely penetrated in the fields of condensed-matter and statistical physics. From the experimental viewpoint, the development of laser science has stimulated studies of FE because FE is a typical non-perturbative (non-resonant) effect of the external oscillating field and hence laser or intense electromagnetic waves are very helpful to realize FE.

Inverse Faraday effect (IFE) has long been explored in magneto-optics field [7], while it could be viewed as one of the most typical FEs in solids from the modern perspective of condensed-matter physics. The IFE refers to the laser-driven non-equilibrium phenomenon that a magnetization or an effective magnetic field emerges when we apply a circularly polarized light to magnetic materials. This could also be regarded as a ultrafast angular momentum transfer from photons to electron spins in solids. The IFE has been predicted in the mid 20-th century [8–10], and the basic mechanism of IFE in solid electron systems was first revealed by the theoretical work of Ref. [9]. Nowadays, IFE has been observed in various magnetic materials [11–15] and even low-frequency-laser

(THz-laser) driven IFEs in magnetic insulators (spin systems) has been also studied from the microscopic viewpoint [16–19].

Previous studies [9, 20] tell us that a spin-orbit interaction (SOI) is essential and necessary for the emergence of laser-driven magnetic field (or magnetization) in solids. In solid electron systems, the necessity is naturally understood because if the AC electric field of laser is assumed to be the main driving force of IFE, the field cannot directly couple to electron spin degrees of freedom and the SOI is the unique term connecting the laser field with the spins in the Hamiltonian. It is proved that a spin-orbit (SO) coupling (and the resulting magnetic anisotropies) is also necessary in the IFE of spin systems [16–19].

Although (as we mentioned above) the IFE has long been investigated [9, 20–23], its microscopic theories have not been well developed for electron systems in solids. In particular, the analyses based on the perspective of FE have less progressed. The purpose of the present study is to develop such a microscopic theory. We focus on two-dimensional (2D) square-lattice Rashba SO coupled electron models irradiated by circularly polarized light [20] as a simple but realistic stage of IFE. To extract essential or universal features of IFE, we will concentrate on two different setups in the laser-driven electron system. The first setup is the laser-driven non-equilibrium steady states (NESSs), which are realized by waiting for a long enough time from the beginning of laser application. The second is the ultrafast spin dynamics when the system is irradiated by a short laser pulse.

One should note that dissipation effects, i.e., effects of a weak interaction between the electron system and a large environment is very important and inevitable to consider both setups. In fact, the quantum state of the

* 22nm025r@vc.ibaraki.ac.jp

† sato.phys@chiba-u.jp

system is expected to approach a NESS due to the balance between the energy injection by laser and the energy loss by dissipation. Inversely, if we continuously apply a laser to an isolated system in solids, it is usually burnt [24, 25]. In addition, if we ignore the dissipation effect, the energy given by a laser pulse always remains in the electron system and it would yield non-realistic spin dynamics, e.g., a long-time spin oscillation with no relaxation.

To take dissipation effect into account, we will utilize the approach of quantum master (GKSL) equation [26–29]. So far, many theories for FE have been developed under the assumption that the target system is approximated by an isolated quantum system. On the other hand, some theoretical methods for FE in dissipative systems have also gradually progressed [18, 19, 30, 31]. Relying on the theories of dissipative systems, we will capture some important characteristics of IFE.

The paper is organized as follows. Section II is devoted to the explanation about the SO-coupled electron model and the numerical computation method based on GKSL equation. Based on these instruments, we analyze the CW-laser driven NESS in Sec. III. We demonstrate that the IFE in the NESS is basically captured by the Floquet theory for dissipation systems [18, 19] in a sufficiently high-frequency regime. In Sec. IV, we discuss IFE driven by a short laser pulse. Since a precession of spin moment has been often detected in such short-pulse IFE for magnetic materials (see Fig. 4), we prepare a ferromagnetic metal state in an electron model, by introducing a mean-field Zeeman interaction. We show that a pulse-driven precession is well reproduced within our model and it can be understood from the Floquet-theory viewpoint. Finally, in Sec. V, we summarize our results and comment on a few issues related to IFE. In Appendix, we explain the relationship between GKSL and Bloch equations, a simple extension of the Floquet formula for dissipation systems [18, 19], and additional numerical results.

II. MODEL AND METHODS

In this section, we define our model of a 2D SO coupled electron model, an applied circularly polarized laser, and the GKSL equation we will use.

A. Hamiltonian

We focus on a SO-coupled tight-binding model on a 2D square lattice. The Hamiltonian is defined by

$$H_{\text{PM}} = H_{\text{hop}} + H_{\text{SO}}, \quad (1)$$

where we have introduced the index “PM” which stands for paramagnetic. The first term H_{hop} represents the




FIG. 1. (a) Two-dimensional square lattice. The lattice constant is set to $a = 1$. Vectors \mathbf{e}_x and \mathbf{e}_y are respectively unit vectors connecting neighboring two sites along the x and y directions. (b) Schematic illustration of applying a circularly polarized laser whose propagating direction is perpendicular to the square lattice in the x - y plane. In this setup, the effective magnetic field driven by laser (i.e., the emergent field of IFE) points to the z direction. (c) Energy bands of the Hamiltonian, Eq. (1), at $t_{\text{hop}} = 1$ eV and $\alpha_R = 0.5$ eV. Some representative points in the Brillouin zone are defined as $\Gamma = (k_x = 0, k_y = 0)$, $X = (k_x = \pi, k_y = 0)$, and $M = (k_x = \pi, k_y = \pi)$. We set the Fermi surface at $\epsilon_F = -3$ eV ($t_{\text{hop}} = 1$ eV), which is depicted by the green dashed line. (d) Fermi surface of the panel (c). Arrows indicate the spin orientation of electrons on the Fermi surface in the momentum space. Due to the SO coupling, a so-called spin-momentum locking occurs [32–34].

spin-independent kinetic term, which is given by

$$H_{\text{hop}} = -2t_{\text{hop}} \sum_{\mathbf{r}, \sigma=\uparrow, \downarrow, i=x, y} \left(c_{\mathbf{r}+\mathbf{e}_i \sigma}^\dagger c_{\mathbf{r} \sigma} + \text{h.c.} \right), \quad (2)$$

where t_{hop} is the hopping strength, $c_{\mathbf{r} \sigma}^\dagger$ ($c_{\mathbf{r} \sigma}$) is the creation (annihilation) operator of the spin- σ electron residing on a site $\mathbf{r} = \ell \mathbf{e}_x + m \mathbf{e}_y$ ($\ell, m \in \mathbb{Z}$) of a square lattice. These operators $c_{\mathbf{r} \sigma}^\dagger$ and $c_{\mathbf{r} \sigma}$ satisfy $\{c_{\mathbf{r} \sigma}, c_{\mathbf{r}' \sigma'}^\dagger\} = \delta_{\mathbf{r}, \mathbf{r}'}$ and $\{c_{\mathbf{r} \sigma}, c_{\mathbf{r}' \sigma'}\} = \{c_{\mathbf{r} \sigma}^\dagger, c_{\mathbf{r}' \sigma'}^\dagger\} = 0$. As shown in Fig. 1(a), \mathbf{e}_x and \mathbf{e}_y are respectively unit vectors connecting neighboring sites along the x and y directions and the lattice constant is set to $a = 1$. The symbol $\sigma = \uparrow$ (\downarrow) corresponds to the z component of electron spin $S^z = 1/2$ ($-1/2$). The second term H_{SO} is a Rashba SOI [32–36], which is defined by

$$H_{\text{SO}} = -\frac{\alpha_R}{2} \sum_{\mathbf{r}} \sum_{\sigma, \sigma'} \left[\left(i(\sigma_y)_{\sigma \sigma'} c_{\mathbf{r}+\mathbf{e}_x, \sigma}^\dagger c_{\mathbf{r} \sigma'} - i(\sigma_x)_{\sigma \sigma'} c_{\mathbf{r}+\mathbf{e}_y, \sigma}^\dagger c_{\mathbf{r} \sigma'} \right) + \text{h.c.} \right]. \quad (3)$$

Here, $\sigma_{x,y,z}$ represents the Pauli matrices, and α_R denotes the strength of Rashba SO coupling. The Pauli

matrices $\sigma_{x,y}$ induces a mixing between spin- \uparrow and \downarrow electrons, and hence H_{SO} can be viewed as a spin-dependent hopping term.

We define the Fourier transforms of $c_{\mathbf{r}\sigma}^\dagger$ and $c_{\mathbf{r}\sigma}$ as

$$c_{\mathbf{r}\sigma}^\dagger = \frac{1}{\sqrt{N}} \sum_{\mathbf{k}} e^{-i\mathbf{k}\cdot\mathbf{r}} c_{\mathbf{k}\sigma}^\dagger, \quad (4)$$

where $\mathbf{k} = (k_x, k_y)$ is the wave vector on the Brillouin zone for the 2D square lattice and N is the total number of sites. Fermion operators $c_{\mathbf{k}\sigma}^\dagger$ and $c_{\mathbf{k}\sigma}$ satisfy $\{c_{\mathbf{k}\sigma}, c_{\mathbf{k}'\sigma}^\dagger\} = \delta_{\mathbf{k},\mathbf{k}'}$ and $\{c_{\mathbf{k}\sigma}, c_{\mathbf{k}'\sigma}\} = \{c_{\mathbf{k}\sigma}^\dagger, c_{\mathbf{k}'\sigma}^\dagger\} = 0$. Substituting Eq. (4) into the Hamiltonian, we have

$$H_{\text{hop}} = -2t_{\text{hop}} \sum_{\mathbf{k}} \sum_{i=(x,y),\sigma} \cos k_i (c_{\mathbf{k}\sigma}^\dagger c_{\mathbf{k}\sigma} + \text{h.c.}), \quad (5)$$

and

$$H_{\text{SO}} = \alpha_{\text{R}} \sum_{\mathbf{k},\sigma,\sigma'} \left\{ \left[(\sigma_y)_{\sigma\sigma'} \sin k_x - (\sigma_x)_{\sigma\sigma'} \sin k_y \right] c_{\mathbf{k}\sigma}^\dagger c_{\mathbf{k}\sigma'} + \text{h.c.} \right\}. \quad (6)$$

These representations show that the Hamiltonian H_{PM} is block diagonalized in the momentum \mathbf{k} space, and one can obtain energy eigenvalues via the diagonalization in each \mathbf{k} subspace as follows:

$$H_{\text{PM}} = \sum_{\mathbf{k}} C_{\mathbf{k}}^\dagger \begin{pmatrix} \varepsilon_{\mathbf{k}} & \eta_{\mathbf{k}} \\ \eta_{\mathbf{k}}^* & \varepsilon_{\mathbf{k}} \end{pmatrix} C_{\mathbf{k}} = \sum_{\mathbf{k}} D_{\mathbf{k}}^\dagger \begin{pmatrix} E_2^{\mathbf{k}} & 0 \\ 0 & E_1^{\mathbf{k}} \end{pmatrix} D_{\mathbf{k}}, \quad (7)$$

where $\varepsilon_{\mathbf{k}} = -2t_{\text{hop}}(\cos k_x + \cos k_y)$, $\eta_{\mathbf{k}} = \alpha_{\text{R}}(i \sin k_x + \sin k_y)$, $C_{\mathbf{k}} = {}^T(c_{\mathbf{k},\uparrow}, c_{\mathbf{k},\downarrow})$, and $D_{\mathbf{k}} = {}^T(d_{\mathbf{k},2}, d_{\mathbf{k},1}) = U_{\mathbf{k}} C_{\mathbf{k}}$. The energy eigenvalues is given by

$$E_1^{\mathbf{k}} = \varepsilon_{\mathbf{k}} - |\eta_{\mathbf{k}}|, \quad E_2^{\mathbf{k}} = \varepsilon_{\mathbf{k}} + |\eta_{\mathbf{k}}|. \quad (8)$$

These values are defined such that $E_1^{\mathbf{k}} < E_2^{\mathbf{k}}$. The unitary matrix $U_{\mathbf{k}}$ is defined as

$$U_{\mathbf{k}} = \begin{pmatrix} u_+^{\mathbf{k}} & u_-^{\mathbf{k}} \\ v_+^{\mathbf{k}} & v_-^{\mathbf{k}} \end{pmatrix} \quad (9)$$

with $u_{\pm}^{\mathbf{k}} = \frac{\eta_{\mathbf{k}}}{\sqrt{2}|\eta_{\mathbf{k}}|}$ and $v_{\pm}^{\mathbf{k}} = \pm \frac{1}{\sqrt{2}}$. The energy bands of Eq. (8) are shown in Fig. 1(c). In this study, the Fermi energy ϵ_F is fixed at $\epsilon_F/t_{\text{hop}} = -3.0$, which is depicted in Fig. 1(c). The corresponding Fermi surface in the k_x - k_y plane is given in Fig. 1(d). This parameter setup is almost the same as the previous study of IFE in Ref. [20].

At the end of this subsection, we define a few spin-related operators as the present work considers the laser-driven spin moments. The α component of total spin is denoted by $S_{\text{tot}}^\alpha = \sum_{\mathbf{r}} S_{\mathbf{r}}^\alpha$ and those per one site are defined as

$$s^\alpha = S_{\text{tot}}^\alpha / N. \quad (10)$$

In addition, we define the ‘‘spin’’ in the momentum space as

$$s_{\mathbf{k}}^\alpha = \frac{1}{2} C_{\mathbf{k}}^\dagger \sigma_\alpha C_{\mathbf{k}}. \quad (11)$$

For instance, the z component of total spin is given by

$$\begin{aligned} S_{\text{tot}}^z &= \sum_{\mathbf{r}} S_{\mathbf{r}}^z = \sum_{\mathbf{r}} \frac{1}{2} C_{\mathbf{r}}^\dagger \sigma_z C_{\mathbf{r}} = \frac{1}{2} \sum_{\mathbf{k}} s_{\mathbf{k}}^z \\ &= \frac{1}{2} \sum_{\mathbf{k}} \left[\frac{\eta_{\mathbf{k}}}{|\eta_{\mathbf{k}}|} d_{\mathbf{k}+}^\dagger d_{\mathbf{k}-} + \frac{\eta_{\mathbf{k}}^*}{|\eta_{\mathbf{k}}|} d_{\mathbf{k}-}^\dagger d_{\mathbf{k}+} \right], \end{aligned} \quad (12)$$

where $C_{\mathbf{r}} = {}^T(c_{\mathbf{r},\uparrow}, c_{\mathbf{r},\downarrow})$. Here, we have used the unit of $\hbar = 1$ and we will often use it throughout this paper.

B. Laser

In this study, we will consider two types of lasers. The first type is a continuous wave (CW), whose AC electric field is given by

$$\mathbf{E}(t) = E_0(1 - e^{-t^2/\tau_0^2})(\cos \omega t, \sin \omega t, 0), \quad (13)$$

where E_0 is the strength of electric field and ω is the angular frequency of CW laser. We make the strength of the field gradually approach to E_0 , by introducing a parameter τ_0 . We will focus on the nonequilibrium steady states (NESSs) driven by a long-time application of CW laser and therefore τ_0 is not important. The corresponding vector potential $\mathbf{A}(t)$ is defined as $-\int_{t_{\text{ini}}}^t dt' \mathbf{E}(t')$ in the Coulomb gauge, where $t_{\text{ini}} = 0$ is the initial time.

Another type is a laser pulse with a Gaussian wave shape. Its electric field is defined by

$$\mathbf{E}(t) = E_0 e^{-2t^2/\tau^2} (\cos \omega t, \sin \omega t, 0), \quad (14)$$

where τ represents the width of the pulse and we have set τ to $10\sqrt{2}\hbar/t_{\text{hop}} \simeq 14\hbar/t_{\text{hop}}$. For example, if we set $\omega = t_{\text{hop}}/\hbar$, τ corresponds to about three cycles. The vector potential for the pulse is given by $\mathbf{A}(t) = -\int_{t_{\text{ini}}}^t dt' \mathbf{E}(t')$, where the absolute value of initial time $|t_{\text{ini}}|$ should be sufficiently large compared with τ . We note that the electric fields of the above two types of lasers are spatially uniform, i.e., $\mathbf{E}(t)$ is independent of spatial coordinate \mathbf{r} . This condition is valid because the size of the laser spot is usually much larger than the lattice constant a (the length scale of 1.0-0.1 nm).

To take the effect of the AC electric field into account, we use the Peierls formalism. In this formalism, each hopping term $c_{\mathbf{r}\sigma}^\dagger c_{\mathbf{r}+\mathbf{e}_i\sigma'}$ should be replaced with $\exp[-i\frac{e}{\hbar c} \mathbf{A}(t) \cdot \mathbf{e}_i] c_{\mathbf{r}\sigma}^\dagger c_{\mathbf{r}+\mathbf{e}_i\sigma'}$ when we apply an AC electric field to the 2D model of Eq. (1). Here, e (> 0) is the electron charge, c is the speed of light, and we will often use the unit of $e = 1$ and $c = 1$ in this paper. Through the Peierls formalism, the time-dependent Hamiltonian of the laser-driven 2D electron model $H_{\text{PM}}(t) = H_{\text{hop}}(t) + H_{\text{SO}}(t)$ is given by

$$\begin{aligned} H_{\text{hop}}(t) &= -2t_{\text{hop}} \sum_{\mathbf{k}} \sum_{i=(x,y),\sigma} \cos(A_i(t) + k_i) \\ &\quad \times (c_{\mathbf{k}\sigma}^\dagger c_{\mathbf{k}\sigma} + \text{h.c.}), \end{aligned} \quad (15)$$

and

$$H_{\text{SO}}(t) = \alpha_R \sum_{\mathbf{k}, \sigma, \sigma'} \left\{ \left[(\sigma_y)_{\sigma\sigma'} \sin(A_x(t) + k_x) - (\sigma_x)_{\sigma\sigma'} \sin(A_y(t) + k_y) \right] c_{\mathbf{k}\sigma}^\dagger c_{\mathbf{k}\sigma'} + \text{h.c.} \right\}. \quad (16)$$

With the 2×2 matrix form, we can express the Hamiltonian as

$$H_{\text{PM}}(t) = \sum_{\mathbf{k}} H_{\text{PM}}^{\mathbf{k}}(t),$$

$$H_{\text{PM}}^{\mathbf{k}}(t) = C_{\mathbf{k}}^\dagger \begin{pmatrix} \varepsilon_{\mathbf{k},A}(t) & \eta_{\mathbf{k},A}(t) \\ \eta_{\mathbf{k},A}^*(t) & \varepsilon_{\mathbf{k},A}(t) \end{pmatrix} C_{\mathbf{k}}. \quad (17)$$

where $\varepsilon_{\mathbf{k},A}(t)$ and $\eta_{\mathbf{k},A}(t)$ are defined as

$$\begin{aligned} \varepsilon_{\mathbf{k},A}(t) &= -2t_{\text{hop}}[\cos(A_x(t) + k_x) + \cos(A_y(t) + k_y)], \\ \eta_{\mathbf{k},A}(t) &= \alpha_R[i \sin(A_x(t) + k_x) + \sin(A_y(t) + k_y)]. \end{aligned} \quad (18)$$

An important point is that even if we apply laser to the system, the time-dependent Hamiltonian, Eq. (17), is still \mathbf{k} -diagonal.

C. GKSL Equation

To analyze the laser-driven quantum dynamics in 2D Rashba electron models, we use the GKSL equation [26–29], which is a Markovian equation of motion for the density matrix [37–40] including dissipation effects. As we mentioned, our Hamiltonian of laser-driven systems is block diagonalized in the momentum \mathbf{k} space even after the application of laser [see Eq. (17)]. Therefore, we may independently analyze the time evolution of density matrix at each \mathbf{k} subspace. The GKSL equation for a subspace is defined as

$$\frac{d\rho^{\mathbf{k}}}{dt} = -i[H_{\text{PM}}^{\mathbf{k}}(t), \rho^{\mathbf{k}}] + \mathcal{D}^{\mathbf{k}}(\rho^{\mathbf{k}}) \quad (19)$$

where $\rho^{\mathbf{k}}(t)$ is the density matrix for the \mathbf{k} subspace. The first commutator corresponds to the unitary dynamics driven by the Hamiltonian and the second term $\mathcal{D}^{\mathbf{k}}(\rho^{\mathbf{k}})$ represents the effect of dissipation and is given by

$$\mathcal{D}^{\mathbf{k}}(\rho^{\mathbf{k}}) = \sum_{ij} \Gamma_{ij}^{\mathbf{k}} (L_{ij}^{\mathbf{k}} \rho^{\mathbf{k}} L_{ij}^{\mathbf{k}\dagger} - \frac{1}{2} \{L_{ij}^{\mathbf{k}\dagger} L_{ij}^{\mathbf{k}}, \rho^{\mathbf{k}}\}). \quad (20)$$

Here, a constant $\Gamma_{ij}^{\mathbf{k}}$ represents the strength of dissipation and $L_{ij}^{\mathbf{k}}$ refers to a jump (or Lindblad) operator, whose index (i, j) denotes each relaxation process. The application of GKSL equation to our 2D electron models means that the dissipation dynamics is also assumed to be \mathbf{k} -diagonal. Complicated scattering processes would occur during relaxation processes in real materials, but we expect that various essential features of laser-driven dynamics can be captured by using the phenomenological dissipation term $\mathcal{D}^{\mathbf{k}}$ of the GKSL equation. In fact, recent studies [41–44] support this expectation.

We assume that the jump operators do not change the

electron number and such a relaxation process is natural in real experiments in solids. From this assumption and the free electron Hamiltonian of Eq. (17), one sees that GKSL dynamics exists only in the one-particle subspace at each wavevector \mathbf{k} , whereas empty and two-particle states at \mathbf{k} are invariant under the time evolution. Namely, only upper- or lower-band occupied states [see Fig. 1(c)] contribute to the laser-driven dynamics in our model. In this setup, the size of the density matrix $\rho^{\mathbf{k}}(t)$ is reduced to 2×2 . This property is very helpful to reduce the cost of numerical computation.

In the present study, we define the jump operators as $L_{ij}^{\mathbf{k}} = |E_i^{\mathbf{k}}\rangle \langle E_j^{\mathbf{k}}|$, where $|E_i^{\mathbf{k}}\rangle$ denotes i -th one-electron eigenstates of the time-independent Hamiltonian $H_{\text{PM}}^{\mathbf{k}}|_{A=0}$ and $E_i^{\mathbf{k}}$ is the corresponding i -th eigenenergy ($i = 1, 2$) under the condition of $E_1^{\mathbf{k}} < E_2^{\mathbf{k}}$. Furthermore, we determine the dissipation constants $\Gamma_{ij}^{\mathbf{k}}$ such that the GKSL equation satisfies the detailed balance, relaxing the system towards the equilibrium state of $H_{\text{PM}}^{\mathbf{k}}|_{A=0}$. Such constants $\Gamma_{ij}^{\mathbf{k}}$ are given by

$$\begin{aligned} \Gamma_{ij}^{\mathbf{k}} &= \frac{\gamma \exp(-\beta E_i^{\mathbf{k}})}{\exp(-\beta E_i^{\mathbf{k}}) + \exp(-\beta E_j^{\mathbf{k}})}, \quad (i \neq j), \\ \Gamma_{ij}^{\mathbf{k}} &= 0, \quad (i = j), \end{aligned} \quad (21)$$

where γ represents the \mathbf{k} -independent dissipation strength, $\beta = \frac{1}{k_B T}$ is the inverse temperature. In zero temperature limit of $\beta \rightarrow \infty$, we find $\Gamma_{12}^{\mathbf{k}} = \gamma$ and $\Gamma_{21}^{\mathbf{k}} = 0$. This indicates that in the two-level system at each \mathbf{k} space, only the jump operator $L_{12}^{\mathbf{k}} = |E_1^{\mathbf{k}}\rangle \langle E_2^{\mathbf{k}}|$ contributes to the dissipation dynamics and induced a transition from the excited state to the ground state. We note that the off-diagonal jump operator $L_{12}^{\mathbf{k}}$ with Eq. (21) induces both longitudinal and transverse relaxation processes (see Appendix B).

On the other hand, the diagonal type of $L_{i,i}^{\mathbf{k}}$ controls the strength of transverse relaxation (dephasing). We should note that the system cannot reach a thermal equilibrium state if the GKSL equation has only diagonal type jump operators $L_{i,i}^{\mathbf{k}}$ (see Appendix B2). The present work will not argue the effects of $L_{i,i}^{\mathbf{k}}$ because from a few calculations, we have verified that $L_{i,i}^{\mathbf{k}}$ is not so important for IFE in our model.

If we focus on our 2D Rashba free-electron model of Eq. (17) at $T = 0$, the one-particle states at the initial time $t_{\text{ini}} = 0$ exist only in the doughnut regime between two Fermi surfaces in Fig. 1(d). Therefore, it is enough to numerically solve the GKSL equations with \mathbf{k} being in the doughnut regime as we consider the laser-driven dynamics at $T = 0$.

The expectation value of any observable A at time t is defined by

$$\langle A \rangle_t = \sum_{\mathbf{k}} \text{Tr}[A \rho^{\mathbf{k}}(t)]. \quad (22)$$

Using this formula, one can compute the time dependence of physical quantities in principle.

III. NONEQUILIBRIUM STEADY STATES

In this section, we study the 2D Rashba electron model irradiated by a continuous-wave (CW) laser of Eq. (13). The time parameter τ_0 of Eq. (13) is fixed to $50\hbar/t_{\text{hop}}$ throughout the numerical calculations in this section. The time-dependent Hamiltonian is given by $H_{\text{PM}}(t) = H_{\text{hop}}(t) + H_{\text{SO}}(t)$ [see Eqs. (15) and (16)]. We focus on the nonequilibrium steady state (NESS) that is realized if we take a sufficient time after applying a circularly polarized laser. From our setup of Fig. 1(b), a laser-driven magnetic field and magnetization are expected to emerge along the z direction. Therefore, the z component of spins, s^z and $s_{\mathbf{k}}^z$, are the main targets of this section. To consider the properties of the NESS, it is useful to observe a time averaged expectation value of an observable A as follows:

$$\langle\langle A \rangle\rangle = \frac{1}{t_2 - t_1} \int_{t_1}^{t_2} dt \langle A \rangle_t. \quad (23)$$

Here, $t_{1,2} - t_{\text{ini}}$ ($t_{\text{ini}} = 0$ is the initial time) should be much larger than typical time scales of \hbar/t_{hop} , $T_\omega = 2\pi/\omega$ and \hbar/γ if we want to observe the expectation value for the NESS. In addition, time interval $t_1 - t_2$ should be sufficiently larger than the laser period T_ω if we focus on the time-independent laser-driven value. In the numerical computation of this section, we set $t_1 = 300\hbar/t_{\text{hop}}$ and $t_2 = 400\hbar/t_{\text{hop}}$. In all the numerical calculations of this paper, we divide the full Brillouin zone into 200×200 points, which corresponds to $N = 200 \times 200$.

A. Floquet Theory

As we already mentioned, when a CW laser is applied to the 2D Rashba model, a NESS arises due to the balance between the energy injection and dissipation. The density matrix for such a NESS can be analytically obtained through the recent Floquet theory approach [18, 19] if we restrict ourselves to the high-frequency regime. In this subsection, we compute laser-driven magnetization in the NESS by employing the Floquet theory and high-frequency expansion [1, 45].

First, we shortly explain the derivation of the density matrix for the NESS [18]. Applying the high-frequency expansion to the GKSL equation in each \mathbf{k} subspace, we derive the effective GKSL equation

$$\frac{d\rho^{\mathbf{k}}}{dt} = \mathcal{L}_{\text{eff}}^{\mathbf{k}} \rho^{\mathbf{k}} = -i[H_{\text{FE}}^{\mathbf{k}}, \rho^{\mathbf{k}}] + \mathcal{D}^{\mathbf{k}}(\rho^{\mathbf{k}}), \quad (24)$$

which describes the lower-frequency dynamics than the laser frequency ω . Here, the time-independent Floquet Hamiltonian $H_{\text{FE}}^{\mathbf{k}}$ is defined as

$$H_{\text{FE}}^{\mathbf{k}} = H_0^{\mathbf{k}} + \sum_n \frac{[H_{-n}^{\mathbf{k}}, H_n^{\mathbf{k}}]}{n\omega} + \mathcal{O}(\omega^{-2}), \quad (25)$$

where the Fourier components of the Hamiltonian $H_n^{\mathbf{k}} =$

$\frac{1}{T_\omega} \int_0^{T_\omega} dt H_{\text{PM}}^{\mathbf{k}}(t) e^{in\omega t}$ ($n \in \mathbb{Z}$). The 0-th order term $H_0^{\mathbf{k}}$ is interpreted as the time-averaged Hamiltonian. From Eq. (24), the density matrix of the NESS can be written as $\rho^{\mathbf{k}}(t) \xrightarrow{t \rightarrow \infty} \rho_{\text{NESS}}^{\mathbf{k}}(t) = e^{\mathcal{G}(t)} \tilde{\rho}_\infty^{\mathbf{k}}$. The micro-motion operator \mathcal{G} is a time-periodic function satisfying $\mathcal{G}(t) = \mathcal{G}(t + T_\omega)$, describing faster dynamics rather than the laser frequency. The remaining matrix $\tilde{\rho}_\infty^{\mathbf{k}}$ does not evolve in time and is defined by

$$\mathcal{L}_{\text{eff}}^{\mathbf{k}} \tilde{\rho}_\infty^{\mathbf{k}} = 0. \quad (26)$$

For a certain class of periodically driven systems, $H_0^{\mathbf{k}} = H_{\text{PM}}^{\mathbf{k}}$ holds, in which the simple analytical formula of the density matrix $\rho_{\text{NESS}}^{\mathbf{k}}(t)$ has been derived [18]. On the other hand, for the case of $H_0^{\mathbf{k}} \neq H_{\text{PM}}^{\mathbf{k}}$, we have to slightly extend the formula and consider the ω dependence of $H_0^{\mathbf{k}}$. Our model of the 2D Rashba model irradiated by laser corresponds to the latter case. After some algebra (see Appendix C), the time-independent part of the density matrix $\tilde{\rho}_\infty^{\mathbf{k}} = \sum_{ij} \rho_{ij}^{\mathbf{k}} |E_i^{\mathbf{k}}\rangle \langle E_j^{\mathbf{k}}|$ is given by

$$\begin{aligned} \rho_{11}^{\mathbf{k}} &= \Gamma_{12}^{\mathbf{k}}/\gamma, \\ \rho_{22}^{\mathbf{k}} &= \Gamma_{21}^{\mathbf{k}}/\gamma, \\ \rho_{12}^{\mathbf{k}} &= \frac{\langle E_1^{\mathbf{k}} | \Delta H_{\text{FE}}^{\mathbf{k}} | E_2^{\mathbf{k}} \rangle}{(E_1^{\mathbf{k}} - E_2^{\mathbf{k}}) - i\gamma/2} (\rho_{11}^{\mathbf{k}} - \rho_{22}^{\mathbf{k}}), \\ \rho_{21}^{\mathbf{k}} &= \rho_{12}^{\mathbf{k}*}. \end{aligned} \quad (27)$$

in the high-frequency regime. Here, $\Delta H_{\text{FE}}^{\mathbf{k}} = H_{\text{FE}}^{\mathbf{k}} - H_0^{\mathbf{k}}$.

Using these results, we can generally compute observables of the NESS in an analytic way. From the definition of time-averaged expectation value in Eq. (23), $\langle\langle s_{\mathbf{k}}^z \rangle\rangle$ is interpreted as $\text{Tr}[s_{\mathbf{k}}^z \rho_\infty^{\mathbf{k}}]$. Combining this interpretation with Eq. (27), we have

$$\langle\langle s_{\mathbf{k}}^z \rangle\rangle = \frac{\langle E_1^{\mathbf{k}} | \Delta H_{\text{FE}}^{\mathbf{k}} | E_2^{\mathbf{k}} \rangle (E_1^{\mathbf{k}} - E_2^{\mathbf{k}})}{(E_1^{\mathbf{k}} - E_2^{\mathbf{k}})^2 + \gamma^2/4} (\rho_{11}^{\mathbf{k}} - \rho_{22}^{\mathbf{k}}). \quad (28)$$

Furthermore, from the formula of Eq. (25), we can easily estimate the Floquet Hamiltonian as [20]

$$\begin{aligned} H_{\text{FE}}^{\mathbf{k}} &= \left(1 - \frac{E_0^2}{4\omega^2}\right) H_{\text{PM}}^{\mathbf{k}} \\ &\quad - B_{\text{eff}}(\mathbf{k}) \frac{1}{2} C_{\mathbf{k}}^\dagger \sigma_z C_{\mathbf{k}} + \mathcal{O}(\omega^{-4}), \end{aligned} \quad (29)$$

where

$$B_{\text{eff}}(\mathbf{k}) = 2 \frac{\alpha_{\text{R}}^2 E_0^2}{\omega^3} \cos(k_x) \cos(k_y). \quad (30)$$

From the fashion of the Floquet Hamiltonian, the parameter $B_{\text{eff}}(\mathbf{k})$ can be interpreted as the \mathbf{k} -space effective magnetic field driven by circularly polarized laser. In fact, $B_{\text{eff}}(\mathbf{k})$ changes its sign if the laser polarization changes from right to left handed ($\omega \rightarrow -\omega$). As the first term of Eq. (29) corresponds to $H_0^{\mathbf{k}} = \left(1 - \frac{E_0^2}{4\omega^2}\right) H_{\text{PM}}^{\mathbf{k}}$, the second term $\Delta H_{\text{FE}}^{\mathbf{k}}$ is expressed as

$$\Delta H_{\text{FE}}^{\mathbf{k}} = -B_{\text{eff}}(\mathbf{k}) \frac{1}{2} C_{\mathbf{k}}^\dagger \sigma_z C_{\mathbf{k}} + \mathcal{O}(\omega^{-4}), \quad (31)$$

From Eqs (28) and (31), we find the relation $\langle\langle s_{\mathbf{k}}^z \rangle\rangle \propto$

$\frac{\alpha_R^2 E_0^2}{\omega^3}$, which leads to

$$\langle\langle s^z \rangle\rangle = \frac{1}{N} \langle\langle S_{\text{tot}}^z \rangle\rangle \propto \frac{\alpha_R^2 E_0^2}{\omega^3} \quad (32)$$

at least in a sufficiently high-frequency regime. This power-law behavior has already been predicted by the theories of IFE in isolated electron systems [9, 20]. Equation (32) shows that the same power law for the laser-driven magnetization holds even in laser-driven “dissipative” electron systems.

B. γ and T Dependence

In the remaining part of Sec. III, we will discuss the properties of the NESS with numerical computation of the GKSL equation. This subsection is devoted to the dissipation (γ) and temperature (T) dependence of the laser-driven magnetization $\langle\langle s^z \rangle\rangle$. We stress that the GKSL formalism makes it possible to discuss the γ and T dependence whereas a standard method based on Schrödinger equation cannot treat the effects of dissipation and temperature.

Figure 2(a) shows the γ dependence of the numerically computed spin moment per one site $\langle\langle s^z \rangle\rangle$ at $T = 0$. On the other hand, $\langle\langle s^z \rangle\rangle$ can also be computed as Eqs. (28) and (32) under the condition of a sufficiently high frequency. In Fig. 2, we plot this analytic result of the Floquet theory as well. One sees that (as expected) the value of $\langle\langle s^z \rangle\rangle$ monotonically decreases with the growth of the dissipation strength γ and the analytic result well agrees with the accurate numerical one. It is also shown that even if γ becomes close to the order of t_{hop} , the laser-driven magnetization $\langle\langle s^z \rangle\rangle$ still remains at the same or-




FIG. 2. Laser-driven magnetization $\langle\langle s^z \rangle\rangle$ as a function of (a) the dissipation magnitude (γ) and (b) temperature (T). Other parameters are chosen to be $eaE_0/t_{\text{hop}} = 0.1$, $\alpha_R/t_{\text{hop}} = 0.1$, and $\hbar\omega/t_{\text{hop}} = 1.0$. In panel (a), γ changes $0 < \gamma/t_{\text{hop}} \leq 0.4$ at $T = 0$. Red points and white circles respectively correspond to the result of the numerically solved GKSL equation and that of the Floquet high-frequency expansion [see Eqs. (28) and (32)]. In panel (b), we depict the results of $\gamma/t_{\text{hop}} = 0.2$ and 0.3 . Red and green points are numerical results of the GKSL equation, while white square and triangles are those of the high-frequency expansion. Temperature is changed from $k_B T/t_{\text{hop}} = 0.0$ to 0.05 , which corresponds to about 500 K for $t_{\text{hop}} = 1$ eV.

der as the value at $\gamma \rightarrow 0$. We have verified that the magnetization at the limit of $\gamma \rightarrow 0$ and $T = 0$ is in agreement with that in the previous study [20], which is computed from the solution of Schrödinger equation.

Next, we consider the T dependence of $\langle\langle s^z \rangle\rangle$. As we mentioned in Sec. II C, in the case of $T = 0$, it is enough to analyze the GKSL equations in the doughnut regime between two Fermi surfaces shown in Fig. 1(d). At finite temperatures, the possibilities of the appearance of one-particle states becomes finite in full Brillouin zone. However, if we consider a sufficiently low temperature regime ($k_B T \ll t_{\text{hop}}$), the effect of the area outside the doughnut regime would be still negligible for the analysis of $\langle\langle s^z \rangle\rangle$. Under this simple approximation, we here discuss the T dependence of $\langle\langle s^z \rangle\rangle$ by solving the GKSL equations only in the doughnut regime. Figure 2(b) represents the T dependence of numerically computed $\langle\langle s^z \rangle\rangle$ and the same quantity computed by the Floquet high-frequency expansion. One sees that these numerical and analytical results agree with each other in a semi-quantitative level. The laser-driven spin moment is shown to monotonically decrease with increasing T , while the figure also shows that the laser-driven magnetization is stable against temperature change if T is small enough compared with t_{hop} , i.e., the typical energy scale of the electron system. It is found that even when T is chosen to be room temperature, the laser-driven magnetization takes the value of the same order as at $T = 0$ for $t_{\text{hop}} = 1$ eV.

C. AC-field Dependence

In this subsection, we consider the effects of the frequency ω and the intensity E_0 of the AC electric field on the laser-driven magnetization in the NESS. Figure 3 shows the ω and E_0 dependence of the numerically computed $\langle\langle s^z \rangle\rangle$ at $T = 0$. As we already shown in Sec. III A, $\langle\langle s^z \rangle\rangle$ is proportional to E_0^2/ω^3 for $|E_0/(\hbar\omega)| \ll 1$, i.e., for a sufficiently high-frequency regime [see Eq. (32)]. Figure 3(a) and (b) clearly indicate the power law holds in the high-frequency regime, while $\langle\langle s^z \rangle\rangle$ deviates from the law when $|E_0/(\hbar\omega)|$ becomes larger. In fact, one finds from Figs. 3(c) and (d) that the numerically computed exact value of $\langle\langle s^z \rangle\rangle$ deviates from the result of the Floquet high-frequency expansion for $|E_0/(\hbar\omega)| \gtrsim 1$. As we already mentioned, this power law of the laser-driven magnetization is the same as that in dissipationless IFE [8, 9, 20].

In experiments of IFE, ultraviolet to infrared laser has been usually used. Roughly speaking, their photon energy is the same order as the energy scale of solid electron systems, i.e., $\hbar\omega \sim t_{\text{hop}}$. Figure 3 tells us that in the case of $\hbar\omega \sim t_{\text{hop}}$, the magnitude of the AC electric field should increase up to $eaE_0 \sim t_{\text{hop}}$ to maximize $\langle\langle s^z \rangle\rangle$. However, we have to note that in experiments, E_0 can approach at most 1 to 10 MV/cm, in which eaE_0 is usually much smaller than t_{hop} .




FIG. 3. [(a), (b)] Log-log plot of $\langle\langle s^z \rangle\rangle$ as a function of laser frequency ω (a) and intensity E_0 (b). Red and green points respectively represent the results of numerical calculations for $\gamma/t_{\text{hop}} = 0.2$ and 0.3 . The solid lines are fitting curves obeying the power law E_0^2/ω^3 . Other parameters are set to $\alpha_R/t_{\text{hop}} = 0.1$, $k_B T/t_{\text{hop}} = 0$ and $eaE_0/t_{\text{hop}} = 0.1$. For instance, $eaE_0/t_{\text{hop}} = 0.1$ corresponds to $E_0 = 2 \text{ MVcm}^{-1}$ and $\hbar\omega/t_{\text{hop}} = 1.0$ does to $\omega/2\pi = 0.24 \text{ PHz}$ when $t_{\text{hop}} = 1 \text{ eV}$. [(c), (d)] Linear plot of $\langle\langle s^z \rangle\rangle$ as a function of ω (c) and E_0 (d). Panel (c) [(d)] corresponds to panel (a) [(b)]. Green triangles represent the numerical calculation results for $\gamma = 0.3$ and white triangles the results of the Floquet high-frequency expansion.

IV. LASER PULSES

In the previous section, we have studied properties of the NESS that occurs after a long-time application of CW laser. The NESS is very useful to capture the essential, universal features of FE phenomena including IFE. However, short laser pulses (not CW) have been widely used in experiments of IFE [11–15]. Therefore, here we explore the ultrafast spin dynamics driven by a short pulse of circularly polarized laser. Here, “ultrafast” spin dynamics means that it is faster than typical time scale of electronics, while (as one will see soon later) it is slower than the laser period T_ω .

The electric field of the laser pulse was already defined in Eq. (14). The pulse length τ and the initial time t_{ini} are respectively fixed to about $14\hbar/t_{\text{hop}}$ and $-600\hbar/t_{\text{hop}}$ in our numerical calculations. We explore the pulse induced IFE by numerically solving the GKSL equation for laser-pulse driven electron systems. For simplicity, we focus on the zero temperature case ($T = 0$) in this section.

A. Ferromagnetic Metal

In the case of CW laser, electron spins are polarized along the effective magnetic field created by the circularly polarized laser, as shown in Eqs. (28)–(32). However, when a short laser pulse is applied to electron systems, a pulse-driven magnetic field immediately disappears before the electron spins becomes polarized. Instead of spin polarization, a precession of the magnetic moment is induced by the pulse-driven instantaneous magnetic field if we consider IFE in a metallic system with a magnetic order. Such a precession has been observed in several experiments of IFE [12, 14, 15]. Let us consider the setup of IFE shown in Fig. 4: A laser pulse with circular polarization is applied to a 2D ferromagnetic metal with a ferromagnetic moment along x axis. The laser-driven instantaneous magnetic field (B_{IFE}) is parallel to the z axis and its direction becomes positive and negative, depending on the helicity (right- and left handedness) of laser. To theoretically discuss the ultrafast precession, we hence should prepare a magnetically ordered electron state. For simplicity, we focus on a ferromagnetic metal state like Fig. 4. To this end, we extend the 2D paramagnetic Rashba model of Eq. (1) to a 2D electron model with a ferromagnetic moment, whose Hamiltonian is defined as

$$H_{\text{FM}} = H_{\text{PM}} + H_{\text{MFT}}, \quad (33)$$

where H_{MFT} is given by

$$H_{\text{MFT}} = -B_x S_{\text{tot}}^x = -B_x \sum_{\mathbf{k}} \frac{1}{2} C_{\mathbf{k}}^\dagger \sigma_x C_{\mathbf{k}}. \quad (34)$$

The index “FM” means “ferromagnetic” and the final term H_{MFT} is an Zeeman coupling due to a magnetic field B_x and has been introduced to generate a finite ferromagnetic moment along the S^x axis like Fig. 4. One may consider that this Zeeman term emerges from a mean-field treatment for electron-electron interactions includ-




FIG. 4. Schematic image of IFE driven by pulse of circularly polarized laser (CPL) with (a) right- or (b) left handedness. The laser-driven 2D electron system on the x - y plane has a finite ferromagnetic moment along the S^x axis and the incident pulse enters along the z axis. The arrow of B_{IFE} means the direction of an instantaneous magnetic field induced by the pulse IFE. The direction of B_{IFE} is expected to be controlled by changing the light polarization from right (left) to left (right) circular types. Black arrows stand for the expected precession motion of the spin moment.

ing Coulomb interaction, Hund coupling, etc [46]. However, we here regard the effective field B_x as a merely free parameter to realize a ferromagnetic metal state. In this section, we use this mean-field Hamiltonian to investigate the ultrafast spin dynamics driven by laser pulses.

The model of Eq. (33) can be easily solved because it is a free-fermion type. In the \mathbf{k} space, the Hamiltonian reads

$$H_{\text{FM}} = \sum_{\mathbf{k}} C_{\mathbf{k}}^\dagger \begin{pmatrix} \varepsilon_{\mathbf{k}} & \eta_{\mathbf{k}} - B_x/2 \\ \eta_{\mathbf{k}}^* - B_x/2 & \varepsilon_{\mathbf{k}} \end{pmatrix} C_{\mathbf{k}}. \quad (35)$$

From this Hamiltonian, one can compute expectation values of arbitrary observable in the equilibrium state.

As the magnetization induced by B_x is important in this section, we here introduce two expectation values associated to the spin moment:

$$\begin{aligned} M_\alpha &= \langle s^\alpha \rangle_{t_{\text{ini}}}, \\ S_{\text{occ}}^\alpha &= \frac{1}{N_{\text{occ}}} \sum_{\mathbf{k} \in \text{occ}} \langle s_{\mathbf{k}}^\alpha \rangle_{t_{\text{ini}}}. \end{aligned} \quad (36)$$

Here, M_α stands for the α component of magnetization per site at the initial time $t = t_{\text{ini}}$, i.e., in equilibrium state before the application of a laser pulse. On the other hand, N_{occ} is total number of the occupied one-particle state at $T = 0$ and $\sum_{\mathbf{k} \in \text{occ}}$ means the summation over all the one-particle states at $T = 0$, which is equivalent to the doughnut area between two Fermi surfaces of the model H_{FM} . Therefore, S_{occ}^α indicates how many electron spins are polarized along the α axis in all the one-particle states in Brillouin zone: The saturation value $S_{\text{occ}}^\alpha = 1/2$ corresponds to the state where all the electron spins in one-electron occupied states are fully polarized at $T = 0$. Figure 5(a)-(d) show the energy bands and Fermi surfaces of the ferromagnetic metal model of Eq. (35) with finite mean fields B_x at Fermi energy $\epsilon_F = -3t_{\text{hop}}$. One sees that Fermi surfaces gradually change with B_x increased. Figure 5(e) and (f) are respectively the magnetization curves of S_{occ}^x and M_x as a function of B_x at $T = 0$. They tell us that S_{occ}^x is almost saturated for $B_x > 0.5t_{\text{hop}}$, while M_x still monotonically increase together with B_x even if B_x is beyond $5t_{\text{top}}$. When B_x is much larger than t_{hop} ($B_x \gg t_{\text{hop}}$), two energy bands $E_1^{\mathbf{k}}$ and $E_2^{\mathbf{k}}$ are massively separated. As a result, the lower band is completely occupied by electrons with $S^x = +1/2$ polarization ($E_1^{\mathbf{k}} < \epsilon_F$) and the higher band is empty ($E_2^{\mathbf{k}} > \epsilon_F$). This situation corresponds to the saturation of M_x . However, we want to consider a realistic ferromagnetic metal state within our simple mean-field model. In real ferromagnetic metals [46], the deviation between spin- \uparrow and spin- \downarrow electron numbers is usually relevant only near the Fermi surface. From this argument and Fig. 5(e), we should tune the value of the mean field, for example, in a range $0.01 < B_x/t_{\text{hop}} < 0.2$ such that S_{occ}^x takes a moderate value far from the saturation value $1/2$. In fact, as we will explain in Appendix D, if we start from almost saturated ferromagnetic state with $S_{\text{occ}}^x \simeq 1/2$, even strong laser pulse can induce a quite




FIG. 5. [(a), (c)] Energy bands of the mean-field ferromagnetic model of Eq. (33) at (a) a weak spin moment $M_x = 0.08$ and (c) an almost saturated moment $M_x = 0.49$. Parameters are set to $t_{\text{hop}} = 1$ eV and $\alpha_R/t_{\text{hop}} = 0.5$. The Fermi energy is fixed to $\epsilon_F = -3t_{\text{hop}}$. [(b), (d)] Panels (b) and (d) respectively correspond to the Fermi surfaces for the cases (a) and (c). [(e), (f)] Magnetization curves of (e) S_{occ}^x and (f) M_x as a function of B_x for $\alpha_R/t_{\text{hop}} = 0.5$ and $k_B T/t_{\text{hop}} = 0.0$.

small precession motion of the spin moment because the spin moment is strongly locked due to the considerably large field B_x .

When the effect of laser pulse is introduced in Eq. (33), it is enough to replace H_{PM} to $H_{\text{PM}}(t)$ using the Peierls formalism like Sec. II B. However, we should note that we use the vector potential for the laser “pulse” field of Eq. (14) instead of CW laser. The time-dependent pulse-driven Hamiltonian is given by

$$H_{\text{FM}}(t) = H_{\text{PM}}(t) + H_{\text{MFT}}. \quad (37)$$

This Hamiltonian is still \mathbf{k} -diagonal like the case of CW laser. Using Eq. (37), we will numerically solve the GKSL equation.

B. Pulse induced Precession

In this subsection, we discuss the numerical results of the spin moment induced by pulse laser. For simplicity, the numerical computation will all be done at $T = 0$ in this section. Figure 6(a) shows the spin moment of $\langle s^\alpha \rangle_t$ as a function of time t in a ferromagnetic metal state with a moderate value of S_{occ}^x . The dotted lines represent the actual time evolution, while the solid lines represent the extracted slow modes that is defined as

$$s_{\text{slow}}^\alpha(t) = \frac{1}{2T_\omega} \int_{t-T_\omega}^{t+T_\omega} dt' \Delta \langle s^\alpha \rangle_{t'}, \quad (38)$$

where we have taken a time average over $2T_\omega$ and we have introduced $\Delta \langle s^\alpha \rangle_t = \langle s^\alpha \rangle_t - \langle s^\alpha \rangle_{t_{\text{ini}}}$ and $\langle s^{y,z} \rangle_{t_{\text{ini}}} = 0$. The gray area indicates the full width at half maximum of the laser pulse, namely, the time interval during which




FIG. 6. [(a1)-(a3)] Time evolution of $\langle s^x \rangle_t$, $\langle s^y \rangle_t$, and $\langle s^z \rangle_t$ computed by the GKSL equation for a ferromagnetic metal state in the model (37) with “magnetization” $S_{\text{occ}}^x = 0.248$ (corresponds to $M_x = 0.0046$) at $T = 0$. Here, $\Delta \langle s^\alpha \rangle_t = \langle s^\alpha \rangle_t - \langle s^\alpha \rangle_{t_{\text{ini}}}$ and $\langle s^{y,z} \rangle_{t_{\text{ini}}} = 0$. Dotted lines denote $\langle s^\alpha \rangle_t$ themselves, while solid lines are the slow modes defined by $s_{\text{slow}}^\alpha(t) = \frac{1}{2T_\omega} \int_{t-T_\omega}^{t+T_\omega} dt' \Delta \langle s^\alpha \rangle_{t'}$. Red and blue colors respectively correspond to right circularly polarized ($\hbar\omega/t_{\text{hop}} = 1$) and left circularly polarized ($\hbar\omega/t_{\text{hop}} = -1$) pulses. The gray region denotes the width of laser pulse: The laser intensity is strong enough in this range. [(b1), (b2)] Plot of slow mode of panels (a1)-(a3) in the three-dimensional space $(tt_{\text{hop}}/\hbar, \langle s^x \rangle_t, \langle s^y \rangle_t)$. Other parameters are chosen to be $eaE_0 = 0.5$, $\alpha_R/t_{\text{hop}} = 0.1$, $k_B T/t_{\text{hop}} = 0$, $\gamma/t_{\text{hop}} = 0.01$, and $\tau \simeq 14\hbar/t_{\text{hop}}$.

laser intensity is strong enough.

The most remarkable part in Fig. 6(a) is the behavior of the slow mode of $\langle s^y \rangle_t$. From Fig. 4, we can expect that a clear precession arises in the y component of spin in our setup and the initial “phase” of the precession driven by a right-handed light ($\omega > 0$) deviates by π from that by a left-handed one ($\omega < 0$). One finds this phase difference in $\langle s^y \rangle_t$ of Fig. 6(a2). The phase difference has been indeed observed in several experiments of pulse-driven IFE [12, 14, 15] and is a definite evidence for the emergence of an instantaneous magnetic field (B_{IFE} in Fig. 4) by a circularly polarized laser pulse. In real magnetic materials, the characteristic frequency of the precession (i.e., slow mode) is determined by the spin-wave eigenenergy [46]. Our model does not include the correlation between spin moments in neighboring sites and hence cannot reproduce the precession with the spin-wave frequency. To take the spin-wave nature into account in the microscopic level, we have to analyze laser-driven dynamics in correlated electron systems on a lattice such as Hubbard models, more realistic multi-band correlated electron models, etc. It is an important future issue of the research of IFE. We however emphasize that a slow precession and the phase difference can be captured within our free-fermion model for a ferromagnetic metal. Here, we again note that the slow precession is fast compared

with typical time scale of electronics. “Slow” means that it is slower than the laser frequency and we may refer to this mode as “ultrafast” spin dynamics.

Figure 6(a) also demonstrates that the slow modes of $\langle s^x \rangle_t$ for right- and left-handed lights are almost degenerate. This behavior can be understood from Fig. 4. Namely, if the time evolution of $\langle s^x \rangle_t$ is sufficiently close to the ideal precession on the S^x - S^y plane like Fig. 4, a phase difference does not appear in $\langle s^x \rangle_t$ and it arises only in $\langle s^y \rangle_t$. One can also find from Fig. 6(a3) that $\langle s^z \rangle_t$ slightly increases (decreases) during the application of right-handed (left-handed) laser pulse. This could be interpreted as the growth of spin moment by the instantaneous magnetic field B_{IFE} .

Figure 6(b) depicts the trajectories of the pulse-driven slow dynamics in the three-dimensional $(tt_{\text{hop}}/\hbar, \langle s^x \rangle_t, \langle s^y \rangle_t)$ space, from which one can visually understand the precessions generated by right and left circularly polarized pulses. The corresponding movie is in Ref. [47].

C. Time-dependent Effective Hamiltonian

Here, we consider how one can understand the precession mode of Fig. 6 from the Floquet-theory perspective.




FIG. 7. [(a1)-(a3)] Panels (a1)-(a3) depict the time evolution of slow modes of $\langle s^x \rangle_t$, $\langle s^y \rangle_t$, and $\langle s^z \rangle_t$ in the case of circularly polarized laser pulse at $T = 0$. Each panel includes the numerical results estimated by three models of Eqs. (37), (40), and (41). CPL+ and CPL- respectively stand for right ($\hbar\omega/t_{\text{hop}} = 1 > 0$) and left ($\hbar\omega/t_{\text{hop}} = -1 < 0$) circularly polarized laser pulses. Light red (CPL+) and light blue (CPL-) curves are the results of Eq. (37). Orange dotted (CPL+) and blue dotted (CPL-) lines are those of Eq. (40). White diamond (CPL+) and black diamond (CPL-) marks are those of Eq. (41). [(b1)-(b3)] Panels (b1)-(b3) represent the Fourier spectra of s_{FT}^α as a function of arbitrary frequency Ω in the case of right circularly polarized pulse. We use the log plot and the value of the vertical axis is measured from the maximum value of $\log_{10} |s_{\text{FT}}^\alpha(\Omega)|$. Red line is the result of Eq. (37), blue area is that of Eq. (40), and orange area is that of Eq. (41). In panels (b1)-(b3), we define the characteristic angular frequency $\Omega_{\text{slow}}^\alpha$ that is the lowest peak position of $\log_{10} |s_{\text{FT}}^\alpha(\Omega)|$ and is much smaller than the laser frequency ω . Other parameters are chosen to be $M_x = 0.0046$ ($S_{\text{occ}}^x = 0.25$ and $B_x/t_{\text{hop}} = 0.1$), $t_{\text{top}} = 1$, $eaE_0/t_{\text{hop}} = 0.5$, $\alpha_R/t_{\text{hop}} = 0.1$, and $\gamma/t_{\text{hop}} = 0.01$.

For this purpose, let us first remember the case of a CW laser. In the case, the Floquet high-frequency expansion enable us to lead to the time-independent Floquet Hamiltonian, which is given by

$$H_{\text{FE}}^{\text{CW}} = \left(1 - \frac{E_0^2}{4\omega^2}\right) H_{\text{PM}} - \sum_{\mathbf{k}} B_{\text{eff}}(\mathbf{k}) \frac{1}{2} C_{\mathbf{k}}^\dagger \sigma_z C_{\mathbf{k}} + H_{\text{MFT}}, \quad (39)$$

where $B_{\text{eff}} = 2\alpha_R^2 E_0^2/\omega^3 \cos(k_x) \cos(k_y)$ [see Eq. (29)]. In the case of laser pulse, on the other hand, the high-frequency expansion is no longer applicable in principle. However, we can expect that the expansion is still valid for a short time interval, which is somewhat longer than the laser period T_ω . Under this rough expectation, we may introduce the effective Hamiltonian (time-evolution operator) for the case of laser pulse, by replacing E_0 with $E_0 e^{-t^2/(\tau/2)^2}$ in Eq. (39). Therefore, the effective Hamiltonian for laser pulse is given by

$$H_{\text{FE}}^{\text{Pulse}}(t) = \left(1 - \frac{(e^{-2t^2/\tau^2} E_0)^2}{4\omega^2}\right) H_{\text{PM}}$$

$$- e^{-4t^2/\tau^2} \sum_{\mathbf{k}} B_{\text{eff}}(\mathbf{k}) \frac{1}{2} C_{\mathbf{k}}^\dagger \sigma_z C_{\mathbf{k}} + H_{\text{MFT}}. \quad (40)$$

Furthermore, the laser-driven magnetic field $B_{\text{eff}}(\mathbf{k})$ is expected to be more significant rather than the correction to H_{PM} . Hence, we also introduce another effective Hamiltonian:

$$H_{\text{FE2}}^{\text{Pulse}}(t) = H_{\text{PM}} - e^{-4t^2/\tau^2} \sum_{\mathbf{k}} B_{\text{eff}}(\mathbf{k}) \frac{1}{2} C_{\mathbf{k}}^\dagger \sigma_z C_{\mathbf{k}} + H_{\text{MFT}}. \quad (41)$$

These Hamiltonians, $H_{\text{FE}}^{\text{Pulse}}(t)$ and $H_{\text{FE2}}^{\text{Pulse}}(t)$, are expected to describe the slow dynamics, whose time scale is slower than the laser period T_ω .

We compare the numerically exact results of $\langle s^\alpha \rangle_t$ with those derived from $H_{\text{FE}}^{\text{Pulse}}(t)$ or $H_{\text{FE2}}^{\text{Pulse}}(t)$. To this end, we here define the Fourier transform of the magnetization as

$$s_{\text{FT}}^\alpha(\Omega) = \int_{-\infty}^{\infty} \Delta \langle s^\alpha \rangle_t e^{-i\Omega t} dt, \quad (42)$$

where $\Delta \langle s^\alpha \rangle_t = \langle s^\alpha \rangle_t - \langle s^\alpha \rangle_{t_{\text{ini}}}$ and $\langle s^{y,z} \rangle_{t_{\text{ini}}} = 0$. Figure 7 (a1)-(a3) represents the slow precession motion of spins after the laser pulse passes. Each panel includes the numerically exact result of $s_{\text{slow}}^\alpha(t)$ and the spin moments




FIG. 8. [(a),(b)] Log plot of $|s_{\text{FT}}^{\alpha}(\Omega_{\text{slow}})|$ as a function of the frequency ω (a) and the field strength E_0 (b) of laser pulse. The frequency $\Omega_{\text{slow}}^{\alpha}$ is determined as the lowest peak position of $|s_{\text{FT}}^{\alpha}(\Omega)|$. Red [white] triangles are the numerical result of combining the original mean-field Hamiltonian $H_{\text{FM}}(t)$ [the effective Hamiltonian $H_{\text{FE}}^{\text{Pulse}}(t)$] with the GKSL equation. In panels (a1)-(a3), the laser intensity is chosen to be $eaE_0/t_{\text{hop}} = 0.5$, while in panels (b1)-(b3), the laser frequency is set to $\hbar\omega/t_{\text{hop}} = 1.0$. Fitting dotted lines in panels (a3) and (b3) are proportional to E_0^2/ω^3 . Other parameters are $t_{\text{hop}} = 1$, $\alpha_R/t_{\text{hop}} = 0.1$, $\gamma/t_{\text{hop}} = 0.01$, and $\tau \simeq 14\hbar/t_{\text{hop}}$. The dotted fitting lines in two panels of $|s_{\text{FT}}^{\alpha}(\Omega_{\text{slow}})|$ are proportional to E_0^2/ω^3 .

$\langle s^{\alpha} \rangle_t$ computed by the effective Hamiltonians $H_{\text{FE}}^{\text{Pulse}}(t)$ and $H_{\text{FE2}}^{\text{Pulse}}(t)$. These three panels show that the Hamiltonian $H_{\text{FE}}^{\text{Pulse}}(t)$ well describes all the components of slow spin motion although the amplitudes of $\langle s^{y,z} \rangle_t$ somewhat deviates from the exact results of $s_{\text{slow}}^{\alpha}(t)$. They also tell us that even a simpler Hamiltonian $H_{\text{FE2}}^{\text{Pulse}}(t)$ can reproduce the precession of $\langle s^{y,z} \rangle_t$ with the accurate frequency (although it cannot describe the z component of spin).

Figure 7 (b1)-(b3) show the Fourier transforms $s_{\text{FT}}^{\alpha}(\Omega)$ for a right circularly polarized pulse. We plot results estimated by three methods: Numerically exact calculation by the GKSL equation, the numerical result based on $H_{\text{FE}}^{\text{Pulse}}(t)$ and that based on $H_{\text{FE2}}^{\text{Pulse}}(t)$. The estimation of $H_{\text{FE}}^{\text{Pulse}}(t)$ is shown to well agree with the exact result in the lower frequency regime of $\Omega < \omega$, while $H_{\text{FE2}}^{\text{Pulse}}(t)$ can describe the low-frequency modes for the y and z components of spin and cannot do the x component. These results are consistent with the upper panels of Fig. 7. In particular, one finds from panels (b2) and (b3) that both models of Eqs. (40) and (41) can capture the lowest-frequency peak structures of $s_{\text{FT}}^{y,z}(\Omega)$.

We here define the characteristic frequency $\Omega_{\text{slow}}^{\alpha}$ as the lowest peak position of $s_{\text{FT}}^{\alpha}(\Omega)$ that is smaller than the laser frequency ω . The positions of $\Omega_{\text{slow}}^{\alpha}$ are depicted in Fig. 7(b). Figure 8 shows $s_{\text{FT}}^{\alpha}(\Omega_{\text{slow}}^{\alpha})$ as a function of the AC electric field E_0 and the laser frequency ω . It is found that $s_{\text{FT}}^{\alpha}(\Omega_{\text{slow}}^{\alpha})$ computed by combining the effective Hamiltonian (40) and the GKSL equation is in good agreement with the numerically exact result. This means that the Hamiltonian (40) works well to describe the dy-

namics that is slower than the laser frequency. Moreover, Figs. 8(a3) and (b3) demonstrate that $s_{\text{FT}}^{\alpha}(\Omega_{\text{slow}}^{\alpha})$ obeys the line $\propto E_0^2/\omega^3$ like Eq. (32). It implies that the Floquet picture still survives even for the case of a few cycle laser pulse.

From these results of Figs. 7 and 8, we conclude that the effective Hamiltonian for the laser-pulse driven systems, Eqs. (40) and (41), can capture the lower-frequency dynamics and the pulse-driven IFE can be viewed as a short-time FE.

D. Importance of Relaxation

Finally, we discuss how important the dissipation terms of the GKSL equation is when we consider the laser-pulse driven IFE. To this end, we introduce the Gabor transformation

$$s_{\text{GT}}^{\alpha}(\Omega, t) = \int_{-\infty}^{\infty} dt_s e^{-(t_s - t)^2/\xi^2} \Delta \langle s^{\alpha} \rangle_{t_s} e^{-i\Omega t}, \quad (43)$$

where $\xi = 0.1\hbar/t_{\text{hop}}$. This quantity tells us how the frequency components of $\langle s^{\alpha} \rangle_t$ are distributed at each time. This is also referred to as short-time Fourier transform.

Figure 9 (a1)-(a3) and (b1)-(b3) show the above Gabor transforms for the case of laser pulse as a function of the frequency Ω and time t . Panels (a1)-(a3) are the results by the GKSL equation for the model (37) with a finite dissipation strength $\gamma = 0.03 t_{\text{hop}}$, whereas panels (b1)-(b3) correspond to the results without dissipation term ($\gamma = 0$). The latter results are shown to be almost the same as the former in the higher-frequency regime ($\Omega > \Omega_{\text{slow}}^{\alpha}$), whereas one finds that the low-frequency behavior of the latter clearly deviates from the result with a finite dissipation: In the case of $\gamma = 0$, the low-frequency dynamics (including the precession in Fig. 6) survives for a long time. From Fig. 9(c1)-(c3), we find the amplitude of the pulse-driven precession mode still remains at least in $t \sim 800\hbar/t_{\text{hop}}$.

The typical relaxation time of electron spins is in the range of 1 ps–1 ns [7, 46, 48–56] in magnetic materials. Therefore, the never-ending tails of the low-frequency regime in Fig. 9(b1)-(b3) are non realistic and it indicates the importance of taking the dissipation effect into account when we consider the laser-pulse driven dynamics.

V. CONCLUSIONS AND DISCUSSIONS

In this study, we have theoretically investigated the IFE driven by continuous (pulse) waves for paramagnetic (ferromagnetic) states in 2D Rashba electron models. The quantum master (GKSL) equation makes it possible to handle the spin dynamics driven by both pulse and continuous waves. Moreover, it also enables us to take the dissipation effects into account unlike the standard approach of Schrödinger equation. We emphasize that




FIG. 9. Panels (a) and (b) display the Gabor transformation of $\langle s^{\alpha} \rangle_t$, $s_{\text{GT}}^{\alpha}(\Omega, t)$, as a function of time t and the observed frequency Ω . The magnitude of $\log_{10} |s_{\text{GT}}^{\alpha}(\Omega, t)|$ is shown by varying color. Panels (a) and (b) respectively correspond to the cases with a finite relaxation rate ($\gamma/t_{\text{hop}} = 0.03$) and without dissipation ($\gamma/t_{\text{hop}} = 0$). Other parameters are $t_{\text{hop}} = 1$, $\alpha_R/t_{\text{hop}} = 0.1$, $eaE_0/t_{\text{hop}} = 0.5$, $\hbar\omega/t_{\text{hop}} = 1$ and $T = 0$. Panel (c) represents $\log_{10} |s_{\text{GT}}^{\alpha}(\Omega, t)|$ at $\Omega = \Omega_{\text{slow}}^{\alpha}$ for $\gamma/t_{\text{hop}} = 0.03$ (red line) and $\gamma/t_{\text{hop}} = 0$ (blue line).

the dissipation plays the significant roles to realize the NESS in the case of CW (see Sec. III) and to describe the spin dynamics in the case of laser pulse (see Sec. IV).

In Sec. III, we have investigated the NESS that arises due to the balance between the energy injection by CW laser and the energy dissipation. We demonstrate that the laser-driven magnetization and its nature can be captured by the Floquet theory for dissipative systems in the high-frequency regime. We analytically and numerically prove that the power law of magnetization, $\langle \langle s^z \rangle \rangle \propto E_0^2/\omega^3$, holds in the NESS. With the GKSL equation, we predict the T and γ dependence of IFE in a quantitative level. For example, for a typical value of t_{hop} , the laser-driven magnetization is shown to remain large enough even when T is as high as room temperature.

Section IV is devoted to the analysis of the short-laser-pulse driven IFE. We have focused on ferromagnetic metal states by introducing a mean-field type Zeeman interaction and computed the pulse-driven ultrafast spin dynamics in the ferromagnetic state by using the GKSL equation. We find that a pulse-induced instantaneous magnetic field leads to a precession of the spin moment, which has been often observed in experiments of IFE. Furthermore, by introducing time-dependent effective Hamiltonians, we show that the precession can be understood from the Floquet theory perspective. We note that when even “a few” cycle pulse is applied, the Floquet picture is still useful to understand some essen-

tial properties of the laser-pulse driven systems.

Our results indicate that the GKSL equation [26–29] and the Floquet theory for dissipative systems [18, 19] are useful to deeply understand Floquet-engineering phenomena in solids including IFE, in which the dissipation effect is usually inevitable. On the other hand, (as we discussed in Sec. IV B) the pulse-driven precession with the spin-wave frequency cannot be reproduced within our free electron model. The development of a microscopic theory for such a spin-wave precession mode is an interesting feature issue. The analysis of dissipation effects beyond the GKSL equation [57–59] is also important in broad fields of non-equilibrium physics.

ACKNOWLEDGMENTS

This work is supported by JSPS KAKENHI (Grant No. 20H01830 and No. 20H01849) and a Grant-in-Aid for Scientific Research on Innovative Areas “Quantum Liquid Crystals” (Grant No. 19H05825) and “Evolution of Chiral Materials Science using Helical Light Fields” (Grants No. JP22H05131 and No. JP23H04576) from JSPS of Japan.

Appendix A: Typical values of parameters

When we theoretically study laser-driven systems, we should consider realistic values of many parameters. The number of them is generally much larger than that in equilibrium systems. Here, we prepare two tables, in which typical values of important parameters are listed.

Appendix B: Relation between GKSL and Bloch Equations

In this study, we have treated dissipation effects by using the GKSL equation. Below, we explain that the GKSL equation encompasses the (optical) Bloch equation [60], which has been often used to describe photo-induced dynamics in semiconductors. We assume that the system is given by a two-level quantum model, whose 2×2 Hamiltonian denotes H . The GKSL equation for the density matrix ρ is written as follows:

$$\frac{d\rho}{dt} = -i[H, \rho] + \sum_m \left(L_m \rho L_m^\dagger - \frac{1}{2} \{ L_m^\dagger L_m, \rho \} \right), \quad (\text{B1})$$

where L_m is a jump operator describing a dissipation process. We note that the dissipation term in Eq. (B1) can be re-expressed as Eq. (20) by changing the definition and normalization of L_m . In the two-level system, arbitrary operator A is given by $A = \frac{1}{2} \sum_{\alpha=0,x,y,z} A_\alpha \sigma_\alpha$, where $\sigma_{x,y,z}$ are Pauli matrices and σ_0 is the 2×2 unit matrix. The density matrix ρ is hence expressed as $\rho = \frac{1}{2} \sum_{\alpha=0,x,y,z} \rho_\alpha \sigma_\alpha$ and the determination of the density matrix is equivalent to giving the vector of three coefficients $\boldsymbol{\rho} = (\rho_x, \rho_y, \rho_z)$. Similarly, the Hamiltonian H and each jump operator L_m may be respectively defined by three-component vectors $\mathbf{H} = (H_x, H_y, H_z)$ and $\mathbf{L}_m = (L_{m,x}, L_{m,y}, L_{m,z})$. Using these instruments, one can exactly map the GKSL equation to the following differential equation:

$$\begin{aligned} \frac{d}{dt} \begin{pmatrix} \rho_x \\ \rho_y \\ \rho_z \end{pmatrix} &= \mathbf{H} \times \boldsymbol{\rho} + \sum_m \begin{pmatrix} -\tau_m^x & \tau_m^{xy} & \tau_m^{xz} \\ \tau_m^{yx} & -\tau_m^y & \tau_m^{yz} \\ \tau_m^{zx} & \tau_m^{zy} & -\tau_m^z \end{pmatrix} \begin{pmatrix} \rho_x \\ \rho_y \\ \rho_z \end{pmatrix} \\ &+ i \sum_m (\mathbf{L}_m \times \mathbf{L}_m^\dagger)/2, \end{aligned} \quad (\text{B2})$$

where $\tau_m^i = (|L_{m,i+1}|^2 + |L_{m,i+2}|^2)/2$ (Here, x, y , and z respectively read 1, 2, and 3 mod 3) and $\tau_m^{ij} = (L_{m,j} L_{m,i}^* + L_{m,j}^* L_{m,i})/4$ for $i \neq j$. The trace conservation of ρ leads to the traceless nature of $\text{Tr}[L_m] = 0$.

The jump operators are here determined such that $\rho(t)$ approaches to an equilibrium state of the time-independent Hamiltonian H_{stat} . The full Hamiltonian is given by $H(t) = H_{\text{stat}} + \delta H(t)$. To quantitatively discuss the jump operators, we prepare the eigenstates of H_{stat} . Two energy eigenstates of H_{stat} are defined by $|E_1\rangle$ and $|E_2\rangle$, whose eigenenergies $E_{1,2}$ satisfy $E_1 < E_2$. In this

setup, the density matrix

$$\rho_{\text{gs}} = |E_1\rangle\langle E_1| = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix} \quad (\text{B3})$$

corresponds to the ground state.

To consider the relation between the GKSL and Bloch equations, we somewhat restrict the form of the jump operators: Each L_m is assumed to be proportional to σ_z , $\sigma_+ = (\sigma_x + i\sigma_y)/2$ or $\sigma_- = (\sigma_x - i\sigma_y)/2$. For example, we do not consider the case where L_m is given by a linear combination of σ_z and σ_\pm . Under this constraint, the matrices in the second term of Eq. (B2) possesses only diagonal components τ_m^i . Similarly, the vector $\mathbf{L} \times \mathbf{L}^\dagger$ can have only the z component.

1. Absence of σ_z

Here, we consider the case where jump operators do not include any diagonal component. Two jump operators are defined by

$$\begin{aligned} L_1 &= \sqrt{\Gamma_{12}} \sigma_+ = \sqrt{\Gamma_{12}} |E_1\rangle\langle E_2|, \\ L_2 &= \sqrt{\Gamma_{21}} \sigma_- = \sqrt{\Gamma_{21}} |E_2\rangle\langle E_1|. \end{aligned} \quad (\text{B4})$$

This setup corresponds to the GKSL equation we have defined in Sec. IIC: The relation between the jump operator in Sec. IIC and that in Eq. (B4) is given by $L_{12} = L_1/\sqrt{\Gamma_{12}}$ and $L_{21} = L_2/\sqrt{\Gamma_{21}}$. The equation of motion for the density matrix is

$$\frac{d\rho_x}{dt} = [\mathbf{H} \times \boldsymbol{\rho}]_x - \frac{\rho_x}{T_\perp} \quad (\text{B5})$$

$$\frac{d\rho_y}{dt} = [\mathbf{H} \times \boldsymbol{\rho}]_y - \frac{\rho_y}{T_\perp} \quad (\text{B6})$$

$$\frac{d\rho_z}{dt} = [\mathbf{H} \times \boldsymbol{\rho}]_z - \frac{\rho_z - \frac{\Gamma_{12} - \Gamma_{21}}{\Gamma_{12} + \Gamma_{21}}}{T_\parallel}, \quad (\text{B7})$$

where $1/T_\perp = (\Gamma_{12} + \Gamma_{21})/2$ and $1/T_\parallel = \Gamma_{12} + \Gamma_{21}$. This equation is nothing but the same form as the Bloch equation. If we regard the vector $\boldsymbol{\rho}$ as a classical spin, T_\parallel and T_\perp may be respectively interpreted as the longitudinal and transverse relaxation times. Like Sec. IIC, if Γ_{ij} satisfy the detailed balance condition

$$\Gamma_{ij} = \frac{\gamma \exp(-\beta E_i)}{\exp(-\beta E_i) + \exp(-\beta E_j)} \quad (i \neq j), \quad (\text{B8})$$

the system relaxes to the equilibrium state of the time-independent Hamiltonian. In fact, we find that the factor in the final term of Eq. (B7) satisfies

$$\frac{\Gamma_{12} - \Gamma_{21}}{\Gamma_{12} + \Gamma_{21}} = \frac{\exp(-\beta E_1) - \exp(-\beta E_2)}{\sum_{i=1,2} \exp(-\beta E_i)} = \langle \rho_z \rangle_{\text{eq}}, \quad (\text{B9})$$

where $\langle \cdots \rangle_{\text{eq}}$ denotes the expectation value of an equilibrium state. Moreover, one finds $T_\perp = 2T_\parallel$. Namely, the use of Eq. (B4) corresponds to the Bloch equation under a special condition that the relaxation times satisfy $T_\perp = 2T_\parallel$. At $T = 0$ ($\beta \rightarrow \infty$), $\Gamma_{21} \rightarrow 0$ and $\langle \rho_z \rangle_{\text{eq}} = 1$.

TABLE I. Several quantities that are used when we consider laser-driven electron systems. In the second column, we define typical quantities in the dimensionless fashion. The symbol “dl” means “dimensionless”. In the third column, we show typical values of these quantities under the condition that the dimensionless parameters are fixed to $E_0^{(\text{dl})} = 1$, $\hbar\omega^{(\text{dl})} = 1$, $T^{(\text{dl})} = 1$, $t^{(\text{dl})} = 1$ and $\gamma^{(\text{dl})} = 1$ and we set $t_{\text{hop}} = 1\text{eV}$ and $a = 5\text{\AA}$. See Ref. [20].

parameter	dimensionless parameter	$E_0^{(\text{dl})} = 1$, $\hbar\omega^{(\text{dl})} = 1$, $T^{(\text{dl})} = 1$, $\gamma^{(\text{dl})} = 1$, $t^{(\text{dl})} = 1$
Strength of laser electric field	$E_0^{(\text{dl})} = eaE_0/t_{\text{hop}}$	$E_0 \simeq 20\text{ MVcm}^{-1}$
Strength of laser magnetic field	$B_0^{(\text{dl})} = g\mu_B B_0/t_{\text{hop}} = g\mu_B(E_0/c)/t_{\text{hop}}$	$B_0 \simeq 6.67\text{ T}$
laser angular frequency	$\hbar\omega^{(\text{dl})} = \hbar\omega/t_{\text{hop}}$	$\frac{\omega}{2\pi} \simeq 2.42 \times 10^2\text{ THz}$
Temperature	$k_B T^{(\text{dl})} = k_B T/t_{\text{hop}}$	$T \simeq 1.16 \times 10^4\text{ K}$
strength of dissipation	$\gamma^{(\text{dl})} = \gamma/t_{\text{hop}}$	$\gamma = 1\text{ eV}$
time	$t^{(\text{dl})} = t t_{\text{hop}}/\hbar$	$t \simeq 0.66\text{ fs}$

TABLE II. Laser energy flux for reference field strengths. See Ref. [41].

	$E_0 = 1\text{ MVcm}^{-1}$
Strength of laser magnetic field (B_0)	0.33 T
Laser energy flux (I)	1.3 GWcm $^{-2}$

2. Existence of σ_z

In addition to $L_{1,2}$, we introduce another jump operator with a diagonal component:

$$L_3 = \sqrt{\frac{\gamma_{\perp}}{2}} \sigma_z. \quad (\text{B10})$$

From Eq. (B2), the GKSL equation with three jump operators $L_{1,2,3}$ are expressed as

$$\frac{d\rho_x}{dt} = [\mathbf{H} \times \rho]_x - \left(\frac{1}{T_{\perp 1}} + \frac{1}{T_{\perp 2}} \right) \rho_x \quad (\text{B11})$$

$$\frac{d\rho_y}{dt} = [\mathbf{H} \times \rho]_y - \left(\frac{1}{T_{\perp 1}} + \frac{1}{T_{\perp 2}} \right) \rho_y \quad (\text{B12})$$

$$\frac{d\rho_z}{dt} = [\mathbf{H} \times \rho]_z - \frac{\rho_z - \frac{\Gamma_{12} - \Gamma_{21}}{\Gamma_{12} + \Gamma_{21}}}{T_{\parallel}}, \quad (\text{B13})$$

where $1/T_{\perp 1} = (\Gamma_{12} + \Gamma_{21})/2 = \gamma/2$ and $1/T_{\perp 2} = \gamma_{\perp}$. This is also equivalent to a Bloch equation. The longitudinal relaxation time is $T_{\parallel} = 1/\gamma$, while the transverse relaxation time is given by $T_{\perp} = (1/T_{\perp 1} + 1/T_{\perp 2})^{-1} = 2/(\gamma + 2\gamma_{\perp})$. That is, one sees that the additional jump operator L_3 contributes to only transverse relaxation process and it is not sufficient to make the system relax to an equilibrium state. This is because L_3 does not include any transition between the ground state $|E_1\rangle$ and the excited one $|E_2\rangle$. We can control the magnitude and ratio of T_{\perp} and T_{\parallel} by tuning the dissipation strength of jump operators, γ and γ_{\perp} . This control is impossible when we have only $L_{1,2}$. We note that $2T_{\parallel} \geq T_{\perp}$ holds in this Bloch (or GKSL) equation [61, 62].

It is noteworthy that recently there has been a few advancement in theoretical studies that argue some issues about the relaxation-time approximation in the GKSL equation [57–59].

Appendix C: Density matrices in NESS

In this section, we consider the density matrices of the laser-driven NESS in GKSL equations. We focus on the GKSL equation for laser-driven time-periodic systems with a static jump operator like Eqs. (19) and (20):

$$\frac{d\rho(t)}{dt} = \mathcal{L}\rho(t) = -i[H(t), \rho(t)] + \mathcal{D}(\rho(t)), \quad (\text{C1})$$

where $\rho(t)$ is the density matrix, $H(t) = H(t + T_{\omega})$ is the time-periodic Hamiltonian, and $\mathcal{D}(\rho(t))$ is the dissipation part with a static jump operator L_m . For the dissipative quantum system, we can apply the Floquet high-frequency expansion [18, 19] like the case of Schrödinger equations for isolated systems. To this end, we divide the time evolution operator into three parts as follows:

$$U(t, 0) = e^{\mathcal{G}(t)} \rho^t \mathcal{L}_{\text{eff}} e^{-\mathcal{G}(0)}, \quad (\text{C2})$$

where $U(t, 0)$ is the time evolution operator, $\mathcal{G}(t) = \mathcal{G}(t + T_{\omega})$ is the micromotion operator describing the faster dynamics than the laser period $T_{\omega} = 2\pi/\omega$, and \mathcal{L}_{eff} is the time-independent Lindbladian describing the slow dynamics. Via the high-frequency expansion for \mathcal{L}_{eff} and $\mathcal{G}(t)$, we obtain the following effective equation of motion for the slow dynamics [18]:

$$\frac{d\rho(t)}{dt} = \mathcal{L}_{\text{eff}}\rho(t) = -i[H_{\text{FE}}, \rho(t)] + \mathcal{D}(\rho(t)), \quad (\text{C3})$$

where time-independent Floquet Hamiltonian H_{FE} is given by $H_{\text{FE}} = H_0 + \sum_n \frac{[H_{-n}, H_n]}{n\omega} + \mathcal{O}(\omega^{-2})$ and H_n is defined from the Fourier transform of $H(t)$: $H(t) = \sum_n H_n e^{-in\omega t}$ ($n \in \mathbb{Z}$). Here, we define

$$\tilde{\rho}(t) = e^{t\mathcal{L}_{\text{eff}}} e^{-\mathcal{G}(0)} \rho(0) \quad (\text{C4})$$

and $\tilde{\rho}_{\infty} = \lim_{t \rightarrow \infty} \tilde{\rho}(t)$. Using them, the density matrix for the NESS is given by

$$\rho_{\text{NESS}}(t) = e^{\mathcal{G}(t)} \tilde{\rho}_{\infty}, \quad (\text{C5})$$

and we find that $\tilde{\rho}(t)$ satisfies

$$\frac{d\tilde{\rho}(t)}{dt} = \mathcal{L}_{\text{eff}}\tilde{\rho}(t). \quad (\text{C6})$$

Because $\mathcal{G}(t)$ gives an oscillating factor to the density matrix, the main time-independent nature of the NESS is written in $\tilde{\rho}_\infty$. From Eq. (C6), we see that $\tilde{\rho}_\infty$ is the solution of

$$\mathcal{L}_{\text{eff}}\tilde{\rho}(t) = 0. \quad (\text{C7})$$

Below we will explain the explicit form of $\tilde{\rho}_\infty$ in some representative setups.

1. $H_0 = H_{\text{stat}}$

In laser-driven systems, the Hamiltonian is generally given by

$$H(t) = H_{\text{stat}} + \delta H(t), \quad (\text{C8})$$

where H_{stat} is the time-independent part and $\delta H(t) = \delta H(t + T_\omega)$ is the time-dependent periodic part. First, we consider the case where

$$H_0 = H_{\text{stat}}. \quad (\text{C9})$$

This condition often holds in periodically driven systems. In addition, we assume that jump operators are given by $L_{ij} = |E_i\rangle\langle E_j|$ and the corresponding coupling constants Γ_{ij} satisfy the detailed balance condition,

$$\begin{aligned} \Gamma_{ji}e^{-\beta E_i} &= \Gamma_{ij}e^{-\beta E_j} \quad (i \neq j), \\ \Gamma_{ii} &= 0 \end{aligned} \quad (\text{C10})$$

such that for $\delta H(t) = 0$, the system approaches to the equilibrium state of H_{stat} . Here, E_i is the i -th eigenenergy of H_{stat} and $|E_i\rangle$ is the corresponding eigenstate. The solution of the NESS under the condition of Eqs. (C9) and (C10) is given in Ref. [18]. For simplicity, we restrict ourselves to the non-degenerate case: $E_i \neq E_j$ for $i \neq j$. Here, we shortly review the result of Ref. [18].

To obtain the density matrix of the NESS, it is convenient to divide $\tilde{\rho}_\infty$ into the diagonal part $\tilde{\rho}_\infty^{(d)}$ and the off-diagonal one $\tilde{\rho}_\infty^{(od)}$ as follows:

$$\tilde{\rho}_\infty^{(d)} := \sum_k \rho^{kk} |E_k\rangle\langle E_k|, \quad \tilde{\rho}_\infty^{(od)} := \sum_{k,l(l \neq k)} \rho^{kl} |E_k\rangle\langle E_l|, \quad (\text{C11})$$

where $\tilde{\rho}_\infty = \tilde{\rho}_\infty^{(d)} + \tilde{\rho}_\infty^{(od)}$. Equation (C7) means $\langle E_n | \mathcal{L}_{\text{eff}}\tilde{\rho}_\infty | E_m \rangle = 0$. Focusing on the dissipation part, we have

$$\begin{aligned} \langle E_n | \mathcal{D}(\tilde{\rho}_\infty) | E_m \rangle \\ = \sum_i (\Gamma_{ni}\rho^{ii} - \Gamma_{in}\rho^{nn})\delta_{nm} - \gamma_{nm}\rho^{nm}(1 - \delta_{nm}), \end{aligned} \quad (\text{C12})$$

where $\gamma_{nm} = \frac{1}{2} \sum_i (\Gamma_{in} + \Gamma_{im})$. Secondly, considering the commutator part $-i \langle E_n | [H_{\text{FE}}, \tilde{\rho}_\infty] | E_m \rangle$, we obtain

$$-i(E_n - E_m)\rho^{nm} - i(\rho^{mm} - \rho^{nn}) \langle E_n | \Delta H_{\text{FE}} | E_m \rangle$$

$$-i \langle E_n | [\Delta H_{\text{FE}}, \tilde{\rho}_\infty^{(od)}] | E_m \rangle - \gamma_{nm}\rho^{nm} = 0, \quad (m \neq n) \quad (\text{C13})$$

$$\begin{aligned} -i \langle E_n | [\Delta H_{\text{FE}}, \tilde{\rho}_\infty^{(od)}] | E_n \rangle + \sum_i (\Gamma_{ni}\rho^{ii} - \Gamma_{in}\rho^{nn}) &= 0, \\ (m = n) \end{aligned} \quad (\text{C14})$$

where $\Delta H_{\text{FE}} = H_{\text{FE}} - H_0$. By using these equalities, we can obtain ρ^{kl} . From Eq. (C14), we find that the diagonal elements ρ^{ii} satisfies $\sum_i (\Gamma_{ni}\rho^{ii} - \Gamma_{in}\rho^{nn}) = 0$ in the $(1/\omega)^0$ order. Therefore, we have

$$\rho_\infty^{(d)} = \rho_{\text{can}} + \mathcal{O}(\omega^{-2}), \quad (\text{C15})$$

where ρ_{can} is the canonical distribution

$$\rho_{\text{can}} = \frac{\sum_k e^{-\beta E_k} |E_k\rangle\langle E_k|}{\sum_l e^{-\beta E_l}} \quad (\text{C16})$$

Using this result, we also obtain the off-diagonal elements:

$$\tilde{\rho}_\infty^{(od)} = \sigma_{\text{FE}} + \mathcal{O}(\omega^{-2}), \quad (\text{C17})$$

where σ_{FE} is defined as

$$\langle E_n | \sigma_{\text{FE}} | E_m \rangle = \frac{\langle E_n | \Delta H_{\text{FE}} | E_m \rangle}{(E_n - E_m) - i\gamma_{nm}} (\rho_{\text{can}}^n - \rho_{\text{can}}^m). \quad (\text{C18})$$

This off-diagonal part represents the Floquet engineering.

2. $H_0 \neq H_{\text{stat}}$

In the following, we consider the case where $H_0 \neq H_{\text{stat}}$, while Eqs. (C8) and (C10) hold. In this case, Eq. (C12) still holds, whereas we have to slightly modify the calculation below Eq. (C12). First, we divide H_0 into two parts as follows:

$$H_0 = H_0^{(0)} + H_0^{(1)}, \quad (\text{C19})$$

where $H_0^{(0)}$ and $H_0^{(1)}$ are respectively $\mathcal{O}(\omega^0)$ and $\mathcal{O}(\omega^{-1})$. Moreover, we define

$$\Delta H_{\text{FE}}^{(1)} = H_{\text{FE}} - H_0^{(0)}, \quad (\text{C20})$$

as an extension of ΔH_{FE} . The Floquet Hamiltonian is given by $H_{\text{FE}} = H_0^{(0)} + \Delta H_{\text{FE}}^{(1)}$ and $\Delta H_{\text{FE}}^{(1)}$ is $\mathcal{O}(\omega^{-1})$. These new parameters are useful to estimate the density matrix in terms of the power $1/\omega$. The remaining task is to compute the matrix elements $\langle E_n | \mathcal{L}_{\text{eff}}\tilde{\rho}_\infty | E_m \rangle$. The diagonal ($m = n$) and off-diagonal ($m \neq n$) elements are computed as

$$\begin{aligned} -i(\rho^{mm} - \rho^{nn}) \langle E_n | H_0^{(0)} + \Delta H_{\text{FE}}^{(1)} | E_m \rangle \\ -i \langle E_n | [H_0^{(0)} + \Delta H_{\text{FE}}^{(1)}, \tilde{\rho}_\infty^{(od)}] | E_m \rangle - \gamma_{nm}\rho^{nm} &= 0, \\ (m \neq n) \end{aligned} \quad (\text{C21})$$

$$\begin{aligned} -i \langle E_n | [H_0^{(0)} + \Delta H_{\text{FE}}^{(1)}, \tilde{\rho}_\infty^{(od)}] | E_n \rangle + \sum_i (\Gamma_{ni}\rho^{ii} - \Gamma_{in}\rho^{nn}) \\ = 0. \quad (m = n) \end{aligned} \quad (\text{C22})$$

Here we have used the Hermitian natures $(\rho^{mn})^* = \rho^{nm}$ and $\langle E_m | H_0 | E_n \rangle^* = \langle E_n | H_0 | E_m \rangle$.

For simplicity, below we restrict ourselves to two-level systems, in which indices m and n take only two values of 1 and 2. In such two-level systems, the above equations are reduced to

$$\begin{aligned} & \left(i \langle E_n | H_0^{(0)} + \Delta H_{\text{FE}}^{(1)} | E_n \rangle - i \langle E_m | H_0^{(0)} + \Delta H_{\text{FE}}^{(1)} | E_m \rangle \right. \\ & \left. + \gamma_{nm} \right) \rho^{nm} + i(\rho^{mm} - \rho^{nn}) \left[\langle E_n | \Delta H_{\text{FE}}^{(1)} | E_m \rangle \right. \\ & \left. + \langle E_n | H_0^{(0)} | E_m \rangle \right] = 0, \quad (m \neq n) \end{aligned} \quad (\text{C23})$$

$$\begin{aligned} & i\rho^{kn} [\langle E_n | H_0^{(0)} + \Delta H_{\text{FE}}^{(1)} | E_k \rangle] \\ & - i\rho^{mn} [\langle E_k | H_0^{(0)} + \Delta H_{\text{FE}}^{(1)} | E_n \rangle] + (\Gamma_{nk}\rho^{kk} - \Gamma_{kn}\rho^{nn}) \\ & = 0. \quad (m = n \neq k) \end{aligned} \quad (\text{C24})$$

Solving these four equations, we can obtain all the matrix elements of ρ^{11} , ρ^{12} , ρ^{21} , and ρ^{22} . The result is

$$\begin{aligned} \rho^{11} &= \frac{-\Gamma_{12} + 2\text{Im}\{G^*F\}}{4\text{Im}\{G^*F\} - \gamma}, \\ \rho^{12} &= \frac{(\Gamma_{12} - \Gamma_{21})}{4\text{Im}\{G^*F\} - \gamma} F = \rho^{21*}, \\ \rho^{22} &= \frac{-\Gamma_{21} + 2\text{Im}\{G^*F\}}{4\text{Im}\{G^*F\} - \gamma}, \end{aligned} \quad (\text{C25})$$

where $\gamma = 2\gamma_{12}$ and we have defined

$$\begin{aligned} F &= -iG/J, \\ G &= \langle E_1 | H_0^{(0)} | E_2 \rangle + \langle E_1 | \Delta H_{\text{FE}}^{(1)} | E_2 \rangle, \\ J &= i(\langle E_1 | H_0^{(0)} + \Delta H_{\text{FE}}^{(1)} | E_1 \rangle - \langle E_2 | H_0^{(0)} + \Delta H_{\text{FE}}^{(1)} | E_2 \rangle) \\ &+ \gamma/2. \end{aligned} \quad (\text{C26})$$

To obtain an explicit form of the density matrix in the high-frequency regime, we expand F and $\text{Im}\{G^*F\}$ in terms of $1/\omega$ and we define

$$\begin{aligned} F &= F^{(0)} + F^{(1)} + F^{(2)} + \dots, \\ \text{Im}\{G^*F\} &= \mathcal{F}^{(0)} + \mathcal{F}^{(1)} + \mathcal{F}^{(2)} + \dots, \end{aligned} \quad (\text{C27})$$

where $F^{(m)}$ and $\mathcal{F}^{(m)}$ are respectively the $(1/\omega)^m$ -order terms of F and $\text{Im}\{G^*F\}$. As a result, the density matrix in the NESS is given by

$$\begin{aligned} \rho^{11} &= \frac{1}{\lambda} (\Gamma_{12} - 2(\mathcal{F}^{(0)} + \mathcal{F}^{(1)})) \\ &+ \frac{4}{\lambda^2} (\Gamma_{12} - 2\mathcal{F}^{(0)}) 4\mathcal{F}^{(1)} + \mathcal{O}(\omega^{-2}), \\ \rho^{12} &= (\Gamma_{12} - \Gamma_{21}) \left(- (F^{(0)} + F^{(1)})/\lambda - 4F^{(0)}\mathcal{F}^{(1)}/\lambda^2 \right) \\ &+ \mathcal{O}(\omega^{-2}) = \rho^{21*}, \\ \rho^{22} &= \frac{1}{\lambda} (\Gamma_{21} - 2(\mathcal{F}^{(0)} + \mathcal{F}^{(1)})) \\ &+ \frac{4}{\lambda^2} (\Gamma_{21} - 2\mathcal{F}^{(0)}) \mathcal{F}^{(1)} + \mathcal{O}(\omega^{-2}), \end{aligned} \quad (\text{C28})$$

where we have introduced new parameters

$$\lambda = \frac{2\gamma}{\kappa} |\langle E_2 | H_0^{(0)} | E_1 \rangle|^2 + \gamma,$$

$$\kappa = (\langle E_1 | H_0^{(0)} | E_1 \rangle - \langle E_2 | H_0^{(0)} | E_2 \rangle)^2 + (\gamma/2)^2. \quad (\text{C29})$$

At the end of the subsection, we comment on a simple case of $H_0^{(0)} = H_{\text{stat}}$. In this case, the computation flow of Appendix C1 is still applicable if H_0 and ΔH_{FE} are respectively replaced with $H_0^{(0)}$ and $\Delta H_{\text{FE}} + H_0^{(1)}$.

3. $H_0 = CH_{\text{stat}}$

Here, we shortly consider a special case of $H_0 \neq H_{\text{stat}}$ in two-level systems. Namely, we consider the case where H_0 is proportional to H_{stat} : $H_0 = CH_{\text{stat}}$ with C being a constant independent of ω . In this case, $\langle E_n | H_0 | E_m \rangle = C\delta_{nm}E_m$ holds and it leads to $\lambda = \gamma$, $\mathcal{F}^{(0)} = \mathcal{F}^{(1)} = 0$, and $F = \frac{\langle E_1 | \Delta H_{\text{FE}} | E_2 \rangle}{-C(E_1 - E_2) + i\gamma/2} + \mathcal{O}(\omega^{-2})$. Hence, the diagonal components of the density matrix $\tilde{\rho}_\infty$ are

$$\rho^{kk} = \rho_{\text{can}}^k + \mathcal{O}(\omega^{-2}) = \frac{e^{-\beta E_k}}{\sum_l e^{-\beta E_l}} + \mathcal{O}(\omega^{-2}). \quad (\text{C30})$$

The off-diagonal components ρ^{kl} ($k \neq l$) are

$$\rho^{kl} = \frac{\langle E_k | \Delta H_{\text{FE}} | E_l \rangle}{C(E_k - E_l) - i\gamma/2} (\rho_{\text{can}}^k - \rho_{\text{can}}^l) + \mathcal{O}(\omega^{-2}). \quad (\text{C31})$$

Equations (C30) and (C31) are still applicable in generic multi-level systems if we replace $\gamma/2$ with γ_{kl} in Eq. (C31).

4. $\Gamma_{ii} \neq 0$

Finally, we consider the case that a ‘‘diagonal’’ jump operator $L_{ii} = |E_i\rangle\langle E_i|$ exists under the condition of $H_0 \neq H_{\text{stat}}$. For simplicity, we focus on two-level systems. As in Appendix B2, the diagonal jump operator is given by

$$L_3 = \sqrt{\frac{\gamma_\perp}{2}} \sigma_z. \quad (\text{C32})$$

For this setup, the dissipation term of the GKSL equation is written as

$$\begin{aligned} \mathcal{D}(\rho) &= \sum_{i,j(i \neq j)} \Gamma_{ij} \left[L_{ij} \rho L_{ij}^\dagger - \frac{1}{2} \{ L_{ij}^\dagger L_{ij}, \rho \} \right] \\ &+ \left[L_3 \rho L_3^\dagger - \frac{1}{2} \{ L_3^\dagger L_3, \rho \} \right], \end{aligned} \quad (\text{C33})$$

where off-diagonal jump operators $L_{12,21}$ are assumed to satisfy the detailed balance condition of Eq. (C10). Computing the matrix elements $\langle E_n | \mathcal{L}_{\text{eff}} \tilde{\rho}_\infty | E_m \rangle$ with the dissipation term of Eq. (C33), we can obtain the generic formula for the density matrix in the NESS. The result is almost the same as Eq. (C28), but we should respectively replace the parameters λ and κ with

$$\tilde{\lambda} = \frac{2}{\tilde{\kappa}} (\gamma + 2\gamma_\perp) |\langle E_2 | H_0^{(0)} | E_1 \rangle|^2 + \gamma,$$

$$\tilde{\kappa} = (\langle E_1 | H_0^{(0)} | E_1 \rangle - \langle E_2 | H_0^{(0)} | E_2 \rangle)^2 + (\gamma + 2\gamma_\perp)^2 / 4. \quad (\text{C34})$$

The generalization to multi-level systems is straightforward.

Appendix D: Additional results of pulse-driven precession

In Sec. IV B, we have analyzed the laser-pulse driven spin dynamics in a ferromagnetic metal state with magnetization being a moderate value ($S_{\text{occ}}^x = 0.248$). As we mentioned, the reason why we choose a moderate value $S_{\text{occ}}^x = 0.248$ is that in real metallic magnets, only a part of conducting electrons near Fermi surface contribute to the magnetic order [46]. In this section, besides such a realistic setup, we show the numerical results of spin dynamics in two extreme cases: The first case is the para-

magnetic metal state without mean field ($B_x = 0$) and the second is a nearly saturated state with $S_{\text{occ}}^x \rightarrow +0.5$.

From Fig. 10(a), one sees that there is no pulse-driven precession of the y component of electron spins in the paramagnetic state. This is expected because we have no magnetic moment unlike Fig. 4. Instead, we find that the laser pulse induces a small magnetization along S^z axis and it may be interpreted as a short-time version of IFE in the NESS. The panel (b) shows that in the nearly saturated state, the y and z component spins has only a very fast oscillation, whose frequency is the same as the laser one ω . The numerical result indicates that FE does not occur well in this state. This would be because the direction of spin moment is strongly locked by a strong mean field B_x and laser cannot change their direction and magnitude well.

From these results, we can conclude that the ferromagnetic metal state with a small or moderate magnetization, that we have used in Sec. IV, is close to a real setup of IFE in magnetic systems.

-
- [1] A. Eckardt and E. Anisimovas, High-frequency approximation for periodically driven quantum systems from a Floquet-space perspective, *New Journal of Physics* **17**, 093039 (2015).
 - [2] A. Eckardt, Colloquium: Atomic quantum gases in periodically driven optical lattices, *Reviews of Modern Physics* **89**, 011004 (2017).
 - [3] T. Oka and S. Kitamura, Floquet Engineering of Quantum Materials, *Annual Review of Condensed Matter Physics* **10**, 387 (2019).
 - [4] M. Sato, Floquet Theory and Ultrafast Control of Magnetism, in *Chirality, Magnetism and Magnetoelectricity*, Vol. 138, edited by E. Kamenetskii (Springer International Publishing, Cham, 2021) pp. 265–286.
 - [5] J. H. Shirley, Solution of the Schrödinger Equation with a Hamiltonian Periodic in Time, *Physical Review* **138**, B979 (1965).
 - [6] H. Sambe, Steady States and Quasienergies of a Quantum-Mechanical System in an Oscillating Field, *Physical Review A* **7**, 2203 (1973).
 - [7] A. Kirilyuk, A. V. Kimel, and T. Rasing, Ultrafast optical manipulation of magnetic order, *Reviews of Modern Physics* **82**, 2731 (2010).
 - [8] P. L. P., Electric Forces in a Transparent Dispersive Medium, *SOVIET PHYSICS JETP* **12**, 1008 (1961).
 - [9] P. S. Pershan, J. P. van der Ziel, and L. D. Malmstrom, Theoretical Discussion of the Inverse Faraday Effect, Raman Scattering, and Related Phenomena, *Physical Review* **143**, 574 (1966).
 - [10] L. D. Landau, E. M. Lifshitz, and L. P. Pitaevski, *Electrodynamics of Continuous Media* (Oxford, 1982).
 - [11] J. P. Van Der Ziel, P. S. Pershan, and L. D. Malmstrom, Optically-Induced Magnetization Resulting from the Inverse Faraday Effect, *Physical Review Letters* **15**, 190 (1965).
 - [12] A. V. Kimel, A. Kirilyuk, P. A. Usachev, R. V. Pisarev, A. M. Balbashov, and Th. Rasing, Ultrafast non-thermal control of magnetization by instantaneous photomagnetic pulses, *Nature* **435**, 655 (2005).
 - [13] F. Hansteen, A. Kimel, A. Kirilyuk, and T. Rasing, Non-thermal ultrafast optical control of the magnetization in garnet films, *Physical Review B* **73**, 014421 (2006).
 - [14] T. Satoh, S.-J. Cho, R. Iida, T. Shimura, K. Kuroda, H. Ueda, Y. Ueda, B. A. Ivanov, F. Nori, and M. Fiebig, Spin Oscillations in Antiferromagnetic NiO Triggered by Circularly Polarized Light, *Physical Review Letters* **105**, 077402 (2010).
 - [15] T. Makino, F. Liu, T. Yamasaki, Y. Kozuka, K. Ueno, A. Tsukazaki, T. Fukumura, Y. Kong, and M. Kawasaki, Ultrafast optical control of magnetization in EuO thin films, *Physical Review B* **86**, 064403 (2012).
 - [16] S. Takayoshi, H. Aoki, and T. Oka, Magnetization and phase transition induced by circularly polarized laser in quantum magnets, *Physical Review B* **90**, 085150 (2014).
 - [17] S. Takayoshi, M. Sato, and T. Oka, Laser-induced magnetization curve, *Physical Review B* **90**, 214413 (2014).
 - [18] T. N. Ikeda and M. Sato, General description for nonequilibrium steady states in periodically driven dissipative quantum systems, *Science Advances* **6**, eabb4019 (2020).
 - [19] T. Ikeda, K. Chinzei, and M. Sato, Nonequilibrium steady states in the Floquet-Lindblad systems: Van Vleck's high-frequency expansion approach, *SciPost Physics Core* **4**, 033 (2021).
 - [20] Y. Tanaka, T. Inoue, and M. Mochizuki, Theory of the inverse Faraday effect due to the Rashba spin-orbit interactions: Roles of band dispersions and Fermi surfaces, *New Journal of Physics* **22**, 083054 (2020).
 - [21] K. Taguchi and G. Tatara, Theory of inverse Faraday effect in a disordered metal in the terahertz regime, *Physical Review B* **84**, 174433 (2011).
 - [22] M. Battiato, G. Barbalinardo, and P. M. Oppeneer, Quantum theory of the inverse Faraday effect, *Physical Review B* **89**, 014413 (2014).
 - [23] T. Dannegger, M. Berritta, K. Carva, S. Selzer, U. Ritzmann, P. M. Oppeneer, and U. Nowak, Ultrafast coherent all-optical switching of an antiferromagnet with the in-




FIG. 10. Time evolution of $\langle s^x \rangle_t$, $\langle s^y \rangle_t$, and $\langle s^z \rangle_t$ computed by the GKSL equation for (a) a paramagnetic metal state ($S_{\text{occ}}^x = 0$ and $B_x = 0$) and (b) a nearly saturated state ($S_{\text{occ}}^x = 0.494$) in the model (37) at $T = 0$. Dotted lines denote $\langle s^\alpha \rangle_t$, while solid lines are the slow modes defined by $s_{\text{slow}}^\alpha(t) = \frac{1}{2T_\omega} \int_{t-T_\omega}^{t+T_\omega} dt' \Delta \langle s^\alpha \rangle_{t'}$. Symbols CPL+ and CPL- respectively correspond to right ($\hbar\omega/t_{\text{hop}} = 1$) and left ($\hbar\omega/t_{\text{hop}} = -1$) circularly polarized pulses. The gray region stands for the width of the laser pulse τ . Other parameters are all the same as those of Fig. 6(a): $t_{\text{hop}} = 1$, $eaE_0/t_{\text{hop}} = 0.5$, $\alpha/t_{\text{hop}} = 0.1$, and $\gamma/t_{\text{hop}} = 0.01$.

- verse Faraday effect, *Physical Review B* **104**, L060413 (2021).
- [24] A. Lazarides, A. Das, and R. Moessner, Equilibrium states of generic quantum systems subject to periodic driving, *Physical Review X* **4**, 041048 (2014).
- [25] L. D'Alessio and M. Rigol, Long-time Behavior of Isolated Periodically Driven Interacting Lattice Systems, *Physical Review X* **4**, 041048 (2014).
- [26] G. Lindblad, On the generators of quantum dynamical semigroups, *Communications in Mathematical Physics* **48**, 119 (1976).
- [27] V. Gorini, A. Kossakowski, and E. C. G. Sudarshan, Completely positive dynamical semigroups of N -level systems, *Journal of Mathematical Physics* **17**, 821 (1976).
- [28] H.-P. Breuer and F. Petruccione, *The Theory of Open Quantum Systems*, 1st ed. (Oxford University Press Oxford, 2007).
- [29] R. Alicki and K. Lendi, *Quantum Dynamical Semigroups and Applications*, Lecture Notes in Physics No. 286 (Springer, Berlin Heidelberg, 1987).
- [30] N. Tsuji, T. Oka, and H. Aoki, Nonequilibrium Steady State of Photoexcited Correlated Electrons in the Presence of Dissipation, *Physical Review Letters* **103**, 047403 (2009).
- [31] S. A. Sato, U. De Giovannini, S. Aeschlimann, I. Gierz, H. Hübener, and A. Rubio, Floquet states in dissipative open quantum systems, *Journal of Physics B: Atomic, Molecular and Optical Physics* **53**, 225601 (2020).
- [32] E.I. Rashba, Properties of semiconductors with an extremum loop .1. Cyclotron and combinational resonance in a magnetic field perpendicular to the plane of the loop,, *Soviet Physics-Solid State* **2**, 1109 (1960).
- [33] Y. A. Bychkov and E. I. Rashba, Oscillatory effects and the magnetic susceptibility of carriers in inversion layers, *Journal of Physics C: Solid State Physics* **17**, 6039 (1984).
- [34] A. Manchon, H. C. Koo, J. Nitta, S. M. Frolov, and R. A. Duine, New perspectives for Rashba spin-orbit coupling, *Nature Materials* **14**, 871 (2015).
- [35] G. Dresselhaus, Spin-Orbit Coupling Effects in Zinc Blende Structures, *Physical Review* **100**, 580 (1955).
- [36] D. Berciuni and P. Lucignano, Quantum transport in Rashba spin-orbit materials: A review, *Reports on Progress in Physics* **78**, 106001 (2015).
- [37] S. Kohler, T. Dittrich, and P. Hänggi, Floquet-Markovian description of the parametrically driven, dissipative harmonic quantum oscillator, *Physical Review E* **55**, 300 (1997).
- [38] D. W. Hone, R. Ketzmerick, and W. Kohn, Statistical mechanics of Floquet systems: The pervasive problem of near degeneracies, *Physical Review E* **79**, 051129 (2009).
- [39] H.-P. Breuer, W. Huber, and F. Petruccione, Quasistationary distributions of dissipative nonlinear quantum oscillators in strong periodic driving fields, *Physical Review E* **61**, 4883 (2000).
- [40] W. Kohn, Periodic Thermodynamics, *Journal of Statistical Physics* **103**, 417 (2001).
- [41] T. N. Ikeda and M. Sato, High-harmonic generation by electric polarization, spin current, and magnetization, *Physical Review B* **100**, 214424 (2019).
- [42] M. Sato and Y. Morisaku, Two-photon driven magnon-pair resonance as a signature of spin-nematic order, *Physical Review B* **102**, 060401 (2020).
- [43] M. Kanega, T. N. Ikeda, and M. Sato, Linear and nonlinear optical responses in Kitaev spin liquids, *Physical Review Research* **3**, L032024 (2021).
- [44] M. Kanega and M. Sato, High-harmonic generation in graphene under the application of a DC electric current: From perturbative to non-perturbative regimes (2024), [arxiv:2403.03523](https://arxiv.org/abs/2403.03523) [cond-mat, physics:physics, physics:quant-ph].
- [45] T. Mikami, S. Kitamura, K. Yasuda, N. Tsuji, T. Oka, and H. Aoki, Brillouin-Wigner theory for high-frequency

- expansion in periodically driven systems: Application to Floquet topological insulators, *Physical Review B* **93**, 144307 (2016).
- [46] R. M. White, *Quantum Theory of Magnetism: Magnetic Properties of Materials* (Springer, Berlin, Heidelberg, 2007).
- [47] See Movie.Supp.mp4.
- [48] E. Beaurepaire, J.-C. Merle, A. Daunois, and J.-Y. Bigot, Ultrafast Spin Dynamics in Ferromagnetic Nickel, *Physical Review Letters* **76**, 4250 (1996).
- [49] B. Koopmans, M. van Kampen, J. T. Kohlhepp, and W. J. M. de Jonge, Ultrafast Magneto-Optics in Nickel: Magnetism or Optics?, *Physical Review Letters* **85**, 844 (2000).
- [50] M. Oshikawa and I. Affleck, Electron spin resonance in $S=\frac{1}{2}$ antiferromagnetic chains, *Physical Review B* **65**, 134410 (2002).
- [51] I. Žutić, J. Fabian, and S. Das Sarma, Spintronics: Fundamentals and applications, *Reviews of Modern Physics* **76**, 323 (2004).
- [52] K. Lenz, H. Wende, W. Kuch, K. Baberschke, K. Nagy, and A. Jánossy, Two-magnon scattering and viscous Gilbert damping in ultrathin ferromagnets, *Physical Review B* **73**, 144424 (2006).
- [53] C. Vittoria, S. D. Yoon, and A. Widom, Relaxation mechanism for ordered magnetic materials, *Physical Review B* **81**, 014412 (2010).
- [54] S. C. Furuya and M. Sato, Electron Spin Resonance in Quasi-One-Dimensional Quantum Antiferromagnets: Relevance of Weak Interchain Interactions, *Journal of the Physical Society of Japan* **84**, 033704 (2015).
- [55] E. A. Mashkovich, K. A. Grishunin, R. V. Mikhaylovskiy, A. K. Zvezdin, R. V. Pisarev, M. B. Strugatsky, P. C. M. Christianen, Th. Rasing, and A. V. Kimel, Terahertz Optomagnetism: Nonlinear THz Excitation of GHz Spin Waves in Antiferromagnetic FeBO_3 , *Physical Review Letters* **123**, 157202 (2019).
- [56] C. Tzschaschel, T. Satoh, and M. Fiebig, Tracking the ultrafast motion of an antiferromagnetic order parameter, *Nature Communications* **10**, 3995 (2019).
- [57] D. J. Passos, G. B. Ventura, J. M. V. P. Lopes, J. M. B. L. dos Santos, and N. M. R. Peres, Nonlinear optical responses of crystalline systems: Results from a velocity gauge analysis, *Physical Review B* **97**, 235446 (2018).
- [58] Y. Michishita and R. Peters, Effects of renormalization and non-Hermiticity on nonlinear responses in strongly correlated electron systems, *Physical Review B* **103**, 195133 (2021).
- [59] I. Terada, S. Kitamura, H. Watanabe, and H. Ikeda, *Unexpected linear conductivity in Landau-Zener model: Limitations and improvements of the relaxation time approximation in the quantum master equation* (2024), [arxiv:2401.16728 \[cond-mat\]](https://arxiv.org/abs/2401.16728).
- [60] H. Haug and A.-P. Jauho, *Quantum Kinetics in Transport and Optics of Semiconductors*, 2nd ed., Springer Series in Solid-State Sciences No. 123 (Springer, Berlin Heidelberg, 2008).
- [61] G. Kimura, Restriction on relaxation times derived from the Lindblad-type master equations for two-level systems, *Physical Review A* **66**, 062113 (2002).
- [62] G. Kimura, S. Ajisaka, and K. Watanabe, Universal Constraints on Relaxation Times for d-Level GKLS Master Equations, *Open Systems & Information Dynamics* **24**, 1740009 (2017).