

# Full-Low Evaluation Methods For Bound and Linearly Constrained Derivative-Free Optimization

C. W. Royer<sup>\*</sup>      O. Sohab<sup>†</sup>      L. N. Vicente<sup>‡</sup>

October 3, 2023

## Abstract

Derivative-free optimization (DFO) consists in finding the best value of an objective function without relying on derivatives. To tackle such problems, one may build approximate derivatives, using for instance finite-difference estimates. One may also design algorithmic strategies that perform space exploration and seek improvement over the current point. The first type of strategy often provides good performance on smooth problems but at the expense of more function evaluations. The second type is cheaper and typically handles non-smoothness or noise in the objective better. Recently, full-low evaluation methods have been proposed as a hybrid class of DFO algorithms that combine both strategies, respectively denoted as Full-Eval and Low-Eval. In the unconstrained case, these methods showed promising numerical performance.

In this paper, we extend the full-low evaluation framework to bound and linearly constrained derivative-free optimization. We derive convergence results for an instance of this framework, that combines finite-difference quasi-Newton steps with probabilistic direct-search steps. The former are projected onto the feasible set, while the latter are defined within tangent cones identified by nearby active constraints. We illustrate the practical performance of our instance on standard linearly constrained problems, that we adapt to introduce noisy evaluations as well as non-smoothness. In all cases, our method performs favorably compared to algorithms that rely solely on Full-eval or Low-eval iterations.

## 1 Introduction

Derivative-Free Optimization (DFO) methods are particularly useful for targeting complex optimization problems, where the objective function is computed via numerical simulations, so that derivatives are unavailable for algorithmic purposes. Derivative-free optimization now encompasses a wide range of algorithms, and has found applications in numerous fields of engineering and applied science [1, 12, 13, 23, 31]. In these settings, evaluating the objective function represents the main computational bottleneck, that must be accounted for while designing DFO

---

<sup>\*</sup>LAMSADE, CNRS, Université Paris Dauphine-PSL, Place du Maréchal de Lattre de Tassigny, 75016 Paris, France ([clement.royer@lamsade.dauphine.fr](mailto:clement.royer@lamsade.dauphine.fr)).

<sup>†</sup>Department of Industrial and Systems Engineering, Lehigh University, 200 West Packer Avenue, Bethlehem, PA 18015-1582, USA ([ous219@lehigh.edu](mailto:ous219@lehigh.edu)).

<sup>‡</sup>Department of Industrial and Systems Engineering, Lehigh University, 200 West Packer Avenue, Bethlehem, PA 18015-1582, USA ([lnv@lehigh.edu](mailto:lnv@lehigh.edu)).

algorithms. Besides, simulation codes often enforce hard constraints on their parameters, typically under the form of bounds or linear relationships, that must be satisfied for the simulation to terminate and for function information to be obtained. Such constraints must also be handled by DFO schemes.

Direct-search methods [21] are a common choice of derivative-free algorithms due to their ease of implementation. These iterative methods sample new function evaluations along suitably chosen directions at every iteration, in order to find a point at which the function value decreases. Direct-search schemes have been endowed with theoretical guarantees even in presence of non-smooth objectives, while being intrinsically robust to the presence of noise in the function evaluations [1]. In presence of linear constraints, direct-search methods generally use directions that conform to the geometry of the feasible set, thereby ensuring feasible descent without relying on derivative information [22]. Recent results have proposed probabilistic variants of direct search, in which the directions are only guaranteed to be feasible descent with a given probability [19]. A probabilistic direct-search iteration can be performed using a significantly smaller number of directions (and, thus, of function evaluations) than its deterministic counterpart.

An alternative to direct-search techniques consists in building an approximate derivative from function evaluations, which then enables the calculation of steps similar to those in the derivative-based setting. Model-based derivative-free techniques obey this logic, and rely on trust-region globalization arguments from nonlinear optimization to guarantee convergence of the methods [12]. As a result, bounds and linear constraints are typically handled in a similar fashion than in the derivative-based setting [10], even though ad hoc strategies have also been considered [18]. Another widely common approach consists in using finite differences to approximate derivatives, so as to leverage existing algorithms from the derivative-based literature [29, Chapter 8]. In particular, recent advances in applying quasi-Newton updates using finite-difference gradients have demonstrated good numerical performance, especially in a smooth setting [5, 6, 33]. This performance is mitigated by the inherent cost of finite-difference estimates, that scales at least linearly with the dimension, and thus may be expensive to perform in a simulation-based environment.

The full-low evaluation (**Full-Low Evaluation**) framework was recently proposed as a principled way of combining derivative-free steps with different costs and properties [6]. In the unconstrained setting, it was proposed to instantiate this framework using a BFGS step computed through finite differences as well as a probabilistic direct-search iteration. This hybrid approach was shown to outperform the individual strategies while being competitive with an established solver on smooth and piecewise smooth problems.

In this paper, we propose an extension of the **Full-Low Evaluation** framework that handles bounds and linear constraints by producing feasible iterates and feasible steps. We analyze an instance of this approach that combines projected steps built on finite-difference gradient estimates with direct-search steps based on probabilistic feasible descent. The former (**Full-Eval** step) is considered expensive in terms of evaluations but provides good performance and convergence results in the presence of a smooth objective. The latter (**Low-Eval** step) is cheaper in terms of evaluations, while being more robust to noise or non-smoothness in the objective. Similarly to the unconstrained setting, a switching condition determines the nature of the step taken at each iteration.

The rest of this paper is organized as follows. Section 2 states our problem of interest, as well as the key geometrical concepts used to design our algorithm. Section 3 describes our generic

Full-Low Evaluation framework, as well as the two subroutines that define our instance of interest. Section 4 provides convergence results for both smooth and non-smooth objectives. Section 5 details our implementation and our experimental setup, while the output of our tests is analyzed in Section 6. Final remarks are given in Section 7. A list of our test problems is provided in Appendix A.

## 2 Linearly constrained optimization and tangent cones

The purpose of this section is twofold. First, we describe our problem of interest as well as associated optimality measures in Section 2.1. These concepts will serve as a basis for the Full-Eval part of our algorithm. Secondly, we discuss the notion of tangent cones and its connection to feasibility in Section 2.2. Those definitions will be instrumental in designing our Low-Eval step based on direct search.

### 2.1 Problem and optimality measure

In this paper, we are interested in solving linearly constrained problems of the form

$$\begin{aligned} \min_{x \in \mathbb{R}^n} f(x) \\ \text{s.t. } Ax = b \\ \ell \leq A_{\mathcal{I}}x \leq u, \end{aligned} \quad (2.1)$$

where  $f : \mathbb{R}^n \rightarrow \mathbb{R}$ ,  $A \in \mathbb{R}^{m \times n}$ ,  $A_{\mathcal{I}} \in \mathbb{R}^{m_{\mathcal{I}} \times n}$ ,  $b \in \mathbb{R}^m$  and  $(\ell, u) \in \bar{\mathbb{R}}^{m_{\mathcal{I}}} \times \bar{\mathbb{R}}^{m_{\mathcal{I}}}$  where  $\bar{\mathbb{R}} = \mathbb{R} \cup \{-\infty, \infty\}$  with  $\ell < u$ . To encompass bound constrained problems into the general formulation (2.1), we consider the possibility that the matrix  $A$  is empty, in which case  $m$  is equal to zero. When  $m > 0$ , the matrix  $A$  is assumed to have full row rank, and we let  $W \in \mathbb{R}^{n \times (n-m)}$  be an orthonormal basis for the null space of  $A$ . When  $m = 0$ , we consider  $W$  to be the identity matrix in  $\mathbb{R}^n$ . Finally, we denote the set of feasible points by  $\mathcal{F}$ .

Assuming that the function  $f$  is continuously differentiable, it is possible to define a criticality measure for problem (2.1) that characterizes first-order stationary point. We focus on the quantity  $q(\cdot)$  defined by

$$\forall x \in \mathcal{F}, \quad q(x) := \|P_{\mathcal{F}}[x - \nabla f(x)] - x\|. \quad (2.2)$$

In derivative-free optimization, the metric (2.2) has been employed for analyzing the convergence of algorithms designed for the linearly constrained setting [24, 25]. Although more recent approaches have focused on another metric bearing a close connection with the direct-search stepsize [19, 21], the measure (2.2) is quite common in projected gradient techniques [7]. Since our theory relies on that of projected gradient techniques in the smooth setting, we naturally focus on the measure (2.2).

When the smoothness of the function  $f$  is not guaranteed but  $f$  is locally Lipschitz continuous, necessary optimality condition for problem (2.1) can be formulated based on the Clarke-Jahn generalized directional derivative of  $f$  [20]. For a given point  $x \in \mathcal{F}$  and a feasible direction  $d$ , the Clarke-Jahn generalized directional derivative is defined as

$$f^\circ(x; d) := \limsup_{\substack{y \rightarrow x, y \in \mathcal{F} \\ t \downarrow 0, y + td \in \mathcal{F}}} \frac{f(y + td) - f(y)}{t}. \quad (2.3)$$

Any  $x^* \in \mathcal{F}$  such that  $f^\circ(x^*; d) \geq 0$  for any feasible direction  $d$  is called a Clarke-Jahn stationary point. Note that such a condition was recently used in the context of non-smooth optimization with linear constraints [4]. In the linearly constrained case, the set of feasible directions at  $x^*$  coincides with the tangent cone  $T(x^*)$ .

## 2.2 Approximate Tangent Cones

Tangent cones are key concepts to characterize feasibility and optimality in constrained optimization [29]. Although approximate tangent cones have been less studied, they have proven quite useful in the context of derivative-free optimization, as they characterize directions that are feasible for a given step size, by accounting for constraints that are either active or approximately active [21]. We recall below the key definitions related to approximate tangent cones, by following the presentation in Gratton et al. [19].

For convenience, we will define approximate tangent cones based on a parameterization of the feasible set. More precisely, we fix a reference vector  $\bar{x} \in \mathbb{R}^{n-m}$  such that  $A\bar{x} = b$ . Then, any feasible point  $x \in \mathcal{F}$  can be written as  $x = W\tilde{x} + \bar{x}$ , where  $\tilde{x} \in \mathbb{R}^{n-m}$  is such that

$$\ell - A_{\mathcal{I}}\bar{x} \leq A_{\mathcal{I}}W\tilde{x} \leq u - A_{\mathcal{I}}\bar{x}.$$

where  $\bar{x}$  is fixed such that  $A\bar{x} = b$  and  $W\tilde{x} = x - \bar{x}$ .

Using this decomposition, we define the *approximate active inequality constraints* at  $x = W\tilde{x} + \bar{x} \in \mathcal{F}$  according to a step size  $\xi > 0$  as

$$\begin{cases} I_u(x, \xi) := \left\{ i : |u_i - [A_{\mathcal{I}}\bar{x}]_i - [A_{\mathcal{I}}W\tilde{x}]_i| \leq \xi \|W^\top A_{\mathcal{I}}^\top e_i\| \right\} \\ I_\ell(x, \xi) := \left\{ i : |\ell_i - [A_{\mathcal{I}}\bar{x}]_i - [A_{\mathcal{I}}W\tilde{x}]_i| \leq \xi \|W^\top A_{\mathcal{I}}^\top e_i\| \right\}, \end{cases} \quad (2.4)$$

where  $e_1, \dots, e_{m_{\mathcal{I}}}$  denote the coordinate vectors in  $\mathbb{R}^{m_{\mathcal{I}}}$ . Those indices in turn define the *approximate normal cone* associated with  $(x, \xi)$  as

$$N(x, \xi) := \text{Cone} \left( \{W^\top A_{\mathcal{I}}^\top e_i\}_{i \in I_u(x, \xi)} \cup \{-W^\top A_{\mathcal{I}}^\top e_i\}_{i \in I_\ell(x, \xi)} \right). \quad (2.5)$$

Rather than using directions from the approximate normal cone to compute steps, we rely on the polar of this cone, called the *approximate tangent cone* and defined by

$$T(x, \xi) := \left\{ v \in \mathbb{R}^n \mid v^\top u \leq 0 \ \forall u \in N(x, \xi) \right\}. \quad (2.6)$$

An important property of the approximate tangent cone is that it approximates the feasible region around  $x$ , and that moving along all its directions for a distance of  $\xi$  from  $x$  does not break feasibility [19]. Lemma 2.1 below provides a formal description of this property.

**Lemma 2.1** ([19], Lemma 2.1) *Let  $x \in \mathcal{F}$  and  $\xi > 0$ . Then, for any vector  $\tilde{d} \in T(x, \xi)$  such that  $\|\tilde{d}\| \leq \xi$ , we have  $x + W\tilde{d} \in \mathcal{F}$ .*

Direct-search techniques rely on approximate tangent cones to define new feasible points in a way that guarantees convergence to first-order stationarity [22].

### 3 Full-low evaluation framework with linear constraints

In this section, we describe our main algorithmic framework, that belongs to the class of **Full-Low Evaluation** algorithms. The main idea behind this technique is the combination of two categories of steps. On the one hand, **Full-Eval** steps, that are produced at a significant cost in terms of function evaluations, are used to yield good performance of the method especially in the presence of smoothness. On the other hand, **Low-Eval** steps are cheaper to compute because they require less evaluations, and are often designed to handle the presence of noise and/or non-smoothness in the objective function. We first present our general algorithm that combines both types of steps, then dedicate a section to each category.

The general mechanism of the **Full-Low Evaluation** approach is described in Algorithm 1. **Full-Eval** steps are consecutively taken until a certain condition is triggered, after which one switches to **Low-Eval** iterations. The number of consecutive unsuccessful **Low-Eval** iterations is a user-defined parameter and can be selected as a function of the last successful **Full-Eval** iteration.

---

**Algorithm 1** Full-Low Evaluation framework

---

**Initialization:** Choose an initial iterate  $x_0 \in \mathcal{F}$ . Set iteration  $t_0 = \text{Full-Eval}$ .

---

- 1: **For**  $k = 0, 1, 2, \dots$
  - 2:   **If**  $t_k = \text{Full-Eval}$ , attempt to compute a **Full-Eval** step.
  - 3:     **If** success, update  $x_{k+1}$  and set  $t_{k+1} = \text{Full-Eval}$ .
  - 4:     **Else**,  $x_{k+1} = x_k$  and  $t_{k+1} = \text{Low-Eval}$ .
  - 5:   **If**  $t_k = \text{Low-Eval}$ , compute a **Low-Eval** step.
  - 6:   Update  $x_{k+1}$ . Decide on  $t_{k+1} \in \{\text{Low-Eval}, \text{Full-Eval}\}$ .
- 

Apart from requiring feasibility of the initial point, note that Algorithm 1 is identical to that of Berahas et al. [6], and that linear constraints are assumed to be handled upon computation of a **Low-Eval** or a **Full-Eval** step. In the next sections, we detail our choices for computing those steps.

#### 3.1 Full-eval step based on projections

**Full-Eval** steps can be implemented by building a model of the objective function around the current point and minimizing it to define the next point. A popular approach that lies within the derivative-free paradigm consists in computing a finite-difference gradient approximation to define a search direction, as well as a stepsize computed via line search based on this approximation [6]. We extend here this approach to the linearly constrained setting by considering projections onto the feasible set, a popular technique for dealing with linear constraints [7].

If the  $k$ -th iteration of Algorithm 1 is a **Full-Eval** step, we define a search direction  $p_k$  based on an approximate gradient  $g_k$  computed through finite differences. We then compute candidate steps by considering the feasible direction

$$\bar{x}_k = P_{\mathcal{F}}[x_k - p_k], \quad (3.1)$$

and performing a line search along the direction  $\bar{x}_k - x_k$ . More precisely, we seek the largest value  $\beta \in (0, \bar{\beta}]$  such that

$$f(x_k + \beta(\bar{x}_k - x_k)) \leq f(x_k) + c\beta g_k^\top(\bar{x}_k - x_k). \quad (3.2)$$

where  $c \in (0, 1)$ . We will show in Section 4 that condition (3.2) is satisfied for a sufficiently small value of  $\beta$ .

Algorithm 2 describes the calculation of a Full-Eval step for the  $k$ -th iteration of Algorithm 1. Similarly to the unconstrained case [6], we introduce a switching condition<sup>1</sup> that controls the norm of the Full-Eval step. A value  $\beta$  is accepted if it satisfies the decrease condition (3.2) and

$$\beta \geq \gamma \alpha_k, \quad (3.3)$$

where  $\gamma > 0$  is independent of  $k$ . Condition (3.3) guarantees that  $\beta$  does not go below a certain function of  $\alpha_k$ , which is the stepsize used for computing Low-Eval steps (see Section 3.2). When both (3.2) and (3.3) are satisfied, we set  $\beta_k = \beta$  and define the new iterate as  $x_k + \beta(\bar{x}_k - x_k)$ . On the other hand, if condition (3.3) is violated, the Full-Eval step is skipped.

---

**Algorithm 2** Constrained Full-Eval Iteration: Feasible Line Search

---

**Input:** Iterate  $x_k$ . Backtracking parameters  $\bar{\beta} > 0$ ,  $\tau \in (0, 1)$ , and  $\xi_k$ .

**Output:** i-type( $k + 1$ ),  $x_{k+1}$ , and  $\alpha_{k+1}$ .

- 1: Compute the gradient approximation  $g_k$  as well as a search direction  $p_k$ . Compute  $\bar{x}_k$  according to (3.1).
  - 2: Backtracking line-search: Set  $\beta = \bar{\beta}$ . **If** (3.3) is false, **go to line 6**.
  - 3: **While True**
  - 4:   **if** (3.2) is true or (3.3) is false, **break**.
  - 5:   Set  $\beta = \tau\beta$ .
  - 6: **If** (3.3) is true, set  $\beta_k = \beta$ ,  $x_{k+1} = x_k + \beta(\bar{x}_k - x_k)$ , and  $t_{k+1} = \text{Full-Eval}$ . **Else**, set  $x_{k+1} = x_k$  and  $t_{k+1} = \text{Low-Eval}$ .  
 (The Low-Eval parameter  $\alpha_k$  remains unchanged,  $\alpha_{k+1} = \alpha_k$ ; see Algorithm 3.)
- 

### 3.2 Low-eval step based on feasible descent cones

Low-Eval steps are based on the low evaluation paradigm of probabilistic direct search. This approach can be extended to the linearly constrained case as described in Algorithm 3. We suppose that a feasible initial point is provided by the user. At every iteration, the algorithm uses a finite number of polling directions to seek a new feasible iterate  $x^+$  that reduces the objective function value by a sufficient amount

$$f(x^+) \leq f(x) - \rho(\alpha), \quad (3.4)$$

where  $\rho$  is a forcing function classically employed in direct-search methods. The characteristics of  $\rho$  are specified in Section 4.2.

---

<sup>1</sup>In the unconstrained case [6], we have proposed the switching condition  $\beta \geq \gamma\rho(\alpha_k)$ . Both work for the convergence theory, in the sense of Lemma 4.2.

---

**Algorithm 3** Constrained Low-Eval Iteration: Feasible Direct Search

---

**Input:** Iterate  $x_k \in \mathcal{F}$  and stepsize  $\alpha_k$ . Direct-search parameters  $\lambda \geq 1$  and  $\theta \in (0, 1)$ .

**Output:** i-type( $k+1$ ),  $x_{k+1}$ , and  $\alpha_{k+1}$ .

- 1: Generate a finite set  $D_k$  of non-zero polling directions.
  - 2: **If** a feasible poll point  $x_k + \alpha_k d_k$  is found such that (3.4) is true for some  $d_k \in D_k$ , set  $x_{k+1} = x_k + \alpha_k d_k$  and  $\alpha_{k+1} = \lambda \alpha_k$ .
  - 3: **Else**, set  $x_{k+1} = x_k$  and  $\alpha_{k+1} = \theta \alpha_k$ .
  - 4: Decide **if**  $t_{k+1} = \text{Low-Eval}$  **or if**  $t_{k+1} = \text{Full-Eval}$ .
- 

As shown by Lemma 2.1, choosing directions of the form  $W\tilde{d}$ , where  $\tilde{d} \in T(x_k, \alpha_k)$  with a stepsize less or equal than  $\alpha_k$  ensures the feasibility of the Low-Eval step [19].

## 4 Convergence Analysis

### 4.1 Rate of convergence in the smooth case

In this section, we analyze the behavior of the class of Full-Low Evaluation methods in the smooth case. We show that if the Full-Eval step generates an infinite sequence of iterates, then the norm of  $q(x_k)$  converges to zero with a rate of  $1/\sqrt{k}$ . We now introduce the assumptions needed for the analysis, starting with standard boundedness and smoothness requirements.

**Assumption 4.1** *The objective function  $f$  is bounded below by  $f_{\text{low}} \in \mathbb{R}$ , i.e.,  $f(x) \geq f_{\text{low}}$  for all  $x \in \mathbb{R}^n$ .*

**Assumption 4.2** *The function  $f$  is continuously differentiable and its gradient  $\nabla f$  is Lipschitz continuous with constant  $L > 0$ .*

The next assumptions are related to our approximate gradient and stationary measure. For any iterate  $x_k$  in  $\mathcal{F}$  computed by Algorithm 1, we define

$$q_k = P_{\mathcal{F}}[x_k - \nabla f(x_k)] - x_k, \quad q_k^g = P_{\mathcal{F}}[x_k - g_k] - x_k \quad \text{and} \quad q_k^p = \bar{x}_k - x_k = P_{\mathcal{F}}[x_k + p_k] - x_k. \quad (4.1)$$

In our algorithm, we rely on directions defined using  $g_k$ . Those should be close to the negative of that approximate gradient, in the sense of Assumption 4.3 below.

**Assumption 4.3** *For every iteration  $k$ ,*

$$\frac{(-g_k)^\top q_k^p}{\|q_k^g\| \|q_k^p\|} \geq \kappa \quad \text{and} \quad u_p \|q_k^p\| \leq \|q_k^g\| \leq U_p \|q_k^p\|.$$

*with  $u_p > 0$ ,  $U_p > 0$  and  $\kappa \in (0, 1]$ .*

When  $p_k = -g_k$ , Assumption 4.3 holds with  $\kappa = u_p = U_p = 1$ . Indeed, the first inequality can be proved using the property of the projection [7, Proposition 1.1.4(b)] that implies that

$$(x_k - g_k - \bar{x}_k)^\top (x - \bar{x}_k) \leq 0 \quad \forall x \in \mathcal{F}.$$

Moreover, using  $x = x_k$  in the previous inequality as well as  $\bar{x}_k - x_k = q_k^g = q_k^p$  gives

$$g_k^\top (\bar{x}_k - x_k) \leq -\|\bar{x}_k - x_k\|^2 \quad \Rightarrow \quad -g_k^\top q_k^p \geq \|q_k^g\| \|q_k^p\|,$$

Finally, in order to relate the control the discrepancy between the true criticality measure and its approximation using  $g_k$ , we require the following assumption.

**Assumption 4.4** *The approximate gradient  $g_k$  computed at  $x_k$  satisfies*

$$\|\nabla f(x_k) - g_k\| \leq u_g \|q_k^g\|, \quad (4.2)$$

where  $u_g \in (0, \kappa(1 - c))$  is independent of  $k$ .

This condition generalizes that in full-low methods for unconstrained optimization [6, Assumption 3.2], albeit with a restriction on the constant  $u_g$  that becomes unnecessary in the unconstrained setting. Nevertheless, condition (4.2) can be guaranteed in a finite number of steps when the gradient is estimated using finite differences as shown in Section 4.3.

We now start our analysis by establishing a lower bound on the stepsize  $\beta_k$ .

**Lemma 4.1** *Let Assumptions 4.2, 4.3, and 4.4 hold. If the  $k$ -th iteration is a successful Full-Eval iteration, then*

$$\beta_k \geq \beta_{\min} := \min \left\{ \bar{\beta}, \frac{2\tau(\kappa(1 - c) - u_g)u_p}{L} \right\}. \quad (4.3)$$

**Proof.** If  $\beta = \bar{\beta}$  satisfies the decrease condition (3.2), then (4.3) holds trivially. We thus suppose in the rest of the proof that there exists  $\beta$  such that (4.3) does not hold, i.e., that

$$c\beta g_k^\top (\bar{x}_k - x_k) \leq f(x_k + \beta(\bar{x}_k - x_k)) - f(x_k). \quad (4.4)$$

Using a Taylor expansion of  $f$  around  $x_k$  on the right-hand side of (4.4), we obtain the following inequalities

$$\begin{aligned} c\beta g_k^\top (\bar{x}_k - x_k) &\leq \beta \nabla f(x_k)^\top (\bar{x}_k - x_k) + \frac{L}{2} \beta^2 \|\bar{x}_k - x_k\|^2 \\ c\beta g_k^\top (\bar{x}_k - x_k) &\leq \beta g_k^\top (\bar{x}_k - x_k) + \beta [\nabla f(x_k) - g_k]^\top (\bar{x}_k - x_k) \\ &\quad + \frac{L}{2} \beta^2 \|\bar{x}_k - x_k\|^2 \\ 0 &\leq (1 - c)\beta g_k^\top (\bar{x}_k - x_k) + \beta [\nabla f(x_k) - g_k]^\top (\bar{x}_k - x_k) \\ &\quad + \frac{L}{2} \beta^2 \|\bar{x}_k - x_k\|^2. \end{aligned} \quad (4.5)$$

Using Assumption 4.3, we have

$$(g_k)^\top q_k^p \leq -\kappa \|q_k^g\| \|q_k^p\| \quad \Leftrightarrow \quad g_k^\top (\bar{x}_k - x_k) \leq -\kappa \|q_k^g\| \|\bar{x}_k - x_k\|,$$

hence

$$(1 - c)\beta g_k^\top (\bar{x}_k - x_k) \leq -(1 - c)\kappa\beta \|q_k^g\| \|\bar{x}_k - x_k\|. \quad (4.6)$$



We now turn to the second term in the right-hand side of (4.5). Using Cauchy-Schwarz inequality together with Assumption 4.4, we obtain

$$\begin{aligned} [\nabla f(x_k) - g_k]^\top (\bar{x}_k - x_k) &\leq \|\nabla f(x_k) - g_k\| \|\bar{x}_k - x_k\| \\ &\leq u_g \|q_k^g\| \|\bar{x}_k - x_k\|. \end{aligned}$$

Overall, we thus obtain that

$$\beta [\nabla f(x_k) - g_k]^\top (\bar{x}_k - x_k) \leq u_g \beta \|q_k^g\| \|\bar{x}_k - x_k\|. \quad (4.7)$$

Putting (4.6) and (4.7) into (4.5), we obtain

$$\begin{aligned} 0 &\leq -(1-c)\kappa\beta \|q_k^g\| \|\bar{x}_k - x_k\| + u_g \beta \|q_k^g\| \|\bar{x}_k - x_k\| \\ &\quad + \frac{L}{2} \beta^2 \|\bar{x}_k - x_k\|^2 \\ 0 &\leq -(\kappa(1-c) - u_g)\beta \|q_k^g\| \|\bar{x}_k - x_k\| + \frac{L}{2} \beta^2 \|\bar{x}_k - x_k\|^2. \end{aligned}$$

Using  $\kappa(1-c) - u_g \geq 0$  from Assumption 4.4 together with Assumption 4.3, we show

$$0 \leq -(\kappa(1-c) - u_g)u_q \beta \|\bar{x}_k - x_k\|^2 + \frac{L}{2} \beta^2 \|\bar{x}_k - x_k\|^2$$

The latter inequality only holds as long as

$$\beta \geq \frac{2(\kappa(1-c) - u_g)u_p}{L},$$

hence the line-search procedure must terminate with

$$\beta \geq \frac{2\tau(\kappa(1-c) - u_g)u_p}{L}.$$

Combining this result with the case  $\beta = \bar{\beta}$  finally gives the desired result.  $\square$

We can now establish the main result of the smooth case.

**Theorem 4.1** *Let Assumptions 4.1–4.3 hold. For any  $K \geq 1$ ,*

$$\min_{k=0,\dots,K-1} \|\mathcal{P}_{\mathcal{F}}[x_k - \nabla f(x_k)] - x_k\| \leq \frac{(u_g + 1)\sqrt{U_p}}{\sqrt{\kappa}\beta_{\min}} \sqrt{\frac{f(x_0) - f_{\text{low}}}{c}} \frac{1}{\sqrt{n_{SF}^K}}, \quad (4.8)$$

where  $n_{SF}^K$  is the number of successful **Full-Eval** iterations up to iteration  $K$ .

**Proof.** We denote by  $\mathcal{I}_{SF}^K$  the set of indices corresponding to successful **Full-Eval** iterations. Let  $k \in \mathcal{I}_{SF}^K$ . By definition of such an iteration, the sufficient decrease condition (3.2) is satisfied for  $x_{k+1} = \bar{x}_k(\beta_k)$ , where  $\beta_k$  satisfies (4.3). Moreover, as shown in the proof of Lemma 4.1, we have

$$g_k^\top (\bar{x}_k - x_k) \leq -\kappa \|q_k^g\| \|\bar{x}_k - x_k\|.$$

Overall, we obtain

$$\begin{aligned}
f(x_k) - f(x_{k+1}) &\geq -c\beta_k g_k^\top (\bar{x}_k - x_k) \\
&\geq c\kappa\beta_k \|q_k^g\| \|\bar{x}_k - x_k\| \\
&\geq \frac{c\kappa\beta_{\min}}{U_p} \|q_k^g\|^2.
\end{aligned}$$

Meanwhile, using Assumption 4.4 gives

$$\|q_k\| \leq \|q_k - q_k^g\| + \|q_k^g\| \leq (u_g + 1)\|q_k^g\|.$$

Therefore, the decrease achieved at iteration  $k$  satisfies

$$f(x_k) - f(x_{k+1}) \geq \frac{c\kappa\beta_{\min}}{U_p(u_g + 1)^2} \|q_k\|^2. \quad (4.9)$$

We now consider the changes in function values across all iterations in  $\{0, \dots, K-1\}$ . Since the iterate does not change on unsuccessful iterations and the function value decreases on successful **Low-Eval** iterations, we have  $f(x_k) - f(x_{k+1}) \geq 0$  for all  $k \leq K-1$ . Combining this observation with Assumption 4.1 and (4.9) leads to

$$\begin{aligned}
f(x_0) - f_{\text{low}} &\geq f(x_0) - f(x_K) \\
&= \sum_{k=0}^{K-1} f(x_k) - f(x_{k+1}) \\
&\geq \sum_{k \in \mathcal{I}_{SF}^K} f(x_k) - f(x_{k+1}) \\
&\geq \frac{c\kappa\beta_{\min}}{U_p(u_g + 1)^2} \sum_{k \in \mathcal{I}_{SF}^K} \|q_k\|^2 \\
&\geq \frac{c\kappa\beta_{\min}}{U_p(u_g + 1)^2} n_{SF}^k \left( \min_{0 \leq k \leq K-1} \|q_k\| \right)^2.
\end{aligned}$$

Re-arranging the terms and using the formula for  $q_k$  leads to the desired conclusion.  $\square$

The rate (4.8) matches existing result for the unconstrained case [6].

## 4.2 Convergence in the non-smooth case

When the smoothness of the function  $f$  is not guaranteed, we rely on the properties of the **Low-Eval** steps, and in particular on the sufficient decrease guarantees certified by the forcing function. To this end, we make the following assumption.

**Assumption 4.5** *The function  $\rho$  is positive, non-decreasing, and satisfies  $\lim_{\alpha \rightarrow 0^+} \rho(\alpha)/\alpha = 0$ .*

As in the unconstrained setting [6], we require the following assumption on the failure of **Full-Eval** iterations.

**Assumption 4.6** *There exists  $\epsilon_g > 0$  such that for any  $k \in I_{SF}$ , where  $I_{SF}$  denotes the set of successful **Full-Eval** iterations,  $\|q_k^g\| > \epsilon_g$ .*

However, we still rely in the analysis on the switching condition (3.3), along with the assumption that the **Low-Eval** iterations generate an infinite subsequence of iterates to prove that the direct-search parameter  $\alpha_k$  goes to zero. This result requires the forcing function to satisfy Assumption 4.5 used in the unconstrained regime.

**Lemma 4.2** *Let Assumption 4.5 hold. Assume that the sequence of iterates  $\{x_k\}$  is bounded. Then, there exists a point  $x_*$  and a subsequence  $\mathcal{K} \subset \mathcal{I}_{UL}$  of unsuccessful **Low-Eval** iterates for which*

$$\lim_{k \in \mathcal{K}} x_k = x_* \quad \text{and} \quad \lim_{k \in \mathcal{K}} \alpha_k = 0.$$

**Proof.** First, suppose that the set  $\mathcal{I}_{SF} \cup \mathcal{I}_{UF} \cup \mathcal{I}_{SL}$  is of infinite cardinality, where  $\mathcal{I}_{UF}$  and  $\mathcal{I}_{SL}$  are the sets of unsuccessful **Full-Eval** and successful **Low-Eval** iterations, respectively. Note that this set represents all iterations  $k$  for which  $\alpha_k$  does not decrease.

For all successful **Full-Eval** iterations  $k \in \mathcal{I}_{SF}$ , recall from (4.9) that

$$f(x_k) - f(x_{k+1}) \geq c\beta_k - g_k^T(\bar{x}_k - x_k) \geq \frac{c\kappa\beta_k}{U_p} \|q_k^g\|^2.$$

From the fact that  $\beta_k \geq \gamma\alpha_k$ , we get

$$f(x_k) - f(x_{k+1}) \geq \frac{c\kappa\gamma}{U_p} \alpha_k \|q_k^g\|^2 \geq \frac{c\kappa\gamma\epsilon_g^2}{U_p} \alpha_k. \quad (4.10)$$

Meanwhile, successful **Low-Eval** iterations  $k \in \mathcal{I}_{SL}$  achieve sufficient decrease,

$$f(x_k) - f(x_{k+1}) \geq \rho(\alpha_k). \quad (4.11)$$

Note that in **Full-Eval** unsuccessful iterations  $k \in \mathcal{I}_{UF}$  neither  $x_k$  nor  $\alpha_k$  changes.

Hence, given that for unsuccessful **Low-Eval** iterations ( $\mathcal{I}_{UL}$ ) the function does not decrease, we can sum from 0 to  $k \in \mathcal{I}_{SF} \cup \mathcal{I}_{UF} \cup \mathcal{I}_{SL}$  the inequalities (4.10) and (4.11) to obtain

$$\begin{aligned} f(x_0) - f(x_{k+1}) &\geq \sum_{k \in \mathcal{I}_{SF}} (f(x_k) - f(x_{k+1})) + \sum_{k \in \mathcal{I}_{SL}} (f(x_k) - f(x_{k+1})) \\ &\geq \frac{c\kappa\gamma\epsilon_g^2}{U_p} \sum_{k \in \mathcal{I}_{SF}} \alpha_k + \sum_{k \in \mathcal{I}_{SL}} \rho(\alpha_k). \end{aligned}$$

By the boundedness (from below) of  $f$ , we conclude that the series are summable, which implies that  $\lim_{k \in \mathcal{I}_{SF}} \alpha_k = 0$  and  $\lim_{k \in \mathcal{I}_{SL}} \rho(\alpha_k) = 0$ . Since  $\alpha$  remains unchanged during unsuccessful **Full-Eval** steps, and under Assumption 4.5, it follows that  $\lim_{k \in \mathcal{I}_{SF} \cup \mathcal{I}_{UF} \cup \mathcal{I}_{SL}} \alpha_k = 0$ .

It remains to consider the iterations in  $\mathcal{I}_{UL}$ . For each  $k \in \mathcal{I}_{UL}$  corresponding to an unsuccessful **Low-Eval** iteration, consider the previous iteration  $k' = k'(k) \in \mathcal{I}_{SL} \cup \mathcal{I}_{UF} \cup \mathcal{I}_{SL}$  with  $k' < k$  ( $k'$  could be zero). The direct-search stepsize can then be written as  $\alpha_k = \theta^{k-k'} \alpha_{k'}$ . Since  $k' \rightarrow \infty$  and  $\tau \in (0, 1)$ , one obtains  $\alpha_k \rightarrow 0$  for all  $k \in \mathcal{I}_{UL}$ .

We have thus proved that  $\alpha_k$  goes to zero for all  $k$ . Since  $\alpha_k$  is only decreased in unsuccessful **Low-Eval** iterations, there must be an infinite subsequence of those. From the boundedness of the sequence of iterates, one can extract a subsequence  $\mathcal{K}$  of that subsequence satisfying the statement of the lemma.  $\square$

As in the unconstrained case, convergence results are established using the notion of generalized Clarke-Jahn derivative [9] at  $x$  along a direction  $d$ . In Theorem 4.2, we show that there exists a limit point which is Clarke-Jahn stationary, provided the so-called refining directions are dense in the tangent cone.

**Theorem 4.2** *Let Assumption 4.5 hold. Assume that the sequence of iterates  $\{x_k\}$  is bounded. Let the function  $f$  be Lipschitz continuous around the point  $x_*$  defined in Lemma 4.2. Let the set of limit points of*

$$\left\{ \frac{d_k}{\|d_k\|}, d_k \in D_k, k \in \mathcal{K} \right\} \quad (4.12)$$

*be dense in the tangent cone  $T(x_*)$ , where  $\mathcal{K} \subset \mathcal{I}_{UL}$  is given in Lemma 4.2.*

*Then,  $x_*$  is a Clarke-Jahn stationary point, i.e.,  $f^\circ(x_*; d) \geq 0$  for all normalized  $d$  in  $T(x_*)$ .*

**Proof.** The proof follows standard arguments in [2, 3, 34]. Let  $\bar{d}$  be a limit point of (4.12), identified for a certain subsequence  $\mathcal{L} \subseteq \mathcal{K}$ . Then, from the basic properties of the generalized Clarke-Jahn derivative, and  $k \in \mathcal{L}$ ,

$$\begin{aligned} f^\circ(x_*; \bar{d}) &= \limsup_{\substack{x_k \rightarrow x_*, x_k \in \mathcal{F} \\ \alpha_k \downarrow 0, x_k + \alpha_k \bar{d} \in \mathcal{F}}} \frac{f(x_k + \alpha_k \bar{d}) - f(x_k)}{\alpha_k} \\ &\geq \limsup_{\substack{x_k \rightarrow x_*, x_k \in \mathcal{F} \\ \alpha_k \downarrow 0, x_k + \alpha_k d_k \in \mathcal{F}}} \left\{ \frac{f(x_k + \alpha_k d_k) - f(x_k)}{\alpha_k} - L_f^* \|d_k - \bar{d}\| \right\} \\ &= \limsup_{\substack{x_k \rightarrow x_*, x_k \in \mathcal{F} \\ \alpha_k \downarrow 0, x_k + \alpha_k d_k \in \mathcal{F}}} \left\{ \frac{f(x_k + \alpha_k d_k) - f(x_k)}{\alpha_k} + \frac{\rho(\alpha_k)}{\alpha_k} \right\}, \end{aligned}$$

where  $L_f^*$  is the Lipschitz constant of  $f$  around  $x_*$ . Since  $k \in \mathcal{L}$  are unsuccessful Low-Eval iterations, it follows that  $f(x_k + \alpha_k d_k) > f(x_k) - \rho(\alpha_k)$  which implies that

$$\limsup_{\substack{x_k \rightarrow x_*, x_k \in \mathcal{F} \\ \alpha_k \downarrow 0, x_k + \alpha_k d_k \in \mathcal{F}}} \frac{f(x_k + \alpha_k d_k) - f(x_k) + \rho(\alpha_k)}{\alpha_k} \geq 0.$$

From this and Assumption 4.5, we obtain  $f^\circ(x_*; \bar{d}) \geq 0$ . Given the continuity of  $f^\circ(x_*; \cdot)$ , one has for any  $d \in T(x_*)$  such that  $\|d\| = 1$ ,  $f^\circ(x_*; d) = \lim_{\bar{d} \rightarrow d} f^\circ(x_*; \bar{d}) \geq 0$ .  $\square$

### 4.3 More on the smooth case (use of finite difference gradients)

Let us return to the smooth case to clarify the imposition of Assumption 4.4. Such an assumption is related to the satisfaction of the so-called criticality step in DFO trust-region methods [11, 12] based on fully linear models. In the context of Algorithm 2, those models correspond to an approximate gradient  $g_k$  built from finite differences.

The  $i$ -th component of the forward FD approximation of the gradient at  $x_k$  is defined as

$$[\nabla_{h_k} f(x_k)]_i = \frac{f(x_k + h_k e_i) - f(x_k)}{h_k}, \quad i = 1, \dots, n, \quad (4.13)$$

where  $h_k$  is the finite difference parameter and  $e_i \in \mathbb{R}^n$  is the  $i$ -th canonical vector. Computing such a gradient approximation costs  $n$  function evaluations per iteration, and it is implicitly assumed that such evaluations can be made. By using a Taylor expansion, the error in the finite-differences gradient (in the smooth and noiseless setting) can be shown [12] to satisfy

$$\|\nabla f(x_k) - \nabla_{h_k} f(x_k)\| \leq \frac{1}{2} \sqrt{n} L h_k. \quad (4.14)$$

It becomes then clear that one way to ensure Assumption 4.4 in practice, when  $g_k = \nabla_{h_k} f(x_k)$ , is to enforce  $h_k \leq u'_g \|q_k^{h_k}\|$ , where  $q_k^{h_k} = P_{\mathcal{F}}[x_k - \nabla_{h_k} f(x_k)] - x_k$  for some  $u'_g > 0$ , in which case  $u_g = \frac{1}{2} \sqrt{n} L u'_g$ . Enforcing such a condition is expensive but can be rigorously done through a criticality-step type argument (see Algorithm 4).

---

**Algorithm 4** Criticality step: Performed if  $h_k > u'_g \|q_k^{h_k}\|$

---

**Input:**  $h_k, q_k^{h_k(0)} = q_k^{h_k}$ , and  $\omega \in (0, 1)$ . Let  $j = 0$ .

**Output:**  $q_k^{h_k} = q_k^{h_k(j)}$  and  $h_k$ .

- 1: **While**  $h_k > u'_g \|q_k^{h_k(j)}\|$  **Do**
  - 2:   Set  $j = j + 1$  and  $h_k = \omega^j u'_g \|q_k^{h_k(0)}\|$ .
  - 3:   Compute  $\nabla_{h_k} f(x_k)$  using (4.13) and set  $q_k^{h_k(j)} = P_{\mathcal{F}}[x_k - \nabla_{h_k} f(x_k)] - x_k$
- 

Proposition 4.1 shows that Algorithm 4 terminates in a finite number of steps.

**Proposition 4.1** *Let Assumption 4.2 hold. If  $\|q_k\| > 0$ , then Algorithm 4 terminates in finitely many iterations by computing  $h_k$  such that the condition  $h_k \leq u'_g \|q_k^{h_k}\|$  is satisfied.*

**Proof.** Let us suppose that the algorithm loops infinitely. Then, for all  $j \geq 1$ , using Step 2 and the satisfaction of the while-condition in Step 1,

$$\|q_k^{h_k(j)}\| \leq \omega^j \|q_k^{h_k(0)}\|. \quad (4.15)$$

On the other hand, for all  $j \geq 1$ , the FD bound (4.14), followed by Step 2, gives us

$$\|\nabla f(x_k) - \nabla_{h_k} f(x_k)^{(j)}\| \leq \frac{1}{2} \sqrt{n} L \omega^j u'_g \|q_k^{h_k(0)}\|. \quad (4.16)$$

Hence, using (4.15)–(4.16), we have

$$\begin{aligned} \|q_k\| &\leq \|q_k - q_k^{h_k(j)}\| + \|q_k^{h_k(j)}\| \leq \|\nabla f(x_k) - \nabla_{h_k} f(x_k)^{(j)}\| + \|q_k^{h_k(j)}\| \\ &\leq \|\nabla f(x_k) - \nabla_{h_k} f(x_k)^{(j)}\| + \omega^j \|q_k^{h_k(0)}\| \\ &\leq \left( \frac{\sqrt{n} L u'_g}{2} + 1 \right) \omega^j \|q_k^{h_k(0)}\|, \end{aligned}$$

where the second inequality on the first line comes from the [non-expansiveness of orthogonal projection. By taking limits (and noting that  $\omega \in (0, 1)$ ), we conclude that  $q_k = 0$ , which yields a contradiction.  $\square$

## 5 Numerical Setup

In this section, we will first present our implementation choices for the **Full-Low Evaluation** linearly constrained method. The complete MATLAB implementation is available on GitHub<sup>2</sup>. The repository includes all the necessary algorithms and testing scripts. The numerical environment of our experiments is also introduced (other methods/solvers tested, test problems chosen, and performance profiles). The tests were run using MATLAB R2019b on an Asus Zenbook with 16GB of RAM and an Intel Core i7-8565U processor running at 1.80GHz.

### 5.1 Practical Full-Eval implementation

In this section, we present a detailed discussion of the implementation of the **Full-Low Evaluation** algorithm in the linearly constrained case. Building upon the principles used in the unconstrained case, we introduce a direction  $p_k$  that leverages second-order information for faster convergence. Specifically, we define  $p_k = WH_kW^\top g_k$ , where  $H_k$  represents an approximation of the inverse Hessian using the Broyden-Fletcher-Goldfarb-Shanno (BFGS) quasi-Newton update [8, 15, 17, 32], as described in Algorithm 5. Here,  $W \in \mathbb{R}^{n \times (n-m)}$  denotes an orthonormal basis for the null space of matrix  $A$ . Notably, due to the positive definiteness of  $H_k$ , it follows that  $WH_kW^\top$  is also positive definite.

Using  $WH_kW^\top g_k$  instead of  $H_k g_k$  offers two significant advantages. Firstly, the resulting value of  $x_k - p_k$  automatically satisfies the equality constraints, since

$$A(x_k - WH_kW^\top g_k) = b - AW(H_kW^\top g_k) = b.$$

Secondly, using this direction allows us to compute  $W^\top g_k$  rather than directly calculating  $g_k$ , thus reducing the computational cost of finite differences from  $n$  to  $n - m$  function evaluations. Indeed, the forward finite-differences approximation can be reduced to the null space of the linear equality constraints:

$$[W^\top g_k]_i = \frac{f(x_k + h_k w_i) - f(x_k)}{h_k}, \quad \text{for } i = 1, \dots, n - m, \quad (5.1)$$

where  $h_k$  is the finite difference parameter, and  $w_i \in \mathbb{R}^n$  is the  $i$ -th column vector of  $W$ . In the numerical experiments, the parameter  $h_k$  is set to the square root of Matlab's machine precision.

Our **Full-Eval** line-search iteration is described in Algorithm 5, which includes BFGS updates for the inverse Hessian approximation  $H_k$  using (5.4). Here,  $j_k$  refers to the previous **Full-Eval** iteration, and  $s_k$  and  $y_k$  are given in (5.3). Notably, in the non-convex case, the inner product  $s_k^\top y_k$  cannot be ensured to be positive. To maintain the positive definiteness of the matrix  $H_k$ , we skip the BFGS update if  $s_k^\top y_k \geq \epsilon_c \|s_k\| \|y_k\|$  is not satisfied, with  $\epsilon_c \in (0, 1)$  being independent of  $k$ . In our implementation, we use  $\epsilon_c = 10^{-10}$ .

The line search follows the backtracking scheme described in Algorithm 2, using standard values  $\bar{\beta} = 1$  and  $\tau = 0.5$ . A key feature of our **Full-Low Evaluation** methodology that led to rigorous results (see the proof of Lemma 4.2) is to stop the line search once condition (3.3) is violated. In our implementation, we use:

$$\gamma = 1, \quad \rho(\alpha_k) = \min(\gamma_1, \gamma_2 \alpha_k^2), \quad \text{with } \gamma_1 = \gamma_2 = 10^{-5}. \quad (5.2)$$

---

<sup>2</sup><https://github.com/sohaboumaima/FLE>

For  $k = 0$ , we perform a backtracking line search using  $p_0 = -WW^\top g_0$  (and update  $t_1$  and  $x_1$ ) as in Algorithm 2 (with constants as in Algorithm 5). The initialization of  $H_0$  is done as follows: If  $t_1 = \text{Full-Eval}$ , then we set  $H_0 = (y_0^\top s_0)/(y_0^\top y_0)I$ , in an attempt to make the size of  $H_0$  similar to that of  $\nabla^2 f(x_0)^{-1}$  [29]. However, if  $t_1 = \text{Low-Eval}$ , we set  $H_0 = I$ .

---

**Algorithm 5** Full-Eval Iteration: BFGS with FD Gradients

---

**Input:** Iterate  $x_k$  with  $k \geq 1$ . Information  $(x_{j_k}, g_{j_k}, H_{j_k})$  from the previous Full-Eval iteration  $j_k$  (if  $k > 0$ ). Backtracking parameters  $\bar{\beta} > 0$  and  $\tau \in (0, 1)$ . Other parameters  $\epsilon_c, \gamma, \gamma_1 > 0$ .

**Output:**  $t_{k+1}$  and  $(x_{k+1}, H_k, g_k)$ . Return the number  $nb_k$  of backtrack attempts.

1: Compute the FD gradient  $W^\top g_k = W^\top \nabla_{h_k} f(x_k)$  using (5.1).

2: Set

$$s_k = x_k - x_{j_k} \quad \text{and} \quad y_k = g_k - g_{j_k}. \quad (5.3)$$

3: **If**  $s_k^\top y_k \geq \epsilon_c \|s_k\| \|y_k\|$ , set

$$H_k = \left( I - \frac{s_k y_k^\top}{y_k^\top s_k} \right) H_{j_k} \left( I - \frac{y_k s_k^\top}{y_k^\top s_k} \right) + \frac{s_k s_k^\top}{y_k^\top s_k}. \quad (5.4)$$

4: **Else**, set  $H_k = H_{j_k}$ .

5: Compute the direction  $-WH_k W^\top g_k$ .

6: Perform a backtracking line-search and update  $t_{k+1}$  and  $x_{k+1}$  as in Algorithm 2.

---

## 5.2 Low-Eval implementation

We now elaborate on our implementation of Algorithm 3, and more precisely on the calculation of the polling sets. Our algorithm uses positive generators of the approximate tangent cones described in Section 2.2. By describing an approximate tangent cone as a conic hull of a finite set of vectors, we can then use those vectors as (feasible) directions.

The problem of finding such positive generators from a description of the cone through linear inequalities has attracted significant research in computational geometry, and is sometimes referred to as the representation conversion problem [27]. Recent advances in linearly constrained optimization have featured off-the-shelf softwares to compute those generators [4]. We follow here a popular approach in the direct-search community [26], that splits the problem of computing positive generators in two cases. In the first case, we are able to leverage the description of the approximate normal cone through positive generators given by (2.5) to directly define that of the approximate tangent cone. In the second case, we compute positive generators for a subset of the cone, and positive generators of the tangent cone are then obtained by considering the union of all these sets for all possible subsets of columns that yield a full row rank matrix [30]. One drawback of this strategy is that it leads to combinatorial explosion in the subsets of columns that must be considered and the number of positive generators that are obtained. For this reason, several implementations [21, 26] have relied on the double description method from computational geometry [16]. This technique can significantly reduce the number of generators that are used to describe the approximate tangent cone, in the minority of cases where it is needed on standard test problems [26].

Our implementation is that of a probabilistic variant of the aforementioned approach proposed by Gratton et al. [19], in which the approximate tangent cone is decomposed into a

subspace part and a pointed cone part (i.e. a cone that does not contain a straight line). Given a set of generators for the approximate tangent cone, we can then replace the subset related to the subspace by a direction drawn uniformly at random within that subspace and its negative, while we can randomly sample a fraction of the other generators corresponding to the pointed cone part. Such an approach reduces the number of polling directions even further, while being endowed with almost-sure convergence guarantees [19, Proposition 7.1]. Our implementation follows that of the `dspfd` MATLAB code [19], that uses its own implementation of the double description method.

### 5.3 Classes of problems tested and profiles used

Evaluating optimization methods crucially involves assessing their performance across diverse scenarios. In pursuit of this, we perform experiments on smooth, noisy, and non-smooth problems. For each category, the test set is classified into three distinct classes, namely bound constrained problems, general linearly constrained problems, and problems with at least one linear inequality constraint. Detailed dimensions and inequality counts for each problem are provided in the Appendix for reference.

For smooth bound constrained problems, we selected 41 instances from the CUTEst library. The dimensions of these instances range from 2 to 20, and the number of bounds varies between 1 and 40. The relevant details are summarized in Table 1. In the context of smooth general linearly constrained problems, we consider a comprehensive set of 76 CUTEst problems. Each of these problems involves at least one linear constraint, which is not a bound on the variable. The dimensions vary from 2 to 24, and in cases where linear inequalities are present, their count ranges from 1 to 2000. A detailed overview of these general constrained problems can be found in Tables 2 to 3.

To investigate the behavior of the optimization solvers on noisy functions, we conduct experiments using perturbed versions of the aforementioned problems. Following the approach of [28], the perturbed functions are formulated as  $f(x) = \phi(x)(1 + \xi(x))$ , where  $\phi$  represents the original smooth function. In this case,  $\xi(x)$  is a realization of a uniform random variable  $U(-\epsilon_f, \epsilon_f)$ . These noisy functions provide valuable insights into the robustness of optimization algorithms in practical scenarios.

For the non-smooth problems, we transformed the smooth problem set by incorporating  $\ell_1$  penalties into the objective function. This conversion involved relocating some of the constraints to the objective function. To create such non-smooth constrained problems, we considered problems with both bounds and general linear constraints, and moved either the general linear constraints or the bounds into the objective function. As a result of this transformation, we generated a total of 52 bound constrained problems and 107 problems with general linear constraints, out of which 52 included at least one inequality constraint. Comprehensive details about these problems are presented in Tables 4 to 6. In generating general linearly constrained optimization problems, we adopt a method where we penalize only the first portion of the bound constraints in certain cases. This prevents the outcome from being dominated solely by linear equality or inequality constraints. We denote this category as "1/2B" in the tables for ease of reference.

As an illustrative example, let us consider the transformation of problem LSQFIT. The



original problem is formulated as follows:

$$\begin{aligned} \min_{x,y} \quad & \sum_{i=1}^5 (a_i x + y - b_i)^2 \\ \text{s.t.} \quad & x + y \leq 0.85 \\ & x \geq 0, \end{aligned} \tag{5.5}$$

where  $a = [0.1, 0.3, 0.5, 0.7, 0.9]$  and  $b = [0.25, 0.3, 0.625, 0.701, 1.0]$ . After the transformation, the problem becomes:

$$\begin{aligned} \min_{x,y} \quad & \sum_{i=1}^5 (a_i x + y - b_i)^2 + \lambda |x + y - 0.85| \\ \text{s.t.} \quad & x \geq 0, \end{aligned} \tag{5.6}$$

where  $\lambda$  represents the penalty parameter. By incorporating the  $\ell_1$  penalty term, we effectively convert the original constrained problem into a non-smooth bound constrained problem, enabling the exploration of optimization algorithms in scenarios involving non-smooth objective functions and bound constraints.

Having outlined the landscape of our test problems, we now shift our focus to the metric employed for comparative evaluation. Here, we introduce performance profiles as a tool to gauge optimization solvers' effectiveness. As outlined in [14], these profiles provide a mean of assessing the performance of a designated set of solvers  $\mathcal{S}$  across a given set of problems  $\mathcal{P}$ . They are a visual tool where the highest curve corresponds to the solver with the best overall performance. Let  $t_{p,s} > 0$  be a performance measure of the solver  $s \in \mathcal{S}$  on the problem  $p \in \mathcal{P}$ , which in our case was set to the number of function evaluations. The curve for a solver  $s$  is defined as the fraction of problems where the performance ratio is at most  $\alpha$ ,

$$\rho_s(\alpha) = \frac{1}{|\mathcal{P}|} \text{size} \{p \in \mathcal{P} : r_{p,s} \leq \alpha\},$$

where the performance ratio  $r_{p,s}$  is defined as

$$r_{p,s} = \frac{t_{p,s}}{\min\{t_{p,s} : s \in \mathcal{S}\}}.$$

The convention  $r_{p,s} = +\infty$  is used when a solver  $s$  fails to satisfy the convergence test for problem  $p$ . The convergence test used is

$$f(x_0) - f(x) \geq (1 - \tau)(f(x_0) - f_L), \tag{5.7}$$

where  $\tau > 0$  is a tolerance,  $x_0$  is the starting point for the problem, and  $f_L$  is computed for each problem  $p \in \mathcal{P}$  as the smallest value of  $f$  obtained by any solver within a given number of function evaluations. Solvers with the highest values of  $\rho_s(1)$  are the most efficient, and those with the highest values of  $\rho_s(\alpha)$ , for large  $\alpha$ , are the most robust.

## 6 Numerical Results

### 6.1 Smooth problems

#### Bound constrained problems

Analyzing Figure 1, one observes that **Full-Low Evaluation** (red curve) demonstrates the best performance in terms of efficiency (as indicated by the highest curve at a ratio of 1). It is closely followed by pure **Full-Eval** (magenta curve), with **NOMAD** ranking third. However, when considering robustness, **NOMAD** (black curve) outperforms the others, while our method ranks second, making it the best overall.




Figure 1: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: *dspfd*: probabilistic direct search based on feasible direction, *constFLE*: constrained **Full-Low Evaluation**, *NOMAD*, and *constBFGS*: constrained **Full-Eval**. The test set contains 41 bound constrained problems from the CUTEst library.

#### Linearly constrained problems

On general linear equality problems, Figure 2 illustrates that our method outperforms the three solvers in terms of both efficiency and robustness. Pure **Full-Eval** comes second in terms of efficiency, while pure **Low-Eval** performs exceptionally well in terms of robustness and ranks second for that metric. On the other hand, **NOMAD** exhibits lower performance due to its limited handling of linear equality constraints, which are present in some of the problems.

Figure 3 provides a more specific comparison of the four solvers on the subset of problems that contain at least one inequality constraint. Even in this context, **Full-Low Evaluation** demonstrates the best performance, followed by **Low-Eval** and then **Full-Eval**. It is worth noting that **NOMAD** shows improved performance compared to the previous experiment given the lack of equality constraints.




Figure 2: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: *dspfd*: probabilistic direct search based on feasible direction, *constFLE*: constrained *Full-Low Evaluation*, *NOMAD*, and *constBFGS*: constrained *Full-Eval*. The test set contains 76 problems with general linear constraints from the CUTEst library.




Figure 3: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: *dspfd*: probabilistic direct search based on feasible direction, *constFLE*: constrained *Full-Low Evaluation*, *NOMAD*, and *constBFGS*: constrained *Full-Eval*. The test set contains 40 problems with at least one inequality constraint from the CUTEst library.

## 6.2 Non-smooth problems

### Bound constrained problems

Figure 4 displays the results obtained from testing non-smooth bound constrained problems. `Full-Low Evaluation` is here the most efficient solver, while `Full-Eval` takes the second spot for both low and high accuracy. Meanwhile, `NOMAD` showcases the best robustness. This observed ranking of solvers in the bound constrained setting remains consistent even with the introduction of the non-smooth regularization.




Figure 4: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: `dspfd`: probabilistic direct search based on feasible direction, `constFLE`: constrained *Full-Low Evaluation*, `NOMAD`, and `constBFGS`: constrained *Full-Eval*. The test set contains 52 non-smooth bound constrained problems.

## Linearly constrained problems

In Figure 5, we present the results on general non-smooth problems. One can see that the **Full-Low Evaluation** curve is above all, followed by **Full-Eval** and **Low-Eval**, then **NOMAD**. As with the smooth case, employing **Full-Low Evaluation** yields better results than using individual steps alone, providing further confirmation of the effectiveness of our approach.

Furthermore, even within this context, **NOMAD** faces challenges posed by equality constraints. However, upon their removal as shown in Figure 9, **NOMAD** demonstrates improved robustness compared to **Full-Eval**.




Figure 5: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: *dspfd*: probabilistic direct search based on feasible direction, *constFLE*: constrained **Full-Low Evaluation**, *NOMAD*, and *constBFGS*: constrained **Full-Eval**. The test set contains 107 non-smooth general linear equality constraints.

## 6.3 Noisy functions

### Bound constrained problems

In this context, **NOMAD** demonstrates the performance in terms of efficiency and robustness. Referring to Figure 7, we can see that the curve corresponding to **Full-Low Evaluation** is between the **Full-Eval** and **Low-Eval** curves. Such results are conform to observations made in the unconstrained case [6], especially for low accuracy. This correspondence arises from **Full-Eval** performing poorly when  $h$  is equal to the square root of machine precision. Note that **Full-Low Evaluation** is able to outperform **Low-Eval** for high accuracy in term of robustness.

### Linearly constrained problems

When tested on general linear equality constrained problems, pure **Low-Eval** (probabilistic direct search) stands out as the most efficient solver, followed by **Full-Low Evaluation** which




Figure 6: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: *dspfd*: probabilistic direct search based on feasible direction, *constFLE*: constrained *Full-Low Evaluation*, *NOMAD*, and *constBFGS*: constrained *Full-Eval*. The test set contains 52 non-smooth problems with at least one inequality constraint from the CUTEst library.

demonstrates superior robustness. Conversely as observed in Figure 8, *NOMAD* experiences a performance decline similar to observations in both smooth and non-smooth cases. Figure 9 sheds light on problems featuring linear inequalities. Notably, in this context, *NOMAD*'s performance stands on par with *Full-Eval*, and it even surpasses it, especially under conditions demanding higher accuracy.

## 7 Conclusions

We have proposed an instance of the *Full-Low Evaluation* framework tailored to the presence of bound and linear constraints, by combining projected BFGS steps with probabilistic direct-search steps within approximate tangent cones. The result method is equipped with similar guarantees than in the unconstrained case. In addition, its performance has been validated in linearly constrained problems with smooth, non-smooth, and noisy objectives. Those experiments overall suggest that our algorithm is able to get the best of both worlds, and improve over existing algorithms that do not combine *Full-Eval* and *Low-Eval* steps.

Other variants of the *Full-Low Evaluation* framework may be able to improve on our current implementation. In particular, one could rely on trust-region steps as *Full-Eval*, while one- or two-point feedback feasible approaches that have been proposed more generally in the convexly constrained setting. In fact, extending the *Full-Low Evaluation* framework to non-linear, convex constraints is a natural continuation of our work, which may benefit from existing results in feedback methods as well as mature theory regarding projected gradient techniques.




Figure 7: Performance profiles with  $\tau = 10^{-1}, 10^{-3}$  of the 4 solvers: *dspfd*: probabilistic direct search based on feasible direction, *constFLE*: constrained *Full-Low Evaluation*, *NOMAD*, and *constBFGS*: constrained *Full-Eval*. The test set contains 41 noisy bound constrained problems.

## Acknowledgments

This work is partially supported by the U.S. Air Force Office of Scientific Research (AFOSR) award FA9550-23-1-0217, and by Agence Nationale de la Recherche through program ANR-19-P3IA-0001 (PRAIRIE 3IA Institute).

## References

- [1] C. Audet and W. Hare. *Derivative-Free and Blackbox Optimization*. Springer Series in Operations Research and Financial Engineering. Springer, Cham, Switzerland, 2017.
- [2] C. Audet and J. E. Dennis Jr. Analysis of generalized pattern searches. *SIAM J. Optim.*, 13:889–903, 2002.
- [3] C. Audet and J. E. Dennis Jr. Mesh adaptive direct search algorithms for constrained optimization. *SIAM J. Optim.*, 17:188–217, 2006.
- [4] A. Beck and N. Hallak. On the convergence to stationary points of deterministic and randomized feasible descent directions methods. *SIAM J. Optim.*, 30:56–79, 2020.
- [5] A. S. Berahas, R. H. Byrd, and J. Nocedal. Derivative-free optimization of noisy functions via quasi-newton methods. *SIAM J. Optim.*, 29:965–993, 2019.
- [6] A. S. Berahas, O. Sohab, and L. N. Vicente. Full-low evaluation methods for derivative-free optimization. *Optim. Methods Softw.*, 38:386–411, 2022.




Figure 8: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: dspfd: probabilistic direct search based on feasible direction, constFLE: constrained *Full-Low Evaluation*, NOMAD, and constBFGS: constrained *Full-Eval*. The test set contains 76 noisy problems with general linear constraints.

- [7] D. P. Bertsekas. *Nonlinear Programming*. Athena Scientific, Belmont, MA, third edition, 2016.
- [8] C. G. Broyden. The convergence of a class of double-rank minimization algorithms 1. General considerations. *IMA J. Appl. Math.*, 6:76–90, 1970.
- [9] F. H. Clarke. *Optimization and Nonsmooth Analysis*. John Wiley & Sons, New York, 1983. Reissued by SIAM, Philadelphia, 1990.
- [10] A. R. Conn, N. I. M. Gould, and P. L. Toint. *Trust-Region Methods*. MPS-SIAM Series on Optimization. Society for Industrial and Applied Mathematics, Philadelphia, 2000.
- [11] A. R. Conn, K. Scheinberg, and L. N. Vicente. Global convergence of general derivative-free trust-region algorithms to first- and second-order critical points. *SIAM J. Optim.*, 20: 387–415, 2009.
- [12] A. R. Conn, K. Scheinberg, and L. N. Vicente. *Introduction to Derivative-Free Optimization*. MPS-SIAM Series on Optimization. SIAM, Philadelphia, 2009.
- [13] A. L. Custódio, K. Scheinberg, and L. N. Vicente. Methodologies and software for derivative-free optimization. In T. Terlaky, M. F. Anjos, and S. Ahmed, editors, *Chapter 37 of Advances and Trends in Optimization with Engineering Applications*, MOS-SIAM Book Series on Optimization. SIAM, Philadelphia, 2017.
- [14] E. D. Dolan and J. J. Moré. Benchmarking optimization software with performance profiles. *Math. Program.*, 91:201–213, 2002.






Figure 9: Performance profiles with  $\tau = 10^{-3}, 10^{-5}$  of the 4 solvers: *dspfd*: probabilistic direct search based on feasible direction, *constFLE*: constrained *Full-Low Evaluation*, *NOMAD*, and *constBFGS*: constrained *Full-Eval*. The test set contains 40 noisy problems with at least one inequality constraint.

- [15] R. Fletcher. A new approach to variable metric algorithms. *The Computer Journal*, 13: 317–322, 1970.
- [16] K. Fukuda and A. Prodon. Double description method revisited. In M. Deza, R. Euler, and I. Manoussakis, editors, *Combinatorics and Computer Science: 8th Franco-Japanese and 4th Franco-Chinese Conference, Brest, France, July 3–5, 1995 Selected Papers*, pages 91–111. Springer, 1996.
- [17] D. Goldfarb. A family of variable-metric methods derived by variational means. *Math. Comp.*, 24:23–26, 1970.
- [18] S. Gratton, P. Toint, and A. Tröltzsch. An active-set trust-region method for derivative-free nonlinear bound-constrained optimization. *Optim. Methods Softw.*, 21:873–894, 2011.
- [19] S. Gratton, C. W. Royer, L. N. Vicente, and Z. Zhang. Direct search based on probabilistic feasible descent for bound and linearly constrained problems. *Comput. Optim. Appl.*, 72: 525–559, 2019.
- [20] J. Jahn. *Introduction to the Theory of Nonlinear Optimization*. Springer Nature, 1994.
- [21] T. G. Kolda, R. M. Lewis, and V. Torczon. Optimization by direct search: New perspectives on some classical and modern methods. *SIAM Rev.*, 45:385–482, 2003.
- [22] T. G. Kolda, R. M. Lewis, and V. Torczon. Stationarity results for generating set search for linearly constrained optimization. *SIAM J. Optim.*, 17:943–968, 2007.

- [23] J. Larson, M. Menickelly, and S. Wild. Derivative-free optimization methods. *Acta Numer.*, 28:287–404, 2019.
- [24] R. M. Lewis and V. Torczon. Pattern search algorithms for bound constrained minimization. *SIAM J. Optim.*, 9:1082–1099, 1999.
- [25] R. M. Lewis and V. Torczon. Pattern search methods for linearly constrained minimization. *SIAM J. Optim.*, 10:917–941, 2000.
- [26] R. M. Lewis, A. Shepherd, and V. Torczon. Implementing generating set search methods for linearly constrained minimization. *SIAM J. Sci. Comput.*, 29:2507–2530, 2007.
- [27] T. Matheiss and D. S. Rubin. A survey and comparison of methods for finding all vertices of convex polyhedral sets. *Math. Oper. Res.*, 5:167–185, 1980.
- [28] J. Moré and S. M. Wild. Benchmarking derivative-free optimization algorithms. *SIAM J. Optim.*, 20:172–191, 2009.
- [29] J. Nocedal and S. J. Wright. *Numerical Optimization*. Springer-Verlag, Berlin, second edition, 2006.
- [30] C. J. Price and I. D. Coope. Frames and grids in unconstrained and linearly constrained optimization: a nonsmooth approach. *SIAM J. Optim.*, 14:415–438, 2003.
- [31] L. M. Rios and N. V. Sahinidis. Derivative-free optimization: A review of algorithms and comparison of software implementations. *J. Global Optim.*, 56:1247–1293, 2013.
- [32] D. F. Shanno. Conditioning of quasi-Newton methods for function minimization. *Math. Comp.*, 24:647–656, 1970.
- [33] H.-J. M. Shi, M. Q. Xuan, F. Oztoprak, and J. Nocedal. On the numerical performance of finite-difference-based methods for derivative-free optimization. *Optim. Methods Softw.*, 38:289–311, 2023.
- [34] L. N. Vicente and A. L. Custódio. Analysis of direct searches for discontinuous functions. *Math. Program.*, 133:299–325, 2012.

## Appendix A List of Problems

Name	Size	Bounds	Name	Size	Bounds	Name	Size	Bounds
chenhark	10	10	explin2	12	24	hatflda	4	4
explin	12	24	hart6	6	12	hs1	2	1
harkerp2	10	10	himmelp1	2	4	hs38	4	8
hatfldb	4	5	hs2	2	1	hs45	5	10
hs3	2	1	hs3mod	2	1	hs110	10	20
hs4	2	2	hs5	2	4	logros	2	2
maxlika	8	16	mccormck	10	20	mdhole	2	1
ncvxbqp1	10	20	ncvxbqp2	10	20	ncvxbqp3	10	20
oslbqp	8	11	palmer1a	6	2	palmer2b	4	2
pspdoc	4	1	palmer4a	6	2	palmer5b	9	2
weeds	3	4	qrtquad	12	12	probpenl	10	20
camel6	2	4	simbqp	2	2	s368	8	16
eg1	3	4	yfit	3	1	sineali	20	40
cvxbqp1	10	20	expquad	12	24			

Table 1: Bound constrained problems.

Name	Size	Bounds	LE	Name	Size	Bounds	LE
aug2d	24	0	9	genhs28	10	0	8
bt3	5	0	3	hs9	2	0	1
hs28	3	0	1	hs48	5	0	2
hs49	5	0	2	hs50	5	0	3
hs51	5	0	3	hs52	5	0	3
cvxqp2	10	20	2	cvxqp1	10	20	5
fccu	19	19	8	degenlpa	20	40	15
hs041	4	8	1	hong	4	8	1
hs54	6	12	1	hs53	5	10	3
hs62	3	6	1	hs55	6	8	6
ncvxqp1	10	20	5	hs112	10	10	3
ncvxqp3	10	20	5	ncvxqp2	10	20	5
ncvxqp5	10	20	2	ncvxqp4	10	20	2
fits	10	10	6	ncvxqp6	10	20	2
portfl2	12	24	1	portfl1	12	24	1
portfl4	12	24	1	portfl3	12	24	1
reading2	9	14	4	portfl6	12	24	1
sosqp2	20	40	11	sosqp1	20	40	11

Table 2: Linear equality constrained problems.

Name	Size	Bounds	LE	LI
avgasa	8	16	0	10
biggsc4	4	8	0	7
dualc2	7	14	1	228
expfitb	5	0	0	102
hatfldh	4	8	0	7
hs118	15	30	0	17
hs21mod	7	8	0	1
hs268	5	0	0	5
hs35mod	3	4	0	1
hs36	3	6	0	1
hs44	4	4	0	6
hs76	4	4	0	3
hs86	5	5	0	10
lsqfit	2	1	0	1
oet3	4	0	0	1002
simpllpa	2	2	0	2
sipow1	2	0	0	2000
sipow2	2	0	0	2000
sipow3	4	0	0	2000
stancmin	3	3	0	2

Name	Size	Bounds	LE	LI
tft2	3	0	0	101
avgasb	8	16	0	10
dualc1	9	18	1	214
dualc5	8	16	1	277
expfita	5	0	0	22
expfitc	5	0	0	502
hs105	8	16	0	1
hs21	2	4	0	1
hs24	2	2	0	3
hs35	3	3	0	1
hs37	3	6	0	2
hs44new	4	4	0	6
hubfit	2	1	0	1
oet1	3	0	0	1002
pentagon	6	0	0	15
simpllpb	2	2	0	3
sipow1m	2	0	0	2000
sipow2m	2	0	0	2000
sipow4	4	0	0	2000
zecevic2	2	4	0	2

Table 3: Linear inequality constrained problems.

Name	Pen.	Const	Name	Pen.	Const	Name	Pen.	Const
avgasa	LI		hs105	LI		odfits	LE	
biggsc4	LI		hs21	LI		portfl2	LE	
dualc2	LE & LI		hs24	LI		portfl4	LE	
hatfldh	LI		hs35	LI		reading2	LE	
hs118	LI		hs37	LI		sosqp2	LE	
hs21mod	LI		hs44new	LI		cvxqp1	LE	
hs35mod	LI		hubfit	LI		degenlpa	LE	
hs36	LI		simpllpb	LI		hong	LE	
hs44	LI		zecevic2	LI		hs53	LE	
hs76	LI		cvxqp2	LE		hs55	LE	
hs86	LI		fccu	LE		hs112	LE	
lsqfit	LI		hs41	LE		ncvxqp2	LE	
simpllpa	LI		hs54	LE		ncvxqp4	LE	
stancmin	LI		hs62	LE		ncvxqp6	LE	
avgasb	LI		ncvxqp1	LE		portfl1	LE	
dualc1	LE & LI		ncvxqp3	LE		portfl3	LE	
dualc5	LE & LI		ncvxqp5	LE		portfl6	LE	
						sosqp1	LE	

Table 4: Non-smooth bound constrained problems.

Name	Pen.	Const	Name	Pen.	Const	Name	Pen.	Const
dualc2	LI		odfits	B		hs55	B	
dualc1	LI		odfits	1/2 B		hs55	1/2 B	
dualc5	LI		portfl2	B		hs112	B	
cvxqp2	B		portfl2	1/2 B		hs112	1/2 B	
cvxqp2	1/2 B		portfl4	B		ncvxqp2	B	
fccu	B		portfl4	1/2 B		ncvxqp2	1/2 B	
fccu	1/2 B		reading2	B		ncvxqp4	B	
hs41	B		reading2	1/2 B		ncvxqp4	1/2 B	
hs41	1/2 B		sosqp2	B		ncvxqp6	B	
hs54	B		sosqp2	1/2 B		ncvxqp6	1/2 B	
hs54	1/2 B		cvxqp1	B		portfl1	B	
hs62	B		cvxqp1	1/2 B		portfl1	1/2 B	
hs62	1/2 B		degenlpa	B		portfl3	B	
ncvxqp1	B		degenlpa	1/2 B		portfl3	1/2 B	
ncvxqp1	1/2 B		hong	B		portfl6	B	
ncvxqp3	B		hong	1/2 B		portfl6	1/2 B	
ncvxqp3	1/2 B		hs53	B		sosqp1	B	
ncvxqp5	B		hs53	1/2 B		sosqp1	1/2 B	
ncvxqp5	1/2 B							

Table 5: Non-smooth linear equality constrained problems.

Name	Pen.	Const
avgasa	B	
avgasa	1/2 B	
biggsc4	B	
biggsc4	1/2 B	
dualc2	B	
dualc2	LE	
hatfldh	B	
hatfldh	1/2 B	
hs118	B	
hs118	1/2 B	
hs21mod	B	
hs21mod	1/2 B	
hs35mod	B	
hs35mod	1/2 B	
hs36	B	
hs36	1/2 B	
hs44	B	

Name	Pen.	Const
hs44	1/2 B	
hs76	B	
hs76	1/2 B	
hs86	B	
hs86	1/2 B	
lsqfit	B	
lsqfit	1/2 B	
simpllpa	B	
simpllpa	LE	
stancmin	B	
stancmin	1/2 B	
avgasb	B	
avgasb	1/2 B	
dualc1	B	
dualc1	LE	
dualc5	B	
dualc5	LE	
hs105	B	

Name	Pen.	Const
hs105	1/2 B	
hs21	B	
hs21	1/2 B	
hs24	B	
hs24	1/2 B	
hs35	B	
hs35	1/2 B	
hs37	B	
hs37	1/2 B	
hs44new	B	
hs44new	1/2 B	
hubfit	B	
hubfit	1/2 B	
simpllpb	B	
simpllpb	1/2 B	
zecevic2	B	
zecevic2	1/2 B	

Table 6: Non-smooth linear inequality constrained problems.