

Energy Sharing among Resources within Electrical Distribution Systems: A Systematic Review

G Hari Krishna, K. Victor Sam Moses Babu, Divyanshi Dwivedi, Pratyush Chakraborty, Pradeep Kumar Yemula, Mayukha Pal*

Abstract—The rapid increase in Electric Vehicle (EV) adoption provides a promising solution for reducing carbon emissions and fossil fuel dependency in transportation systems. However, the increasing numbers of EVs pose significant challenges to the electrical grids. In addition, the number of Distributed Energy Resources (DER) and Microgrids (MGs) is increasing on a global scale to meet the energy demand, consequently changing the energy infrastructure. Recently, energy-sharing methods have been proposed to share excess energy from DERs and EVs in Electric Vehicle Charging Infrastructure (EVCI) and MGs. Accommodating this sharing mechanism with the existing electrical distribution systems is a critical issue concerning the economic, reliability, and resilience aspects. This study examines the ever-changing field of EVCI and the critical role of Peer-to-Peer (P2P) energy trading in mitigating the problems with grid management that result from unorganized EV charging and intermittency in DER. Also, the possibilities of energy sharing in electrical distribution systems for microgrids and EVCI on various energy-sharing methods and algorithms are discussed in detail. Furthermore, the application of market clearing algorithms like game theory, double auction theory, blockchain technology, optimization techniques, machine learning algorithms, and other models from the existing literature are presented. This paper discusses the policies, economic benefits, environmental impacts, societal advantages, and challenges in distribution systems related to sharing in EVCI and MGs. A roadmap for future research and sharing strategies is provided to guide policymakers, researchers, and industry stakeholders toward a sustainable, resilient, and efficient energy market by integrating P2P technology into EVCIs and MGs.

Index Terms—Blockchain technology, electric vehicle, electric vehicle charging infrastructure, electrical distribution systems, double auction theory, game theory, machine learning, peer-to-peer energy trading, sharing models, vehicle-to-grid.

(Corresponding author: *Mayukha Pal)

Mr. G Hari Krishna is a Data Science Research Intern at ABB Ability Innovation Center, Hyderabad 500084, India and also a Research Scholar at the Department of Electrical and Electronics Engineering, BITS Pilani Hyderabad Campus, Hyderabad 500078, IN.

Mr. K. Victor Sam Moses Babu is a Data Science Research Intern at ABB Ability Innovation Center, Hyderabad 500084, India and also a Research Scholar at the Department of Electrical and Electronics Engineering, BITS Pilani Hyderabad Campus, Hyderabad 500078, IN.

Mrs. Divyanshi Dwivedi is a Data Science Research Intern at ABB Ability Innovation Center, Hyderabad 500084, India, and also a Research Scholar at the Department of Electrical Engineering, Indian Institute of Technology, Hyderabad 502205, IN.

Dr. Pratyush Chakraborty is an Assistant Professor with the Department of Electrical and Electronics Engineering, BITS Pilani Hyderabad Campus, Hyderabad 500078, IN.

Dr. Pradeep Kumar Yemula is an Associate Professor with the Department of Electrical Engineering, Indian Institute of Technology, Hyderabad 502205, IN.

Dr. Mayukha Pal is with ABB Ability Innovation Center, Hyderabad-500084, IN, working as Global R&D Leader Cloud & Analytics (e-mail: mayukha.pal@in.abb.com).

ACRONYMS

CHP Combined Heat and Power
DER Distributed Energy Resources
DR Demand Response
EDS Electrical Distribution Systems
EMS Energy Management Systems
ESS Energy Storage Systems
EV Electric Vehicle
EVCI Electric Vehicle Charging Infrastructure
EVCS Electrical Vehicle Charging Station
FiTs Feed-in-Tariffs
GHG Green House Gases
IEA International Energy Agency
MDP Markov Decision Process
MGs Microgrids
ML Machine Learning
P2P Peer-to-Peer
PEV Plug-in Electric Vehicle
PHEV Plug-in Hybrid Electric Vehicle
PPAs Power Purchase Agreements
PSO Particle Swarm Optimization
PV Photovoltaic
RL Reinforcement Learning
SG Smart Grid
SoC State of Charge
SoD State of Discharge
ToU Time of Use
V2G Vehicle to Grid
VPP Virtual Power Plant

I. INTRODUCTION

A. Background & Motivation

As the world is looking to achieve sustainable development goals [1], the realization of optimal utilization of resources has increased. The usage of clean energy, reduction of greenhouse gases, and energy-efficient systems is gaining importance. The Paris Agreement (2015), in alignment with the Kyoto Protocol (1997) and endorsed by the majority of nations as confirmed in the United Nations Framework Convention on Climate Change (UNFCCC), commits to the reduction of greenhouse gas (GHG) emissions and carbon footprint [2], [3]. This commitment includes the adoption of renewable energy sources, particularly solar energy, for electricity generation. As of 2022, renewable energy sources accounted for 14.2% of the global energy [4]. Fig. 1 shows the percentage breakdown of various countries' electricity generation through renewable sources. According to




Fig. 1: Renewables (% equivalent primary energy) for entities across the world in 2022 [4].




Fig. 2: Projected EV sales with existing scenario, proposed policies scenario, and sustainable development scenario for the corresponding years from 2020 to 2030 [6].

the International Energy Agency (IEA) [5], this percentage is expected to rise to 35% by 2025, indicating a significant shift towards renewable energy on a global scale.

The proliferation of electric vehicles is also gaining popularity as an alternative to conventional internal combustion engines and Plug-in Hybrid Electric Vehicle (PHEV). The world is seeing phenomenal changes in the transportation sector due to the surge in EVs. The sale of EVs touched a milestone of 10 million in the year 2020 with the existing policies implemented by the nations. With this rapid adaption rate, the IEA predicts that the EVs with the proposed policies are estimated to increase to 145 million by the year 2030 with a sustainable development scenario and expected share of 34%, as illustrated in Fig. 2 [6].

The ever-increasing demand for energy presents a significant challenge to the current power grid infrastructure. The global energy consumption from 1970 to 2022, as depicted in Fig. 3, exhibits a consistent upward trend, indicative of a pattern expected to increase further in the forthcoming years. In addition, the number of EVs on the road is increasing rapidly, leading to a higher demand for electricity. As a result, there is




Fig. 3: Primary energy consumption: World statistics [7].

an urgent need to adopt DER, enhance microgrid capabilities, and improve EVCI.

The intersection of these three components, namely reduction of Green House Gases (GHG), adoption of EVs, and increasing energy demand, resulted in the evolution of the concept called “Energy sharing”. The visual representation of energy sharing is shown in Fig. 4; it consists of various components such as microgrids, solar power plants, wind power plants, distributed energy sources, prosumers, and Electrical Vehicle Charging Station (EVCS) that are integrated with the existing power grid. All these components are distributed throughout the power grid, sharing energy with the utility grid. This minimizes the gap between generation and demand, making the grid resilient.

B. Energy Sharing Trade-offs

The primary driving factors for implementing energy sharing include:

- 1) Reducing the carbon footprint from an environmental perspective by adapting DER and EVs, and
- 2) Meeting the increasing energy demand, thereby enhancing energy security.

Furthermore, the deployment of EVs and the implementation of vehicle fuel efficiency guidelines are pivotal assumptions for the upcoming decade. These factors are crucial




Fig. 4: A visual representation of energy sharing.

in the context of introducing new vehicles into the fleet, developing charging infrastructure, and accelerating the decarbonization of the power grid. For sustainable development, microgrids and EVCI serve as key enablers. Bimenyimana et al. [8] investigated the above problem by integrating solar Photovoltaic (PV) generation in microgrids to support EV in Rwanda. Meanwhile, Wei Wu et al. [9] revealed the benefits of integrating EVs into the power grid by conducting a pilot study. The development and deployment of microgrids where there is existing grid infrastructure is influenced by three main categories of factors: a combination of economic benefits, clean energy, and energy security is provided in [10]. Abdulgader Alsharif et al. [11] have provided a comprehensive overview of performance improvement and effective management of Vehicle to Grid (V2G) related to renewable energy resources through Energy Management Systems (EMS).

This paper presents an overview of energy sharing between microgrids, DER, and EVCI in electrical distribution systems. The main contributions are:

- 1) It offers a comprehensive discussion covering various aspects of energy-sharing architecture and sharing models with case studies.
- 2) The technical aspects of P2P energy trading are explored, including algorithms and models used for electricity trading.
- 3) Promising research directions to expand current practices are presented.

The structure of this review is as follows: Section 2 includes the aspects of energy-sharing basics, architecture in the physical layer and virtual layer, implementation, and various sharing




Fig. 5: Types of Energy Sharing

models, including P2P sharing along with pilot projects and case studies. Billing mechanisms and pricing policies are also discussed, whereas, in Section 3, the benefits of energy sharing are discussed. In section 4, the technical aspects of P2P energy trading are explored, including algorithms and models used for trading. Section 5 outlines the challenges, opportunities, and future scope of energy sharing in the physical layer and virtual layer, especially P2P. Section 6 concludes the paper.

II. ENERGY SHARING ARCHITECTURE

In modern smart grids and digital technologies, energy sharing is often divided into physical and virtual layers. These layers represent energy-sharing ecosystem components. Fig. 6 demonstrates different layers of the energy-sharing which has both physical layers and virtual layers along with a regulator.




Fig. 6: Energy Sharing Architecture

A. Physical Layer

Energy-sharing infrastructure hardware is in the physical layer. This covers energy-generating, storing, and distributing equipment and facilities. Power plants, renewable energy sources (solar panels, wind turbines), energy storage systems (batteries), transmission lines, distribution networks, EV charging stations, and other physical assets comprise the physical layer.

1) *Energy Sharing Components-Physical Layer*: Fig. 5 illustrates various methods for energy sharing in electrical distribution systems. The methods include P2P, Virtual Power Plant (VPP), DER, microgrids, EVCI, Demand Response (DR), Time-of-use & dynamic pricing, and Energy Storage Systems (ESS). Governments globally are implementing policies to promote sustainable transportation and energy systems. These measures include incentives for electric vehicles, targets for renewable energy, and grid modernization. [12].

The concept of VPP involves combining conventional dispatchable power plants, DERs, and ESS along with flexible loads to form a single controllable and manageable entity [13]. The article [14] discusses the components and modeling of a VPP, its different types, such as the Combined Heat and Power (CHP) based VPP, DR, and its participation in electricity markets. The article also covers the bidding strategies of VPPs. Meanwhile, [15] presents how the optimization technique improves the running performance of VPPs when faced with uncertainties.

DR involves consumers changing their electricity consumption patterns in exchange for incentives. Integrated DR is a concept that involves coupling various forms of energy like electricity and heat. In distribution systems, this idea allows for the effective management of energy by responding to changes in demand. In their paper, Huang et al. (2019) [16] focus on the basic concept, design framework, and estimation of demand response utilizing software testing. To address uncertainties in multiple renewables and coordinate flexible DR with EVCS, Li et al. designed a new bi-level optimal dispatching model. Meanwhile, [17] examines the motivation, enablers, and barriers for consumer participation in demand response with residential demand response. In addition, [18] discusses the fundamentals and business models for resource adequacy in the electricity market.

DER are power generation sources mostly renewables like PV, fuel cells, micro turbines, and ESS that are directly connected to the electrical distribution systems. A detailed overview of DER technologies and their benefits to the environment is given in [19] and in addition to that, coordination and controlling of DER together will give rise to a concept called “Microgrid”. The global microgrid market surpassed 17 billion US dollars in 2022 and is expected to expand to 73.3 billion US dollars with a 22.4% CAGR due to the growth of microgrids and DER. The remarkable growth is primarily driven by the increasing demand for reliable, resilient, and off-grid power solutions.

Microgrid systems operate either in islanding or grid-connected mode. A comprehensive review of microgrid technologies is presented in [20]. J. Driesen et al. [21] incorporated numerous DER units into the Electrical Distribution Systems (EDS) to improve reliability and offer differentiated services, whereas state-of-art approaches, techniques, challenges in uncertainty modeling of DER are conducted in [22]. Meanwhile, integration of DER and its implications are studied by Lasseter et al. [23]. The adoption of DER has significantly impacted the energy sector, particularly in microgrids. However, integrating these renewable sources leads to uncertainties due to their intermittent nature, which often causes voltage fluctuations and grid instability in electrical distribution systems. [24], [25]. K. Victor Sam Moses Babu et al. [26] analyzed the impact of P2P sharing within microgrids and the results depicted the performance and system resilience improvement.

Behind-the-meter energy generation, EV, batteries, inverters, and loads have shown unprecedented growth as small-scale DER surges. It is projected that the number of households using rooftop solar photovoltaic systems will increase from 25 million in 2022 to 100 million by 2030 [27]. In addition, there is expected to be significant growth in the use of ESS with capacity projected to increase from 20 GWh in 2020 to 160 GWh by 2026 [28].

2) *P2P Energy Sharing*: The increasing presence of prosumers, individuals, and entities that both produce and consume energy, has led to the decentralization and increased openness of the electrical network. Energy operators have evolved to offer services beyond just selling energy; they now provide the option for prosumers to rent transmission lines, enabling them to inject their surplus energy into the grid through net metering programs [29]. The implementation of energy-sharing and coordination strategies could lead to cost savings and reductions in greenhouse gas emissions. Utilizing excess renewable energy for electric vehicle charging, for instance, could bring about both economic benefits and ecological advantages. The advancement of smart grid technologies, IoT devices, and advanced control systems is empowering the implementation of more efficient and sophisticated energy sharing and coordination strategies [30].

Meeting our energy needs and advancing the integration of affordable, clean energy into the electrical grid are made possible in large part by these dispersed and varied energy sources. Nevertheless, there is a catch: the owners of these energy sources have to play two roles at once. These people have to buy and sell electricity in addition to fulfilling the

roles of energy producers and consumers. This is where Feed-in-Tariffs (FiTs) programs come into play, providing a mechanism for these “prosumers” to enter the electricity market and actively participate in it [31] and [32]. Prosumers benefit from the FiTs scheme, by receiving grid power in peak demand periods and selling surplus energy back to the grid when production exceeds their capacity. The downside is that they receive comparatively low compensation for this surplus electricity. In some countries, this financial restriction has led to the discontinuation or revision of these programmes.

As a response to these challenges, the emergence of P2P electricity trading has gained prominence. It is the next level of smart grid energy management, and it lets people who make their own electricity trade it with their neighbors. P2P electricity trading represents an advanced stage in smart grid energy management, enabling individuals who generate their own electricity to engage in direct energy exchanges with their neighbors. With P2P trading, people who make extra energy could swap it within their community, which means they could earn more money. Within this setup, energy producers have the autonomy to define the operational dynamics and trading processes. This approach is fundamentally centered on empowering individuals to have greater control over their energy resources [33].

B. Virtual Layer

The virtual layer of energy sharing replicates the important layer that utilizes the latest digital technologies for energy trading and it altered energy trading in the modern world. These technologies are transparent, easily accessible, and incredibly efficient. In the context of energy trading, the digital and software-based elements that make energy transaction management, execution, and optimization easier are referred to as the virtual layer. An ecosystem that is responsive and dynamic for energy trading is largely dependent on this layer.

1) *Market Structures*: In a centralized energy market, the generation, transmission, and distribution of power are all under the direction and control of a single governing body or authority. In this model, decisions about energy dispatch, price, and grid management are often made by a central grid operator or government body. Centralized energy markets are frequently associated with dominating utility companies that own and operate most of the energy infrastructure.

A system in which multiple entities share decision-making, production, and distribution authority instead of a single central authority is known as a decentralized energy market. Numerous stakeholders participate in the management and operation of the energy system in a decentralized energy market, including towns, smaller utility companies, and independent power producers. More flexibility and adaptability are made possible by this concept, which typically refers to the integration of DER.

A decentralized, cooperative system of generating, distributing, and utilizing energy that involves community members actively creating and trading energy resources is known as a community-based energy market. According to this idea, local governments, cooperatives, and communities actively take part

in the ownership, administration, and use of energy resources in their community. Community-based energy markets encourage communities to actively participate in the transition to sustainable and resilient energy systems. To establish a sustainable and locally controlled energy future, effective models involve community members, local authorities, energy experts, and other stakeholders.

2) *Pricing Mechanism*: Governments, energy providers, and utilities may use different energy-sharing pricing models. Energy sharing involves the exchange of energy resources between companies, with price policies designed to provide energy generators fair compensation and consumers affordable options. Pricing policies such as Time of Use (ToU) tariff, FiTs, net metering, and Dynamic pricing are implemented by countries to solve the problems of consumers and prosumers related to DR, load shifting. The following pricing policies are explained that are linked to energy sharing:

- i. **FiTs**: FiTs are pricing mechanisms that assign a fixed rate to the electricity that energy producers, particularly those producing renewable energy, input into the grid. Frequently established at a premium to the prevailing market rate, this rate encourages the implementation of renewable energy technologies. Energy sharing occurs through FiTs when excess renewable energy is introduced into the power grid. It may also change how we support and utilize energy sources, with wider implications and effects on a variety of industries [34]. The FiTs program allows prosumers to buy grid power during peak demand and sell it back during low demand. However, their modest surplus electricity compensation is a downside. Some governments have ended or reconsidered certain projects due to financial constraints [29], [35].
- ii. **Net metering**: Net metering is a mechanism by which consumers who have installed on-site renewable energy systems, such as solar panels, are granted credits in return for the excess electricity they return to the infrastructure. When pricing is established on a retail rate basis, credits are allocated at the same rate at which an end user would remit payment for electricity delivered via the grid.
- iii. **ToU**: ToU pricing structures are designed to account for fluctuating demand patterns by adjusting the cost of electricity. Amid periods of diminished demand, prices are reduced during off-peak hours. This incentivizes consumers to adjust their energy consumption to periods of reduced electricity costs. Although unrelated to energy sharing, ToU pricing impacts the timing and manner in which consumers consume energy, thereby influencing the grid's overall dynamics.
- iv. **Real-time pricing**: Real-time pricing (RTP) of electricity is a dynamic pricing strategy in which the cost of electricity fluctuates in real-time and is determined by actual market conditions. Real-time pricing is in contrast to traditional fixed-rate pricing, which maintains a fixed value throughout a specified period. It is indicative of the current supply and demand in the electricity market.
- v. **Critical peak pricing**: Critical Peak Pricing (CPP) is a pricing strategy for electricity whereby rates are increased for consumers during critical peak periods, which are




Fig. 7: Market structures: Centralized market, Decentralized market and Community-based market

occasions of heightened demand. CPP avoids the need for extra infrastructure to manage peak demand and reduces the burden on the electricity grid by encouraging consumers to reduce the use of electricity during these periods of increased demand. To align utility costs with the actual system conditions, CPP is a type of time-based pricing.

- vi. **Wholesale electricity markets:** Wholesale electricity markets facilitate the transaction between retailers and producers of electricity. The prices in these markets are dictated by the interplay between supply and demand. At market rates, producers distribute electricity to retailers, who then distribute it to end-users. Energy sharing takes place between various market entities at the wholesale level.
- vii. **Power Purchase Agreements (PPAs):** PPAs are agreements between an energy provider and a purchaser, which is typically a corporation or utility. The pricing structure of a PPAs may consist of fixed, escalating, or market-rate-linked prices, among others. Commonly used for large-scale renewable energy initiatives, PPAs may also require the grid to receive excess energy for sale.
- viii. **Capacity payments:** In the absence of active electricity generation, generators are compensated for their capacity to generate energy through capacity payments. Maintaining grid reliability is a typical function of this mechanism. Capacity payments might constitute an element of the remuneration framework to facilitate energy sharing.
- ix. **Models of community-based pricing:** Pricing models for community energy projects, such as community solar initiatives, might incorporate a subscription-based or collective ownership structure. The costs and benefits of the initiative are shared by all participants, and the pricing structure is intended to promote a fair and balanced distribution of the advantages.

- x. **Blockchain technology and smart contracts:** Among other emergent technologies, blockchain, and smart contracts offer decentralized and transparent mechanisms for conducting energy transactions. These technologies may facilitate peer-to-peer energy trading through the implementation of transparent, secure, and automated pricing mechanisms.

The various price mechanisms implemented in the electricity market, with a specific focus on energy sharing, are detailed in Table I. Finally, the structure of markets, regulatory frameworks, and specific goals of an Energy Sharing Initiative or Programme are often shaped by price policies in this sector. Their objective is to achieve equilibrium between energy producers' and consumers' concerns, as well as stability and effectiveness of the overall energy system.

C. Energy Sharing: Case Studies

Energy-sharing projects have been launched across various parts of the globe to demonstrate P2P energy sharing. In particular, countries in North America, Europe, Australia, and Asia are heavily involved in studies in various testing facilities, as discussed in [111]. A comparison of the major P2P electricity trading cases was analyzed in [112]. A few examples of energy-sharing projects that have been implemented in various parts of the world are given in Table II.

III. BENEFITS OF ENERGY SHARING

Energy sharing transforms sustainability and resilience by providing many benefits. A major benefit is resource optimization. Efficiency and waste reduction are achieved by spreading excess energy from surplus regions to deficit regions. This collaborative concept ensures energy system dependability and cuts costs. Energy market players use surplus energy during peak demand periods to save money on redundant infrastructure. Energy sharing promotes environmental sustainability by

TABLE I: Pricing Mechanisms

SLNo	Pricing mechanism	References
1	FiTs	[36], [37], [38], [39], [40], [41]
2	Net metering	[42], [43], [44], [45], [46], [47], [48], [49], [50], [41]
3	ToU	[51], [52], [53], [54], [55]
4	Real Time Pricing	[56], [57], [58], [59], [60], [61], [62], [63], [64]
5	Critical Peak Pricing	[65], [66], [67]
6	Wholesale Electricity markets	[68], [69], [70], [71], [72], [73], [74], [75], [76]
7	Power Purchase Agreements	[77], [78], [79], [80]
8	Capacity Payments	[81], [82], [83], [84]

TABLE II: Energy sharing: Case studies

SLNo	Project name	Details	Developed By	Country	Year	Reference
1	The Brooklyn Microgrid	Community-driven network of New York City residents and business owners with locally generated solar energy.	LO3 energy company	USA	2016	[85]
2	Bornholm Island	- Project designed to fully harvest the offshore wind potential in the Baltic Sea to give power to Germany and Denmark. 3 GW wind energy is harvested, then converted to 525 kV HVDC and transported.	50 Hertz and Energinet	Germany & Denmark	2021	[86]
3	sonnenCommunity	Community members are generating their own electricity, storing it and sharing surpluses with friends or each other on the Internet.	sonnenBatterie	Germany	2015	[87]
4	Vandebro	Align with the preferences of renewable energy providers and establish local clean energy communities.	Vandebro	Netherlands	2013	[88]
5	Piclo Flex	A UK-based software platform for trading smart grid flexibility and P2P energy trading services.	UK Power Network	UK	2013	[89]
6	AGL Virtual Trail	Identify and value P2P energy trades, determine the applicability of distributed ledger technology, and analyze the results.	AGL Energy Services Pty Ltd	Australia	2017	[90]
7	KEPCO	By using a blockchain system that is enabled, solar energy suppliers are able to deliver more electricity to their customers.	Kansai Electric Power Company (KEPCO) and Power Ledger	Japan	2018	[91]
8	Pilot project in Delhi	- Power Ledger's blockchain technology facilitates P2P solar energy trading from over 2 MW of solar photovoltaic systems. - The pilot is currently underway among 65 consumers and 75 consumption locations in the capital - 140 buildings and counting in New Delhi.	Tata Power-DDL	India	2021	[92]
9	Pilot project in Uttar Pradesh	The government of Uttar Pradesh, which is the only Indian state to amend its regulatory framework allowing regulated peer to peer energy trading, has introduced blockchain technology in rooftop solar.	Uttar Pradesh Power Corporation (UPPCL) and Uttar Pradesh New and Renewable Energy Development Agency (UPNEDA)	India	2019	[93]
10	A Korean project	In order to demonstrate the benefits of flexibility trading on Korea's market when decarbonisation is underway, a United Kingdom blockchain startup will operate an Energy Flexible Trading Platform in South Korea.	Electron	Korea	2018	[94]

TABLE III: Double Auction Theory with Blockchain Technology.

Type	Methodology	Contribution	Reference
Continuous	Iterative	- Energy allocation and market equilibrium shall be ensured in an optimum way. - The autonomous actualization of the developed P2P energy trading model on the blockchain platform.	[95]
	k -factor	Benefits of the buyers and seller feasibility were studied by varying k value.	[96]
	Prediction integration strategy optimization (PISO) model	Prosumers operations and market trading strategies are optimized.	[97]
	Multi- k	It allows participants to negotiate exchange prices.	[98]
	Ethereum and uniform price mechanism	The design was validated and compared by conducting A/B tests. This complements the current centralized energy grid.	[99]
	Q-learning	- The study was carried out in Guizhou Province of China for 14 microgrids. - The proposed Qcube methodology allows rational decisions to be made, as well as maximizing the profits of microgrids.	[100]
	Consortium blockchain	- The proposed method reduces transaction costs and improves efficiency. - In a continuous double auction, fair blind signing technology is generating pseudonyms and certificate of anonymity that allow identity to be kept private while maintaining decentralization.	[101]
Periodic	Local energy market model	The algorithm assures user preferences, considers willingness to pay, increases local coverage of electricity, maintains sanity, and is computationally tractable.	[102]
	Multi-agent system (MAS) architecture	Integrated 5G and edge computing with a security-aware environment analyzed with STRIDE threat modeling.	[103]
	Community energy market model	- A balanced approach has been adopted to address the Community's budget deficit due to time differences between supply and demand. - Uncertainties were addressed and the proposed model was validated using real-market household data.	[104]
Smart contracts	Ethereum-based	Smart contracts were written in Solidity and used Remix IDE to deploy them. Data on an energy market scenario have been selected to test these contracts.	[105]
	Consortium blockchain	In real time, a physical demonstration project in Seattle is simulated for the simulation of power grid scenarios.	[106]
Dynamic pricing	Ethereum-based	- A smart contract resides on the blockchain to guarantee that trade is executed in a precise fashion, maintains an immutable transaction record, and eliminates high costs and overhead. - Moreover, it prevents the double sale and creates a dynamic pricing model.	[107]
Decentralized	Flocking-based	Guaranteed P2P trading between prosumers within the neighborhood. The method preserves the anonymity of the buyer and seller.	[108]
	Distributed	Maximization of the preferences and needs of the peers by optimal prosumer scheduling while combining demand response with the decentralized network.	[109]
	ETradeChain	The ETradeChain utilized a double auction process to reach a consensus on energy transactions while employing blockchain technology to demonstrate real-time P2P trading.	[110]

facilitating the integration of renewable energy into the grid. Renewable-rich regions share clean energy with more impoverished ones, promoting a greener power transition. Flexible energy sharing accommodates dynamic demand and renewable resource availability, boosting adaptation. Innovation in grid management and smart energy systems is spurred by energy sharing. Sharing energy improves energy security, reduces transmission losses, and promotes global cooperation, creating a resilient, sustainable, and linked energy future.

A. Enhancement of Energy Security

A varied and integrated energy management approach through energy sharing improves energy security. One major benefit is energy independence. Regions with ample energy supplies help those with shortages through energy-sharing methods, reducing the risks of over reliance on specific fuels or regions. Sharing energy increases resilience to disturbances. Sharing resources makes an energy system resilient to catastrophes caused by nature, international conflicts, and other unforeseen circumstances. During uncertain circumstances, excess energy from one location may compensate for shortcomings in another, preserving the power supply.

Energy security is improved via energy sharing and distributed energy resource integration. Localized generation like solar panels, wind turbines, and microgrids reduces large-scale failures. Distributed resources power key infrastructure and essential services during grid failures, making energy infrastructure more resilient and secure. To evaluate the structure of the electricity market and the spot price as traditional energy sources (such as fossil fuels and hydropower) decline and renewable energy sources (such as solar and wind) rise, a system dynamics model is presented in [113]. In a day-ahead market, energy metrics including reserve margin, resilience, dependability, and vulnerability are used to quantify energy security. Energy sharing promotes strategic regional and international partnerships. International energy pooling agreements will boost geopolitical stability by encouraging mutual advantages. Energy conflicts will be avoided by working together to provide a constant energy supply in countries with various energy resources. For energy security, energy sharing diversifies sources, increases resilience to disturbances, promotes distributed energy supplies, and encourages international cooperation. Energy sharing stabilizes the global energy landscape by connecting and adapting energy networks.

B. Energy Resilience Improvement

Energy resilience is a system's ability to resist, adapt to, and quickly recover from disruptions while maintaining a steady energy supply. This notion is vital for assuring energy resource availability and functionality in the face of natural catastrophes, cyberattacks, equipment failures, and other unforeseen events. Energy sharing boosts energy ecosystem resilience. Enhancing resilience with energy sharing has various benefits. Shuhan Yao et. al [114] proposed a time-space Transportable Energy Storage (TESS) model covering both the transport network and EDS to demonstrate the difference between TESS and ESS in terms of flexibility and cost reduction of sharing

ESS between microgrids. The proposed recovery problem is formulated as a mixed integer linear programming considering different networks and their TESS constraints. The proposed model and scheme are tested on a modified 33-bus test system with three microgrids and four TESSs. The results confirmed that distributed systems with TESS are more resilient than traditional ESS, as benefits from overall cost savings. The resilience to communication errors in reactive power-sharing control of an AC MG based on an inverter is depicted in [115]. In the event of communication failures, precise reactive power sharing is ensured by creating an adaptive resilient control scheme. To enable networked microgrids to organize effectively for extreme occurrences and fully adjust to subsequently changing conditions, which improves the system's resilience, flexible division, and unification control mechanisms are proposed in [116]. The suggested techniques indicate that networked microgrids transition between two divisions and unification modes through a sparse communication network without needing extra controllers or communication infrastructures. The planned deployment of mobile emergency resources (MERs) such as hydrogen refueling stations (HRSs) and mobile fuel cell vehicles (MFCVs) enhances the capacity of EDS to self-heal in the case of extreme catastrophes [117]. A P2P energy exchange system is presented in [118] to help microgrids operate more economically and robustly, the proposed not only has economic benefits and reduces carbon emissions but also improves resilience by up to 80 percent.

To address the unfavorable conditions that an EDS with integrated DER may encounter, Divyanshi Dwivedi et al. [119] suggested a hybrid data-driven approach that utilizes machine learning and complex networks. This technique examined the system resilience by rendering the real power among electrical loads and linking it with correlated networks for analysis. In addition, the reliability and resilience of the network were increased by installing DERs on the weaker nodes. By calculating the percolation threshold for the microgrid networks, resilience improvements are verified and the results showed that there is an improvement of 20.45% as a result of the optimal placement of DERs [120]. The study conducted by Divyanshi Dwivedi et al. [121] examined the methods used recently to improve resilience, including operational and planning strategies. A thorough description of P2P energy trading, renewable energy integration, and microgrid deployment in strengthening power networks against disturbances is given.

C. Social Welfare Benefits

It is a good practice for society to share energy to promote collaboration, justice, and sustainability in the energy sector. An atmosphere of shared responsibility and mutual support has been created within the communities by adopting the concept of energy sharing. As individuals, businesses, and organizations are sharing resources of energy, this cooperation approach is having a positive impact on Social Cohesion. Sharing energy also helps communities and microgrids reduce their carbon emissions by promoting the use of renewable energy sources. Besides environmental benefits, the positive effects of energy sharing extend to customers because they are

provided with additional electricity thanks to P2P trading and locally regulated energy markets while offering opportunities for prosumers to generate income by selling surplus power. The benefits of sustainable practices become accessible to a larger portion of the population owing to this diversification of energy generation and distribution. Furthermore, energy sharing acts as a catalyst for upgrading the standard of life as well as energy availability in regions with limited access to centralized power systems. By utilizing the alternate direction method of multipliers (ADMM) algorithm, Shaobo Yang et al. [122] suggested energy sharing mechanism for ADN to increase the local accommodation degree of renewable energy from 84.85% to 85.27% while maximizing social welfare. and it rises in tandem with the number of prosumers who install energy storage in their homes. Resilient, inclusive, and ecologically conscious societies are fostered when communities actively engage in and realize the benefits of energy-sharing schemes.

IV. P2P ENERGY TRADING-MARKET CLEARING ALGORITHMS

The broader power grid encompassing generators, the distribution system, and retailers stand to gain substantial advantages from this innovative approach. P2P trading holds the potential to reduce reserve requirements, lower investment and operational costs, mitigate peak demand, and enhance grid reliability. However, despite these benefits, P2P electricity trading encounters several challenges. Firstly, the absence of a central coordinator introduces reliability concerns, necessitating the establishment of trust among prosumers. Furthermore, modeling the decision-making processes involving numerous participants with conflicting interests is inherently complex. Fully decentralized P2P trading systems may also pose security risks to the network. Lastly, grid stakeholders may have varied demands for P2P services from prosumers with differing objectives, requiring innovative pricing mechanisms to prevent network congestion.

Numerous approaches to addressing these problems have been explored in the literature. Gaining a comprehensive understanding of the entire P2P electricity market may be challenging due to the inherent complexity and diversity of these systems. However, understanding recent work in this area is crucial for new lines of inquiry, addressing new issues in the energy sector, and creating more P2P electricity trading services. Several scholars have contributed their distinct viewpoints on P2P trading through their insightful reviews, providing insightful analysis and knowledge in this rapidly evolving field [123], [124], [125], [126], [127], [128], [129]. Nevertheless, the breadth of these reviews is constrained because they don't fully address ongoing concepts in the literature.

P2P energy trading facilitates the interaction between different participants in the electricity market. It will allow for direct energy purchases and sales between individuals and organizations in a way that does not involve intermediaries. This helps to create a more efficient and cost-effective energy market while promoting renewable energy adoption and reducing

carbon footprint. The mathematical model for fair transactions is designed based on players' behavior. The literature reports five formulation approaches: double auction theory, blockchain technology, game theory, models & optimization algorithms, and machine learning, as given in Fig. 8.

A. Double Auction Theory with Blockchain Technology

Double auction theory is a kind of trading mechanism in which buyers and sellers in an auction market submit competitive bids and offers simultaneously. Fig 9 illustrates the process of double action theory in the electricity market where buyers and sellers participate in the auction. The price at which a stock trades indicates the maximum amount that a buyer is prepared to spend and the minimum amount that a seller is prepared to take. Orders are performed after matching bids and offers are linked together, and trading ceases when the match is not found. Double Auction theory is classified into Continuous, Periodic, Multilateral, Smart Contract, Dynamic pricing, Decentralized, Retail and Wholesale, and Localized. Literature on Double auction theory is given in [130], meanwhile [131] addresses the complete analysis of the auction market with some examples. The double auction theory is used along with blockchain technology for energy trading between peers in the electricity market. Literature found promising articles for energy trading and is presented and illustrated in Table III.

B. Blockchain Technology

Blockchains are dispersed digital ledgers of transactions that are cryptographically signed and organized into blocks. The process that occurs in the blockchain technology is depicted in the Fig 10. After verification and consensus-building, every block is cryptographically connected to the one before it, rendering any tampering obvious. Tamper resistance arises from the difficulty of altering older blocks when new ones are introduced. Within the network, new blocks are replicated across copies of the ledger, and any conflicts are automatically resolved by applying pre-established criteria [169], [170]. In addition to the architecture, typical consensus algorithms are presented in [171]. The impact of blockchain technology with use cases is studied in [172]. Due to the versatility of blockchain technology, its implementation and challenges are discussed in [173] and in addition, different start-ups that have emerged in the energy sector, P2P in EV charging, and possible applications are presented in [174]. Table IV and Table V gives insights into some articles related to blockchain technology implementation in P2P trading.

C. Game Theory Approaches

In the context of economic agents, game theory analyzes how their interactions result in outcomes that are aligned with their preferences or utilities, even when none of the agents might have intentionally sought those specific outcomes. Fig 11 gives the basic idea of the game theory approach in which players participate to obtain maximum benefits. Each player's strategy is based on the other player's strategies. The book [202] explains the fundamental concepts of game theory and




Fig. 8: P2P Energy Sharing-Market Clearing Algorithms




Fig. 9: Double Auction Theory




Fig. 11: Game Theory




Fig. 10: Blockchain Technology

demonstrates how to apply them to comprehend biological, social, political, and economic phenomena. P2P energy trading emerged as an energy management mechanism in the electricity market that inclusively coordinates prosumers and the grid, although this needs a strong mathematical and signal principle for decision making, so the game theory approach provides this decision-making capability. Application of game theory to solve power systems problems is given in [203]. Meanwhile, Wayes Tushar et al. [204] gave an overview of the use of the game theoretic approach in P2P energy trading. Game theory approaches are categorized as cooperative and non-cooperative games, symmetric and asymmetric, and simultaneous and sequential games, as given in Fig. 8. Table VI illustrates the game theory approaches and methodologies.

D. Machine Learning

A branch of artificial intelligence, Machine Learning (ML) is based on the idea that the system learns from the data,

TABLE IV: Blockchain Technology- Consortium

Reference	Contribution
[132]	• A credit based payment scheme and a best pricing strategy using the Stackelberg game to handle credits load have been suggested.
[133]	• A double auction theory for maximizing social welfare has solved the energy pricing problem and the level of traded energy problems that arise in response to demand.
[134]	• A blockchain process and smart contracts were established. • The creation of a type of cryptocurrency called “elecoin” in a P2P market is realized using a case study.
[135]	• Detailed operation of localized P2P electricity trading is illustrated. • An iterative double auction mechanism to optimize social benefits solves the issue of electricity prices and offers trading between PHEV.
[136]	• A certification authority is introduced to achieve privilege control and supervision of transaction parties. • The process of transaction authentication is simulated in consortium blockchain, and Hyperledger caliper is used for evaluation of the above model.
[137]	• Smart contracts are designed to ensure fair payment, and an algorithm is developed for energy trading for EVs. • The power flows and associated power losses are discussed.
[138]	• Charging information is managed by consortium blockchian and To balance the company’s profit a new smart contract is designed and to support this LNSM is proposed. • An application to a real EV charging case study confirms the proposed framework and smart contract.
[139]	• In the case of electricity trading, validator selection, block generation and consensus operations shall be carried out in every cluster within a vehicular network.. • An incentive mechanism based on a Stackelberg game model is proposed to optimize the utility of sellers, buyers, and validator nodes, which motivates honest and cooperative nodes.
[140]	• A SMES is introduced to store surplus electric energy. and Distribution is adjusted intelligently, and blockchain is applied. • P2P electricity trading model is realized by the Cooperative game.
[141]	• Initially, the overall load variance of the distribution network is minimized using a heuristic algorithm. • The krill herd algorithm is proposed, and finally decentralized trading architecture is designed.
[142]	• A method for the generation of the account using a time series single exponential technique is put in place. • The security analysis of the Smart Contracts model is provided and its performance is measured in simulations.
[143]	• Blockchain-enabled architecture is used to facilitate energy trading between EVs and critical loads in a microgrid. • To monitor the energy trading activities between entities remotely, an energy trading prototype has been developed.
[144]	• Permission energy blockchain system is introduced, then a reputation-based delegated Byzantine fault tolerance consensus algorithm is proposed. • Optimisation of contracts is analyzed in the light of contract theory. In addition, a new mechanism for the allocation of energy is suggested.
[145]	• A decentralized power trading model is designed. • The reverse auction mechanism-based dynamic pricing strategy is deployed. • V2G EV power trading smart contract is implemented.

identifies patterns, and makes decisions with minimal human intervention. The basic Fig 12 explains the machine learning principle and its working. acML basics were discussed in [205], [206], whereas various machine algorithms were covered in [207] and application of ML in power systems analytics is studied by Seyed Mahdi Miraftebadeh et al. [208] and application in Smart Grid (SG) and energy internet studied in [209], Yize Chen et al. [210] gave their insights on the vulnerabilities regarding the security of ML in power. Power systems fault diagnosis applications are studied in [211], whereas power systems resilience is studied in [212]. ML algorithms are also used in P2P energy trading and Table VII gives complete overview of the application ML algorithms.




Fig. 12: Machine Learning Approach

TABLE V: Blockchain Technology-Ethereum and Hyperledger

Method	Contribution	Reference
Ethereum	- The energy trading is executed in a decentralized manner by leveraging blockchain technology. - The auction models are proposed for energy trading by smart contracts.	[146]
	- Designed a transactive energy framework for a community microgrid. - Implemented binary genetic algorithm for optimal scheduling of the loads. - A prototype of the proposed model is designed in the laboratory and tested.	[147]
	For effective P2P trading, a modular smart contract mechanism is proposed within VPP framework, which was adapted and converted to decentralized applications.	[148]
	Designed two frameworks namely smart contract functionality in Ethereum, and continuous double auction and uniform-price double-sided auction.	[99]
	The Ethereum smart contracts are designed and evaluated considering economic and technical constraints.	[149]
	- The proposed trading platform contemporary billing scheme. - To check the efficient energy allocation, the proposed billing scheme is compared with existing schemes. - Validation of the proposed trading platform that supports growing number of EVs is done on the framework based on lightweight virtualization.	[150]
	- An AC-OPF problem is converted to a single optimization problem. - Ethereum blockchain technology to fulfill the role of a virtual aggregator. - Using the Amsterdam prosumer community's database, the model was tested.	[151]
Hyperledger	To establish trust between users, it is using Blockchain technology. Smart contracts were used for the payments electronically.	[152]
	- Two noncooperative games with dynamic supplier pricing, the suggested demandresponse mechanism is established. - An energy trading system is prototyped on a cluster network with a Hyperledger blockchain smart contract coordinator.	[153]
	- Docker and Go simulate a credit-based P2P electricity trading model on Hyperledger Fabric. - The experiments have shown that the suggested model on the Hyperledger blockchain reduces user costs and improves trading stability and efficiency in P2P electricity trading while managing credit.	[154]

E. Optimization Strategies & Other Models

Optimization is a method in which an objective function is mathematically modeled and solved to predict the behavior of a process or system. To minimize or maximize the objective function the selection of an optimization technique is important. In [213] fundamentals of optimization concepts, various optimization models, and solutions were discussed. Meanwhile in [214], mathematical modeling of multi-objective optimization is performed and evolutionary or bio-inspired methods are discussed. The optimization approaches in power systems are either applied to minimize losses or to maximize profits and [215] focuses on the implementation of optimization techniques in power system problems. The use of P2P energy trading in particular helps to maximize the financial gains for prosumers, consumers, and EVCS. It also keeps the balance between the production and consumption of energy, including losses. The P2P electricity trading platforms were developed utilizing constrained optimization techniques, including mixed integer linear programming, non-linear optimization, the alternating directing method of multipliers, and linear programming. There are several optimization techniques reported in the literature [216], [217]. Table VIII gives an overview of the models and optimization techniques researchers use.

V. CHALLENGES AND FUTURE SCOPE

The integration of energy sharing the electrical distribution system between microgrids and EVCI poses a variety of challenges to both physical and virtual layers. Infrastructure compatibility issues present physical layer obstacles that need to be upgraded to guarantee smooth integration between EVCI, microgrids, and the current grid infrastructure. Effective balancing methods are necessary to address capacity challenges posed by grid congestion in locations with a large concentration of EVCI. It is a big job to coordinate the integration of energy storage devices inside the microgrid to control variations in the demand for EV charging and the production of renewable energy. Continuous energy-sharing activities depend on the EVCI and microgrid hardware being reliable, which only be achieved by routine maintenance and monitoring. Furthermore, as clear policies supporting and motivating energy-sharing projects are critical for success, overcoming regulatory hurdles relating to grid connectivity, participation in the energy market, and tariff structures is necessary.

In addition, Cybersecurity becomes a major issue at the virtual layer, requiring strong defenses against cyberattacks on control systems and communication networks. Another chal-

TABLE VI: Game Theory Approaches

Type	Contribution	Reference
Cooperative game theory	The time-varying production of the hybrid wind power and PV power is implemented by multi-objective optimization and P2P trading is carried out for better results among nanogrid.	[155]
	- Myerson value rule distributes the proposed game's payment fairly among prosumers. - The simulation results show that the proposed model avoids high voltage problems and also reduces electricity prices.	[156]
	- Myerson value rule distributes the proposed game's payment fairly among prosumers. - The simulation results show that the proposed model avoids high voltage problems and also reduces electricity prices.	[156]
	The scheduling problem of microgrids is solved by the cooperative game theory approach in the presence of ESSs, DRs program and EVs.	[157]
	Computed the percolation threshold with the help of an energy prediction model using ARIMA to show that there is improvement of energy resilience.	[158]
	- a cooperative energy market model using the Generalized Nash Bargaining (GNB) theory for an active Distribution Network (DN). - The proposed one greatly boosts social welfare through Volt-VAR control and maximizes profit allocation fairness under price restrictions.	[159]
Non-cooperative game theory	The proposed trading scheme achieved a reduction in the energy bills of the consumers which is evaluated on 14 bus systems with 8 producers, and 11 consumers.	[160]
	- Developed a novel technique with the least amount of information overhead for stable and equitable energy sharing among MG clusters. - In addition to stability and fairness, the comprehensive numerical analysis validates the superiority of the suggested approach.	[161]
	Examined energy-efficient building management for a cluster of office, industrial, and commercial buildings with distributed transactions and the executed simulation results suggested energy sharing technique is computationally efficient, profitable.	[162]
	- Formulated stylized model for storage sharing, spot market with random clearing prices and investment decision are modeled. - The results admit single Nash equilibrium and promote social welfare.	[163]
Stackelberg game	Multi-party energy management problem of a microgrid which includes prosumers with ESS and Plug-in Electric Vehicle (PEV) charging stations is addressed, respectively energy management strategies were determined.	[164]
	- Proposed an energy sharing scheme considering Region-to-Region(R2R) and demand response. - The practical case study effectively demonstrates improving local energy consumption and the areas' economic interests.	[165]
	- The platform is modeled in such a way that retailers act as leaders, CS and EVs act as the followers to maximize the profits and minimize the energy cost respectively. - In addition penalty factor is introduced to enhance social welfare.	[166]
	Benefits for both producers and consumers are achieved. Furthermore, as the number of prosumers in the virtual microgrid rises and CO₂ emissions fall.	[167]
	- Distribution system operator problem is expressed as a mixed-integer second-order cone programming (MISOCP) model. - The effectiveness of the proposed model is studied on a 4-microgrid connected to a 33-bus and 123-bus distribution test system.	[168]

TABLE VII: Machine Learning Algorithms

Algorithm	Contribution	Reference
Deep Reinforcement Learning	- A large number of heterogenous households are classified as four clusters, and case studies exhibited a strong generalization capability. [175] - Significant reduction in operation cost for each microgrid. [176] - A use case of multi-agent deep deterministic policy gradients (MADDPG) with energy arbitrage and RES integration. [177] - Evaluated the use of a single-agent global controller over multiple distributed agents to control the microgrid components. - Multi-agent model for double auction regional microgrid and a MARL framework for interactive learning is designed. [178] - The proposed MARL framework improved the operational performance of the microgrid and enabled benefits to participants. - MA-POMDP is used for describing the agents under communication failures. BA-DRL is applied to estimate the Q-values, and simulation results show the method's robustness. [179] - The prioritized experience replay and multi-actor attention-critic approaches' advantageous features are combined in this model. [180] - Case studies of large-scale real-time operations show satisfactory results. - The transaction process is constructed as MDP with a deep reinforcement learning algorithm. [181] - An indirect customer-to-customer multi-energy transaction is modeled, followed by a multi-time scale hybrid trading mechanism. - Continuous double auction market is modeled as decentralized partially observed Markov Decision Process (MDP) and then novel multi-agent Reinforcement Learning (RL) method is used. [182] - For stabilizing each prosumer agent training performance mean-field approximation is used. - Case studies are conducted on the real-time scenario of 100 prosumers, and the proposed method is applied to show the economic benefits.	
Neural network	- The model is trained by BPNN with time of day and temperature as inputs, and modified LSTM deep learning is used to correct the trained network. [183] - Fast economics scheduling is done by a modified consistency algorithm at each microgrid layer. - For multiple microgrids, an adaptive Tchebycheff-based MPEA/D is used. - A hybrid algorithm is designed that uses reinforcement learning and a feedforward neural network. [184] - Minimization of network latency, processing time, and packet error and proof-of-work validation for successful transactions are executed.	
Extreme learning machines	- The model consists of four features, namely data cleaning, feature selection, prediction, and parameter optimization. [185] - MOGOA is used for feature selection, and DELM is applied for forecasting the load requirements. - The model is evaluated using the UK smart meter dataset.	
Reinforcement learning	- Designed a local energy market (LEM), proposed ETS that manages trades in LEM then CES is applied to the LEM and controlled by ETS. [186] - The proposed two-phase model has achieved maximum profits. - The proposed SynergyChain is developed in Python and tested using Ethereum test nets. [187] - Integrating the reinforcement learning module improved the overall system performance. - Designed MDP and a reinforcement learning algorithm was applied that enhance the performance and numerical analysis is conducted to evaluate the performance. [188]	
Deep learning	- The proposed framework generates blocks using short signature and hash functions. [189] - An intrusion detection system(IDS) is designed to detect network attacks and fraudulent transactions. - The proposed IDS performance is studied on three different CICIDS2017 datasets.	

TABLE VIII: Optimization & Other Models

Type	Methodology	Contribution	Reference
Model	Cascaded model predictive control optimization framework.	- The first MPC scheme is called the energy layer, the second MPC scheme called the transport layer is designed. - The model is validated by conducting a case study in Tokyo.	[190]
	a novel P2P energy trading model.	- Based on several critical success criteria, such as the market structure, trading mechanism, physical and virtual infrastructure, policy and governance, and social aspects, a model for peer-to-peer energy trading is put into place for Malaysia. - The model is to study the implications of P2P trading in Malaysia	[191]
	Normalized P2P (NP2P) energy trading scheme is modeled as Knapsack Problem (KP) and solved using Greedy and Simulated Annealing (SA) algorithms.	- The suggested P2P energy trading scheme's effectiveness is tested in three distinct scenarios. - To confirm the efficacy of the solution, the outcomes of several assessed cases for the suggested NP2P scheme and ECP algorithms are compared.	[192]
	A novel model-based, multi-agent asynchronous advantage actor-centralized-critic with communication (MB-A3C3) approach.	- The model uses a large hourly 20122013 dataset of 300 Sydney residences with rooftop solar systems in NSW, Australia. - The MB-A3C3 reinforcement learning system lowers community energy expenses by 17 % for 300 families more than MADDPG and A3C3.	[193]
	a data-driven distributionally robust co-optimization model.	Studies on four interconnected microgrids confirm the benefits of the proposed P2P energy trading network and show that the DRO model handles uncertainty better than the robust optimization (RO) and stochastic programming (SP) models.	[194]
	A novel integrated transaction and operation model.	Numerical case studies using IEEE 13-bus distribution network prove that the suggested technique helps prosumers trade energy for distribution network operational safeguard issues and reduce consumption costs.	[195]
Optimization strategies	a bidding-based peer-to-peer (P2P) energy transaction optimization model.	- Objective function weighted social-welfare terms give different community operations reflecting energy trading operator (community operator) goal. - The case study found that prosumers and communities benefit from energy transactions and green energy choice reduces CO2 emissions.	[196]
	A cooperative game theory technique based on Particle Swarm Optimization (PSO).	- A typical 3-layered networked microgrid is designed then MOP is performed. - A two-stage control framework is designed for P2P, P2G energy trading. - An Australian test case is considered for analysis.	[197]
	Energy Balance service provider (EBSP) considering market elasticity	- For a community microgrid, a market equilibrium model is designed. - To achieve maximum profitability for EBSP, an optimized pricing and trade strategy has been put in place.	[198]
	Slime-mould inspired optimisation method.	- An optimal energy routing path is designed with capacity constraints taken into account. - The proposed method is flexible with a large no of peers.	[199]
	Parametric optimization	- An energy management model for each peer is proposed to minimize the cost. - The influence of multi-energy coupling on P2P transaction is studied.	[200]
	Energy Trading Distributed Alternating Direction Method of Multipliers (ETD-ADMM).	- Along with economic benefits of P2P trading, Quantitative and qualitative comparison within distributed algorithms are demonstrated. - It is implemented in test cases that demonstrate the effectiveness and feasibility of the model.	[201]




Fig. 13: Impact of EV




Fig. 14: Impact of Microgrid sharing

lenge is to harmonize communication protocols and standards since interoperability problems prevent EVCI and microgrid components from exchanging data seamlessly. Furthermore, to reduce concerns over information sharing, it is essential to establish clear standards regarding data privacy and ownership. The virtual layer develops increasingly advanced with smart grid management, enabling intelligent control systems that optimize energy flows by taking demand-response mechanisms and grid stability into consideration

A. Challenges for EVCI Sharing

EVs are playing an important role in reducing the carbon footprint and GHG. The transportation industry has been transformed by EV, and all worldwide statistics indicate that the number of EVs will increase significantly in the future, posing several challenges. This includes EVCI and corresponding policies and EV charging impacts; these both are interrelated. The first thing is that EVCI is entirely dependent on the kind of charging station. This requires significant investments and a great deal of technological advancement. This poses a greater challenge to governments across the nations to invest in it. [218] examined charging infrastructure deployment models and covered related technical, financial, and user behavior-related concerns. In addition to providing a comprehensive review of the literature, [219] looks at the effects of EVs on the electric grid and the most recent deployment and difficult problems with implementing EV infrastructure, charging power levels, and various charging techniques. Fig. 13 illustrates the impact of the EVCS on particular EVCSs on the distribution side and in particular on the environment.

1) *Challenges for Electrical Distribution Systems:* The challenges that impact the EDS due to EVCS energy sharing are power quality issues, voltage, power loss, and reliability. The impact of EVCS on EDS was studied in [220], and [221]. Firstly, the widespread adoption of the EVs will lead to an increase in the energy demand, particularly during the peak hours. This increasing demand imposes a burden on the distribution transformers, distribution feeders, and in particular, distribution substations, leading to the destabilization of the distribution systems. It overloads the grid, which results in power quality issues like voltage fluctuations. [222], [223], and [224] gave their insights on power quality issues with the integration of EV on the power grid in particular low voltage

EDS. Secondly, higher concentrations of the EVCSs will pose challenges to the voltage regulations due to the fast charging during the peak hours, which results in distribution system instability. In addition, the voltage fluctuations will affect the performance of the equipment and will lead to an increase in the distribution power losses. Lastly, the concentration of charging stations in urban locations where the demand is high will lead to grid congestion. This will result in slow charging and reduced reliability; in addition, the consumers will have to pay higher costs for electricity usage.

2) *Economic Challenges:* Infrastructure upgradation and EV trading infrastructure development are two critical challenges, and, importantly, it requires huge investments. Firstly, the EDS upgradation should be completed to cope with the energy demand. Meanwhile, the EVCI is meticulously planned as it is based on the type of charging station and the behavior patterns of the EV user to avoid additional costs [218]. However, the electricity trading system currently in place has a wide range of challenges including energy price volatility, demand variability, capacity, and temporal uncertainties, congestion at charge stations, storage systems capacities, security and privacy protection, voltage and frequency regulation, communication overheads, pricing strategies etc., EV trade needs to be taken into account as well [166].

B. Challenges for Microgrid

1) *Challenges for Electrical Distribution systems:* The challenges of microgrid integration with EDS are as follows: intermittent nature, distributed generation, lack of effective ESSs, and interoperability, as shown in Fig. 14. Due to the intermittent nature of the microgrid generation, integrating with the main grid is complex. It is a challenging task to coordinate with proper protocols for continuous interaction and control. As the DER are distributed, this requires regulatory frameworks and policies to avoid uncertainties for all the stakeholders. ESS plays a key role in addressing problems related to power quality, reliability issues, stability, and effective energy management [225]. But ESS also has numerous issues in its integration, safety, State of Charge (SoC), State of Discharge (SoD), life span, capacity, reliability and cost [226]; so effective ESSs are required to address the above issues. Lastly, the major challenge faced by microgrids is interoperability. It is difficult for full communication to be

achieved as there are no common protocols or standards among the various microgrid components and control systems. To ensure interoperability, the industry must focus on the development and adoption of standardized interfaces and protocols.

2) *Economic Challenges*: The economic challenges include the cost of installations through financial support from the governments, uncertainties in revenue generation, and lack of regulatory framework and policies. Investing in microgrids is still expensive. Without some form of financial assistance, several of its components such as fuel cells, photovoltaic (PV), and power storage are not yet commercially feasible [227].

C. Cybersecurity Challenges

The incorporation of microgrids and EVCI for energy sharing into electrical distribution systems presents several cybersecurity challenges. It is critical to ensure the security of these systems to avert disruptions, unauthorized access, and data manipulation. Certain cybersecurity challenges are unique to the integration of microgrids and electric vehicle infrastructure. Cyber vulnerability analysis conducted on EVCS through simulation that assists in predicting the challenges corresponding to cybersecurity is discussed in [228]. The cybersecurity challenges in microgrids were discussed in [229]:

1) *Access Irregularity and Verification*: The presence of weaknesses in authentication mechanisms or insufficient access controls could potentially result in unauthorized entry into EV infrastructure and microgrid systems. Data breaches, manipulation of energy transactions, and possible disruptions to EVCS and microgrid operations may result from unauthorized access [230].

2) *Confidentiality and Data Integrity*: The integrity and confidentiality of data exchanged among EVs, charging stations and microgrid components must be strictly maintained. Unauthorized access to sensitive information or data tampering compromises the security and dependability of energy transactions and system operations. Examples of how to create and detect/mitigate False Data Injection (FDI) threats in smart microgrids are given in [231] along with examples of current global cyber-security initiatives as well as essential smart grid cyber-security guidelines are provided.

3) *Ensuring Communication Security*: One potential challenge is the vulnerability of insecure communication channels connecting EVs, charging stations, and microgrid components to surveillance and man-in-the-middle attacks. Unauthorized control over EV charging, data interception, and possible disruptions to microgrid operations may result from compromised communication. Active distribution network communication technologies, together with their applications and communication standards, are examined and reviewed in [232].

4) *Ensuring Endpoint Security*: Endpoints that lack sufficient security measures, including microgrid controllers and EVCS, could potentially be susceptible to malware, ransomware, and other forms of cyber threats. Energy sharing disruptions, unauthorized control over charging stations, and potential safety risks may result from compromised endpoints [230].

5) *Supply Chain Protection*: It is of the utmost importance to safeguard components and systems procured from diverse suppliers against supply chain breaches. The potential introduction of vulnerabilities by compromised components could result in cybersecurity incidents and cause disruptions to the operations of electric vehicles and microgrids. These disruptions to supply chains and the functioning of these systems' embedded hardware devices are among the threats [233].

6) *Software and firmware susceptibilities*: Significant risk is posed by unpatched or insecure software and firmware in electric vehicles, charging stations, and microgrid controllers. Vulnerabilities that are exploited may result in unauthorized access, control, or manipulation of critical system functions [234]. Data tampering causes inaccurate billing or even causes physical harm and illegal access results in stealing of the personal information or control charges [235].

7) *Denial of service(DoS) attacks*: DoS attacks that are directed at the EVCI or microgrid components have the potential to disrupt energy transactions and overall system operations. Service interruptions may cause financial losses, inconvenience for EV users, and even pose safety risks [236].

8) *cyber eavesdropping*: Insiders, such as contractors and workers, have the potential to intentionally or unintentionally jeopardize the security of microgrids and EVCI. Insider threats result in unauthorized access, data breaches, and disruptions to energy-sharing operations. A thorough analysis of Man-in-the-Middle Attacks was covered in [230] along with the countermeasures.

9) *Regulatory Conformity*: Organizations may face difficulties in ensuring compliance with cybersecurity regulations and standards in the energy sector. Consequences of noncompliance include legal implications, harm to one's reputation, and heightened susceptibility to cyber threats.

10) *Security Inadequateness*: Insufficient knowledge and instruction regarding cybersecurity among users, administrators, and stakeholders could result in substandard practices. Instances of human error, including susceptibility to phishing attacks and disregard for security best practices, have the potential to introduce vulnerabilities into the system. It is necessary to assess the knowledge gap between cyber security education and industry needs due to the alarming rise in cyber incidents and severe skills scarcity and analysis of cybersecurity knowledge gaps is studied in [237].

To effectively tackle these cybersecurity challenges, a holistic strategy is necessary, which includes implementing strong security protocols, conducting routine vulnerability assessments, educating personnel on best practices, and adhering to industry standards. Industry stakeholders, regulatory bodies, and cybersecurity specialists must work in concert to establish an energy-sharing ecosystem that is both resilient and secure.

VI. CONCLUSIONS

Over a few decades, the EDS has seen significant changes, mainly due to the installment of DER, and microgrids resulting in the utilization of renewables. Moreover, the adoption of the EVs further restructures the EDS. This will play a pivotal

role in changing the energy landscape, and the decentralization of the present-day grid is the key indicator for the change. Notably, the prosumers, who produce and consume energy, are the key to the decentralized grid, consequently leading to P2P energy sharing. As P2P energy sharing poses many economic and societal challenges, it requires comprehensive research, and it opens a key initiative for P2P energy trading. So, many researchers have dedicated their efforts to promoting the transition towards the P2P energy markets aims to integrate the prosumers into the distribution systems, leading to wider utilization of the renewables.

The primary contribution of this paper lies in offering a comprehensive overview of the energy-sharing concept and sharing models with case studies. In addition, a detailed overview of the infrastructure needs for energy-sharing in the physical and virtual layers was also presented by discussing the components of the physical and virtual layers. The technical concept behind P2P energy trading is discussed, and the implementation of P2P energy trading is presented as market clearing algorithms. By rigorously reviewing the existing literature, this paper organizes the market-clearing algorithms into five categories, namely double auction theory, blockchain technology, game theory, Machine learning, and optimization strategies & other models. The findings have the potential to guide policymakers, researchers, and industry stakeholders toward a sustainable, resilient, and efficient energy landscape.

This review study presents social, and economic aspects for the future, leading to multidisciplinary research. This paper highlights interdisciplinary opportunities such as machine learning and game theory in diverse disciplines including psychology and economics for energy trading. Additionally, the recommendations encourage the involvement of the stakeholders in the electricity market. In essence, this paper presents various aspects of energy sharing among peers that require substantial research efforts for a successful transition to real-world applications.

REFERENCES

- [1] United Nations, "The sustainable development goals report 2023," 2023.
- [2] J. A. Leggett, "The united nations framework convention on climate change, the kyoto protocol, and the paris agreement: a summary," *UNFCCC, New York*, vol. 2, 2020.
- [3] U. FCCC, "Fccc. cp/2015/l. 9/rev. 1: Adaptation of the paris agreement," *Adaptation of the Paris agreement*, 2015.
- [4] H. Ritchie, M. Roser, and P. Rosado, "Renewable energy," *Our World in Data*, 2020, <https://ourworldindata.org/renewable-energy>.
- [5] "Electricity market report 2023, , license: Cc by 4.0," *IEA, Paris*, [Online]. Available : <https://www.iea.org/reports/electricity-market-report-2023>.
- [6] "Global ev sales by scenario, 2020-2030," *IEA, Paris*, [Online]. Available : <https://www.iea.org/data-and-statistics/charts/global-ev-sales-by-scenario-2020-2030>.
- [7] H. Ritchie, P. Rosado, and M. Roser, "Energy production and consumption," *Our World in Data*, 2020, <https://ourworldindata.org/energy-production-consumption>.
- [8] S. Bimenyimana, C. Wang, A. Nduwamungu, G. N. O. Asemota, W. Utetiwabo, C.-L. Ho, J. D. D. Niyonteze, N. Hagumimana, T. Habineza, W. Bashir *et al.*, "Integration of microgrids and electric vehicle technologies in the national grid as the key enabler to the sustainable development for rwanda," *International Journal of Photoenergy*, vol. 2021, pp. 1–17, 2021.
- [9] W. Wu and B. Lin, "Benefits of electric vehicles integrating into power grid," *Energy*, vol. 224, p. 120108, 2021.
- [10] A. Hirsch, Y. Parag, and J. Guerrero, "Microgrids: A review of technologies, key drivers, and outstanding issues," *Renewable and Sustainable Energy reviews*, vol. 90, pp. 402–411, 2018.
- [11] A. Alsharif, C. W. Tan, R. Ayop, A. Dobi, and K. Y. Lau, "A comprehensive review of energy management strategy in vehicle-to-grid technology integrated with renewable energy sources," *Sustainable Energy Technologies and Assessments*, vol. 47, p. 101439, 2021.
- [12] S. P. Sathiyar, C. B. Pratap, A. A. Stonier, G. Peter, A. Sherine, K. Praghsh, and V. Ganji, "Comprehensive assessment of electric vehicle development, deployment, and policy initiatives to reduce ghg emissions: Opportunities and challenges," *IEEE Access*, vol. 10, pp. 53 614–53 639, 2022.
- [13] H. Saboori, M. Mohammadi, and R. Taghe, "Virtual power plant (vpp), definition, concept, components and types," in *2011 Asia-Pacific power and energy engineering conference*. IEEE, 2011, pp. 1–4.
- [14] S. Ghavidel, L. Li, J. Aghaei, T. Yu, and J. Zhu, "A review on the virtual power plant: Components and operation systems," in *2016 IEEE international conference on power system technology (POWERCON)*. IEEE, 2016, pp. 1–6.
- [15] S. Yu, F. Fang, Y. Liu, and J. Liu, "Uncertainties of virtual power plant: Problems and countermeasures," *Applied energy*, vol. 239, pp. 454–470, 2019.
- [16] W. Huang, N. Zhang, C. Kang, M. Li, and M. Huo, "From demand response to integrated demand response: Review and prospect of research and application," *Protection and Control of Modern Power Systems*, vol. 4, pp. 1–13, 2019.
- [17] B. Parrish, P. Heptonstall, R. Gross, and B. K. Sovacool, "A systematic review of motivations, enablers and barriers for consumer engagement with residential demand response," *Energy Policy*, vol. 138, p. 111221, 2020.
- [18] X. Lu, K. Li, H. Xu, F. Wang, Z. Zhou, and Y. Zhang, "Fundamentals and business model for resource aggregator of demand response in electricity markets," *Energy*, vol. 204, p. 117885, 2020.
- [19] M. F. Akorede, H. Hizam, and E. Pouresmaeil, "Distributed energy resources and benefits to the environment," *Renewable and sustainable energy reviews*, vol. 14, no. 2, pp. 724–734, 2010.
- [20] H. Jiayi, J. Chuanwen, and X. Rong, "A review on distributed energy resources and microgrid," *Renewable and Sustainable Energy Reviews*, vol. 12, no. 9, pp. 2472–2483, 2008.
- [21] J. Driesen and F. Katiraei, "Design for distributed energy resources," *IEEE power and energy magazine*, vol. 6, no. 3, pp. 30–40, 2008.
- [22] Y. Zhang, J. Wang, and Z. Li, "Uncertainty modeling of distributed energy resources: techniques and challenges," *Current Sustainable/Renewable Energy Reports*, vol. 6, pp. 42–51, 2019.
- [23] R. Lasseter, A. Akhil, C. Marnay, J. Stephens, J. Dagle, R. Guttromsom, A. S. Meliopoulos, R. Yinger, and J. Eto, "Integration of distributed energy resources. the certs microgrid concept," Lawrence Berkeley National Lab.(LBNL), Berkeley, CA (United States), Tech. Rep., 2002.
- [24] M. H. Saeed, W. Fangzong, B. A. Kalwar, and S. Iqbal, "A review on microgrids challenges & perspectives," *IEEE Access*, vol. 9, pp. 166 502–166 517, 2021.
- [25] L. E. Jones, *Renewable energy integration: practical management of variability, uncertainty, and flexibility in power grids*. Academic press, 2017.
- [26] K. V. S. M. Babu, D. Dwivedi, P. Chakraborty, P. K. Yemula, and M. Pal, "A resilient power distribution system using p2p energy sharing," in *2023 IEEE IAS Global Conference on Emerging Technologies (GlobConET)*, 2023, pp. 1–6.
- [27] "Approximately 100 million households rely on rooftop solar pv by 2030,license: Cc by 4.0," *IEA, Paris*, [Online]. Available : <https://www.iea.org/reports/approximately-100-million-households-rely-on-rooftop-solar-pv-by-2030>.
- [28] P. IEA, "battery storage capability by countries, 2020 and 2026," [online]. Available: <https://www.iea.org/data-and-statistics/charts/battery-storage-capability-by-countries-2020-and-2026>.
- [29] W. Tushar, T. K. Saha, C. Yuen, D. Smith, and H. V. Poor, "Peer-to-peer trading in electricity networks: An overview," *IEEE transactions on smart grid*, vol. 11, no. 4, pp. 3185–3200, 2020.
- [30] G. Dileep, "A survey on smart grid technologies and applications," *Renewable energy*, vol. 146, pp. 2589–2625, 2020.
- [31] L.-C. Ye, J. F. Rodrigues, and H. X. Lin, "Analysis of feed-in tariff policies for solar photovoltaic in china 2011–2016," *Applied energy*, vol. 203, pp. 496–505, 2017.
- [32] S. Ayub, S. M. Ayob, C. W. Tan, M. Taimoor, L. Ayub, A. L. Bukar, and M. Daud, "Analysis of energy management schemes for renewable-energy-based smart homes against the backdrop of covid-

- 19,” *Sustainable Energy Technologies and Assessments*, vol. 52, p. 102136, 2022.
- [33] Y. Liu, L. Wu, and J. Li, “Peer-to-peer (p2p) electricity trading in distribution systems of the future,” *The Electricity Journal*, vol. 32, no. 4, pp. 2–6, 2019.
- [34] “Global energy investment in clean energy and in fossil fuels, 2015-2023,” *IEA, Paris*, [Online]. Available : <https://www.iea.org/data-and-statistics/charts/global-energy-investment-in-clean-energy-and-in-fossil-fuels-2015-2023>.
- [35] A. L. Bakar, C. W. Tan, K. Y. Lau, and A. Marwanto, “Economic analysis of residential grid-connected photovoltaic system with lithium-ion battery storage,” in *2019 IEEE Conference on Energy Conversion (CENCON)*. IEEE, 2019, pp. 153–158.
- [36] A. Pyrgou, A. Kylii, and P. A. Fokaides, “The future of the feed-in tariff (fit) scheme in europe: The case of photovoltaics,” *Energy Policy*, vol. 95, pp. 94–102, 2016.
- [37] T. D. Couture, K. Cory, C. Kreycik, and E. Williams, “Policymaker’s guide to feed-in tariff policy design,” National Renewable Energy Lab.(NREL), Golden, CO (United States), Tech. Rep., 2010.
- [38] I. Prahastono, N. I. Sinisuka, M. Nurdin, and H. Nugraha, “A review of feed-in tariff model (fit) for photovoltaic (pv),” in *2019 2nd International Conference on High Voltage Engineering and Power Systems (ICHVEPS)*. IEEE, 2019, pp. 076–079.
- [39] L. Poruschi, C. L. Ambrey, and J. C. Smart, “Revisiting feed-in tariffs in australia: A review,” *Renewable and Sustainable Energy Reviews*, vol. 82, pp. 260–270, 2018.
- [40] S. Alizamir, F. de Véricourt, and P. Sun, “Efficient feed-in-tariff policies for renewable energy technologies,” *Operations Research*, vol. 64, no. 1, pp. 52–66, 2016.
- [41] P. Chakraborty, E. Baeyens, P. P. Khargonekar, K. Poolla, and P. Varaiya, “Analysis of solar energy aggregation under various billing mechanisms,” *IEEE Transactions on Smart Grid*, vol. 10, no. 4, pp. 4175–4187, 2019.
- [42] A. Poullikkas, G. Kourtis, and I. Hadjipaschalis, “A review of net metering mechanism for electricity renewable energy sources,” *International Journal of Energy and Environment (Print)*, vol. 4, 2013.
- [43] R. Dufo-López and J. L. Bernal-Agustín, “A comparative assessment of net metering and net billing policies. study cases for spain,” *Energy*, vol. 84, pp. 684–694, 2015.
- [44] G. C. Christoforidis, I. P. Panapakidis, T. A. Papadopoulos, G. K. Papagiannis, I. Koumparou, M. Hadjipanayi, and G. E. Georghiou, “A model for the assessment of different net-metering policies,” *Energies*, vol. 9, no. 4, p. 262, 2016.
- [45] D. Vieira, R. A. Shayani, and M. G. De Oliveira, “Net metering in brazil: regulation, opportunities and challenges,” *IEEE Latin America Transactions*, vol. 14, no. 8, pp. 3687–3694, 2016.
- [46] N. R. Darghouth, G. Barbose, and R. Wiser, “The impact of rate design and net metering on the bill savings from distributed pv for residential customers in california,” *Energy Policy*, vol. 39, no. 9, pp. 5243–5253, 2011.
- [47] S. Comello and S. Reichelstein, “Cost competitiveness of residential solar pv: The impact of net metering restrictions,” *Renewable and Sustainable Energy Reviews*, vol. 75, pp. 46–57, 2017.
- [48] C. Eid, J. R. Guillén, P. F. Marín, and R. Hakvoort, “The economic effect of electricity net-metering with solar pv: Consequences for network cost recovery, cross subsidies and policy objectives,” *Energy Policy*, vol. 75, pp. 244–254, 2014.
- [49] J. W. Stoutenborough and M. Beverlin, “Encouraging pollution-free energy: The diffusion of state net metering policies,” *Social Science Quarterly*, vol. 89, no. 5, pp. 1230–1251, 2008.
- [50] Y. Yamamoto, “Pricing electricity from residential photovoltaic systems: A comparison of feed-in tariffs, net metering, and net purchase and sale,” *Solar energy*, vol. 86, no. 9, pp. 2678–2685, 2012.
- [51] R. Carmichael, R. Gross, R. Hanna, A. Rhodes, and T. Green, “The demand response technology cluster: Accelerating uk residential consumer engagement with time-of-use tariffs, electric vehicles and smart meters via digital comparison tools,” *Renewable and Sustainable Energy Reviews*, vol. 139, p. 110701, 2021.
- [52] C. A. Belton and P. D. Lunn, “Smart choices? an experimental study of smart meters and time-of-use tariffs in ireland,” *Energy Policy*, vol. 140, p. 111243, 2020.
- [53] M. F. Sulaima, N. Y. Dahlan, Z. M. Yasin, M. M. Rosli, Z. Omar, and M. Y. Hassan, “A review of electricity pricing in peninsular malaysia: Empirical investigation about the appropriateness of enhanced time of use (etou) electricity tariff,” *Renewable and Sustainable Energy Reviews*, vol. 110, pp. 348–367, 2019.
- [54] K. Li, L. Liu, F. Wang, T. Wang, N. Duić, M. Shafie-khah, and J. P. Catalão, “Impact factors analysis on the probability characterized effects of time of use demand response tariffs using association rule mining method,” *Energy Conversion and Management*, vol. 197, p. 111891, 2019.
- [55] M. L. Nicolson, M. J. Fell, and G. M. Huebner, “Consumer demand for time of use electricity tariffs: A systematized review of the empirical evidence,” *Renewable and Sustainable Energy Reviews*, vol. 97, pp. 276–289, 2018.
- [56] K. Steriotis, G. Tsaousoglou, N. Efthymiopoulos, P. Makris, and E. M. Varvarigos, “A novel behavioral real time pricing scheme for the active energy consumers participation in emerging flexibility markets,” *Sustainable Energy, Grids and Networks*, vol. 16, pp. 14–27, 2018.
- [57] G. Tsaousoglou, N. Efthymiopoulos, P. Makris, and E. V. Arigos, “Personalized real time pricing for efficient and fair demand response in energy cooperatives and highly competitive flexibility markets,” *Journal of Modern Power Systems and Clean Energy*, vol. 7, no. 1, pp. 151–162, 2019.
- [58] N. Rahbari-Asr, M.-Y. Chow, J. Chen, and R. Deng, “Distributed real-time pricing control for large-scale unidirectional v2g with multiple energy suppliers,” *IEEE Transactions on Industrial Informatics*, vol. 12, no. 5, pp. 1953–1962, 2016.
- [59] M. K. Mishra and S. K. Parida, “A game theoretic approach for demand-side management using real-time variable peak pricing considering distributed energy resources,” *IEEE Systems Journal*, vol. 16, no. 1, pp. 144–154, 2022.
- [60] T. M. Aljohani, A. F. Ebrahim, and O. A. Mohammed, “Dynamic real-time pricing mechanism for electric vehicles charging considering optimal microgrids energy management system,” *IEEE Transactions on Industry Applications*, vol. 57, no. 5, pp. 5372–5381, 2021.
- [61] R. Jinsiwale and D. Divan, “Decentralized real-time pricing to achieve integrated transactive and physical grids,” *IEEE Access*, vol. 7, pp. 132 525–132 541, 2019.
- [62] K. Xue, Q. Yang, S. Li, D. S. L. Wei, M. Peng, I. Memon, and P. Hong, “Ppso: A privacy-preserving service outsourcing scheme for real-time pricing demand response in smart grid,” *IEEE Internet of Things Journal*, vol. 6, no. 2, pp. 2486–2496, 2019.
- [63] W. Wei, J. Wang, and L. Wu, “Distribution optimal power flow with real-time price elasticity,” *IEEE Transactions on Power Systems*, vol. 33, no. 1, pp. 1097–1098, 2018.
- [64] H. Seok and S.-P. Kim, “Pareto efficient incentive-based real-time pricing model for balanced smart grids,” *IEEE Access*, vol. 10, pp. 2766–2774, 2022.
- [65] W. Chen, J. Qiu, and Q. Chai, “Customized critical peak rebate pricing mechanism for virtual power plants,” *IEEE Transactions on Sustainable Energy*, vol. 12, no. 4, pp. 2169–2183, 2021.
- [66] X. Zhang, “Optimal scheduling of critical peak pricing considering wind commitment,” *IEEE Transactions on Sustainable Energy*, vol. 5, no. 2, pp. 637–645, 2014.
- [67] S. Althaher, P. Mancarella, and J. Mutale, “Automated demand response from home energy management system under dynamic pricing and power and comfort constraints,” *IEEE Transactions on Smart Grid*, vol. 6, no. 4, pp. 1874–1883, 2015.
- [68] A. Masoumzadeh, E. Nekouei, and T. Alpcan, “Wind versus storage allocation for price management in wholesale electricity markets,” *IEEE Transactions on Sustainable Energy*, vol. 11, no. 2, pp. 817–827, 2020.
- [69] Z. Zhao, Y. Liu, L. Guo, L. Bai, Z. Wang, and C. Wang, “Distribution locational marginal pricing under uncertainty considering coordination of distribution and wholesale markets,” *IEEE Transactions on Smart Grid*, vol. 14, no. 2, pp. 1590–1606, March 2023.
- [70] M. Alizadeh, H.-T. Wai, A. Goldsmith, and A. Scaglione, “Retail and wholesale electricity pricing considering electric vehicle mobility,” *IEEE Transactions on Control of Network Systems*, vol. 6, no. 1, pp. 249–260, 2019.
- [71] M. Vahid-Ghavidel, M. S. Javadi, S. F. Santos, M. Gough, B. Mohammadi-Ivatloo, M. Shafie-Khah, and J. P. S. Catalo, “Novel hybrid stochastic-robust optimal trading strategy for a demand response aggregator in the wholesale electricity market,” *IEEE Transactions on Industry Applications*, vol. 57, no. 5, pp. 5488–5498, 2021.
- [72] A. Radovanovic, T. Nesti, and B. Chen, “A holistic approach to forecasting wholesale energy market prices,” *IEEE Transactions on Power Systems*, vol. 34, no. 6, pp. 4317–4328, 2019.
- [73] A. Ravi, L. Bai, V. Cecchi, and F. Ding, “Stochastic strategic participation of active distribution networks with high-penetration ders in wholesale electricity markets,” *IEEE Transactions on Smart Grid*, vol. 14, no. 2, pp. 1515–1527, 2023.

- [74] S.-V. Oprea, A. Bra, D. Preotescu, R. A. Bologa, and L. Coroianu, "A trading simulator model for the wholesale electricity market," *IEEE Access*, vol. 8, pp. 184 210–184 230, 2020.
- [75] I. T. Emami, E. Samani, H. A. Abyaneh, H. Mohsenian-Rad, and A. Bakhshai, "A conceptual analysis of equilibrium bidding strategy in a combined oligopoly and oligopsony wholesale electricity market," *IEEE Transactions on Power Systems*, vol. 37, no. 6, pp. 4229–4243, 2022.
- [76] N. Nasiri, S. Zeynali, and S. N. Ravadanegh, "Tactical participation of a multienergy system in distributionally robust wholesale electricity market under high penetration of electric vehicles," *IEEE Systems Journal*, vol. 17, no. 1, pp. 1465–1476, 2023.
- [77] Y. Ghiassi-Farrokhfal, W. Ketter, and J. Collins, "Making green power purchase agreements more predictable and reliable for companies," *Decision Support Systems*, vol. 144, p. 113514, 2021.
- [78] Y. Ninomiya, A. Sasakawa, and S. Thomas, "Peer-to-peer (p2p) electricity trading and power purchasing agreements (ppas)," *German Japanese Energy Transition Council (GJETC): Wuppertal, Tokyo*, 2020.
- [79] P. Edge, "An approximation of counterparty credit risk in long term power purchase agreements (ppas)," in *2015 12th International Conference on the European Energy Market (EEM)*, 2015, pp. 1–4.
- [80] S. Hollm, F. Levihn, and G. Martinsson, "When markets dont deliver : bilateral hedging by means of ppas in managing intertemporal price risks in power generation investments," in *2022 18th International Conference on the European Energy Market (EEM)*, 2022, pp. 1–6.
- [81] S. W. W. Shor, "Earning contract capacity payments for cogeneration plants," *IEEE Transactions on Industry Applications*, vol. IA-23, no. 4, pp. 754–759, 1987.
- [82] L. Sder, "Analysis of pricing and volumes in selective capacity markets," *IEEE Transactions on Power Systems*, vol. 25, no. 3, pp. 1415–1422, 2010.
- [83] L. Söder, E. Tómasson, A. Estanqueiro, D. Flynn, B.-M. Hodge, J. Kiviluoma, M. Korpás, E. Neau, A. Couto, D. Pudjianto *et al.*, "Review of wind generation within adequacy calculations and capacity markets for different power systems," *Renewable and Sustainable Energy Reviews*, vol. 119, p. 109540, 2020.
- [84] A. Bublitz, D. Keles, F. Zimmermann, C. Fraunholz, and W. Fichtner, "A survey on electricity market design: Insights from theory and real-world implementations of capacity remuneration mechanisms," *Energy Economics*, vol. 80, pp. 1059–1078, 2019.
- [85] E. Mengelkamp, J. Gärtner, K. Rock, S. Kessler, L. Orsini, and C. Weinhardt, "Designing microgrid energy markets: A case study: The brooklyn microgrid," *Applied energy*, vol. 210, pp. 870–880, 2018.
- [86] "The green future of offshore wind hubs and hybrid connections," [online]. Available: <https://bornholmenergyisland.eu/en/>.
- [87] "We are the connection to a sustainable energy future." [online]. Available: sonnengroup.com/sonnencommunity.
- [88] "It is time to declare your independence,," [online]. Available: <https://vandebron.nl/>.
- [89] "Building a smarter energy future," [online]. Available: <https://piclo.energy/aboutwhitepaper>.
- [90] A. R. E. Agency, "agl virtual trial of peer-to-peer energy trading," [online]. Available: <https://arena.gov.au/projects/agl-virtual-trial-peer-to-peer-trading/>.
- [91] R. Asseh, "Kansai electric leads study on blockchain use in distributed electric supply," [online]. Available: <https://coingeek.com/kansai-electric-leads-study-blockchain-use-distributed-electric-supply/>.
- [92] "Peer-to-peer (p2p) solar energy trading, a first-of-its-kind pilot project in delhi," [online]. Available: <https://www.powerledger.io/media/tata-power-dcl-rolls-out-live-peer-to-peer-p2p-solar-energy-trading-a-first-of-its-kind-pilot-project-in-delhi>.
- [93] "Peer-to-peer (p2p) energy trading in india," [online]. Available: <https://www.powerledger.io/clients/uttar-pradesh-government-india>.
- [94] "South korea to trial blockchain electricity market for consumers," [online]. Available: <https://www.zdnet.com/article/south-korea-to-trial-blockchain-electricity-market-for-consumers/>.
- [95] C. Zhang, T. Yang, and Y. Wang, "Peer-to-peer energy trading in a microgrid based on iterative double auction and blockchain," *Sustainable Energy, Grids and Networks*, vol. 27, p. 100524, 2021.
- [96] P. Angaphiwatchawal, P. Phisuthsaingam, and S. Chaitusaney, "A k-factor continuous double auction-based pricing mechanism for the p2p energy trading in a lv distribution system," in *2020 17th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON)*. IEEE, 2020, pp. 37–40.
- [97] K. Chen, J. Lin, and Y. Song, "Trading strategy optimization for a prosumer in continuous double auction-based peer-to-peer market: A prediction-integration model," *Applied energy*, vol. 242, pp. 1121–1133, 2019.
- [98] P. Angaphiwatchawal, C. Sompoh, and S. Chaitusaney, "A multi-k double auction pricing mechanism for peer-to-peer energy trading market of prosumers," *Proceedings of the ECTI-CON*, vol. 2021, 2021.
- [99] G. Vieira and J. Zhang, "Peer-to-peer energy trading in a microgrid leveraged by smart contracts," *Renewable and Sustainable Energy Reviews*, vol. 143, p. 110900, 2021.
- [100] N. Wang, W. Xu, W. Shao, and Z. Xu, "A q-cube framework of reinforcement learning algorithm for continuous double auction among microgrids," *Energies*, vol. 12, no. 15, p. 2891, 2019.
- [101] S. Zhang, M. Pu, B. Wang, and B. Dong, "A privacy protection scheme of microgrid direct electricity transaction based on consortium blockchain and continuous double auction," *IEEE access*, vol. 7, pp. 151 746–151 753, 2019.
- [102] M. Zade, S. D. Lumpp, P. Tzscheuschler, and U. Wagner, "Satisfying user preferences in community-based local energy markets: auction-based clearing approaches," *Applied Energy*, vol. 306, p. 118004, 2022.
- [103] J. Kalbantner, K. Markantonakis, D. Hurley-Smith, R. N. Akram, and B. Semal, "P2pedge: a decentralised, scalable p2p architecture for energy trading in real-time," *Energies*, vol. 14, no. 3, p. 606, 2021.
- [104] A. M. Alabdullatif, E. H. Gerding, and A. Perez-Diaz, "Market design and trading strategies for community energy markets with storage and renewable supply," *Energies*, vol. 13, no. 4, p. 972, 2020.
- [105] U. Damisa, N. I. Nwulu, and P. Siano, "Towards blockchain-based energy trading: A smart contract implementation of energy double auction and spinning reserve trading," *Energies*, vol. 15, no. 11, p. 4084, 2022.
- [106] M. Foti and M. Valalis, "Blockchain based uniform price double auctions for energy markets," *Applied Energy*, vol. 254, p. 113604, 2019.
- [107] J. G. Song, E. S. Kang, H. W. Shin, and J. W. Jang, "A smart contract-based p2p energy trading system with dynamic pricing on ethereum blockchain," *Sensors*, vol. 21, no. 6, p. 1985, 2021.
- [108] K. Y. Bandara, S. Thakur, and J. Breslin, "Flocking-based decentralised double auction for p2p energy trading within neighbourhoods," *International Journal of Electrical Power & Energy Systems*, vol. 129, p. 106766, 2021.
- [109] A. Kalakova, A. Zhanatbekov, A. Surash, H. K. Nunna, and S. Doolla, "Blockchain-based decentralized transactive energy auction model with demand response," in *2021 IEEE Texas Power and Energy Conference (TPEC)*. IEEE, 2021, pp. 1–6.
- [110] U. R. Barbhaya, L. Vishwakarma, and D. Das, "Etradechain: Blockchain-based energy trading in local energy market (lem) using modified double auction protocol," *IEEE Transactions on Green Communications and Networking*, 2023.
- [111] W. Tushar, C. Yuen, T. K. Saha, T. Morstyn, A. C. Chapman, M. J. E. Alam, S. Hanif, and H. V. Poor, "Peer-to-peer energy systems for connected communities: A review of recent advances and emerging challenges," *Applied energy*, vol. 282, p. 116131, 2021.
- [112] C. Park and T. Yong, "Comparative review and discussion on p2p electricity trading," *Energy Procedia*, vol. 128, pp. 3–9, 2017, international Scientific Conference Environmental and Climate Technologies, CONNECT 2017, 10-12 May 2017, Riga, Latvia.
- [113] J. P. Ríos-Ocampo, S. Arango-Aramburo, and E. R. Larsen, "Renewable energy penetration and energy security in electricity markets," *International Journal of Energy Research*, vol. 45, no. 12, pp. 17 767–17 783, 2021.
- [114] S. Yao, P. Wang, and T. Zhao, "Transportable energy storage for more resilient distribution systems with multiple microgrids," *IEEE Transactions on Smart Grid*, vol. 10, no. 3, pp. 3331–3341, 2019.
- [115] X. Li, C. Chen, Q. Xu, and C. Wen, "Resilience for communication faults in reactive power sharing of microgrids," *IEEE Transactions on Smart Grid*, vol. 12, no. 4, pp. 2788–2799, 2021.
- [116] Q. Zhou, M. Shahidehpour, A. Alabdulwahab, and A. Abusorrah, "Flexible division and unification control strategies for resilience enhancement in networked microgrids," *IEEE Transactions on Power Systems*, vol. 35, no. 1, pp. 474–486, 2020.
- [117] Y. Zhao, J. Lin, Y. Song, and Y. Xu, "A hierarchical strategy for restorative self-healing of hydrogen-penetrated distribution systems considering energy sharing via mobile resources," *IEEE Transactions on Power Systems*, vol. 38, no. 2, pp. 1388–1404, 2023.
- [118] N. Spiliopoulos, I. Sarantakos, S. Nikkiah, G. Gkizas, D. Giaouris, P. Taylor, U. Rajarathnam, and N. Wade, "Peer-to-peer energy trading

- for improving economic and resilient operation of microgrids,” *Renewable Energy*, vol. 199, pp. 517–535, 2022.
- [119] D. Dwivedi, P. K. Yemula, and M. Pal, “Evaluating the planning and operational resilience of electrical distribution systems with distributed energy resources using complex network theory,” *Renewable Energy Focus*, 2023.
- [120] D. M. Reddy, D. Dwivedi, P. K. Yemula, and M. Pal, “Data-driven approach to form energy resilient smart microgrids with identification of vulnerable nodes in active electrical distribution network,” *arXiv preprint arXiv:2208.11682*, 2022.
- [121] D. Dwivedi, S. B. Mitikiri, K. Babu, P. K. Yemula, V. L. Srinivas, P. Chakraborty, and M. Pal, “Advancements in enhancing resilience of electrical distribution systems: A review on frameworks, metrics, and technological innovations,” *arXiv preprint arXiv:2311.07050*, 2023.
- [122] S. Yang, X. Hu, H. Wang, J. Ligao, L. Meng, W. Zhou, and H. Zhou, “A prosumer-based energy sharing mechanism of active distribution network considering household energy storage,” *IEEE Access*, vol. 10, pp. 113 839–113 849, 2022.
- [123] E. A. Soto, L. B. Bosman, E. Wollega, and W. D. Leon-Salas, “Peer-to-peer energy trading: A review of the literature,” *Applied Energy*, vol. 283, p. 116268, 2021.
- [124] A. L. Bakar, M. F. Hamza, S. Ayup, A. K. Abobaker, B. Modu, S. Mohseni, A. C. Brent, C. Ogbonnaya, K. Mustapha, and H. O. Idakwo, “Peer-to-peer electricity trading: A systematic review on currents development and perspectives,” *Renewable Energy Focus*, 2023.
- [125] W. Tushar, T. K. Saha, C. Yuen, D. Smith, and H. V. Poor, “Peer-to-peer trading in electricity networks: An overview,” *IEEE transactions on smart grid*, vol. 11, no. 4, pp. 3185–3200, 2020.
- [126] S. Sachan and P. P. Singh, “Charging infrastructure planning for electric vehicle in india: Present status and future challenges,” *Regional Sustainability*, vol. 3, no. 4, pp. 335–345, 2022.
- [127] B. Al-Hanahi, I. Ahmad, D. Habibi, and M. A. Masoum, “Charging infrastructure for commercial electric vehicles: Challenges and future works,” *IEEE Access*, vol. 9, pp. 121 476–121 492, 2021.
- [128] A. Das, S. D. Peu, M. A. M. Akanda, and A. R. M. T. Islam, “Peer-to-peer energy trading pricing mechanisms: Towards a comprehensive analysis of energy and network service pricing (nsp) mechanisms to get sustainable enviro-economical energy sector,” *Energies*, vol. 16, no. 5, p. 2198, 2023.
- [129] I. Ullah, J. Zheng, A. Jamal, M. Zahid, M. Almoshageh, and M. Safdar, “Electric vehicles charging infrastructure planning: a review,” *International Journal of Green Energy*, pp. 1–19, 2023.
- [130] D. Friedman, “The double auction market institution: A survey,” in *The double auction market*. Routledge, 2018, pp. 3–26.
- [131] P. Klemperer, “Auction theory: A guide to the literature,” *Journal of economic surveys*, vol. 13, no. 3, pp. 227–286, 1999.
- [132] Z. Li, J. Kang, R. Yu, D. Ye, Q. Deng, and Y. Zhang, “Consortium blockchain for secure energy trading in industrial internet of things,” *IEEE transactions on industrial informatics*, vol. 14, no. 8, pp. 3690–3700, 2017.
- [133] S. Aggarwal and N. Kumar, “A consortium blockchain-based energy trading for demand response management in vehicle-to-grid,” *IEEE Transactions on Vehicular Technology*, vol. 70, no. 9, pp. 9480–9494, 2021.
- [134] J. Yang, A. Paudel, and H. B. Gooi, “Compensation for power loss by a proof-of-stake consortium blockchain microgrid,” *IEEE Transactions on Industrial Informatics*, vol. 17, no. 5, pp. 3253–3262, 2020.
- [135] J. Kang, R. Yu, X. Huang, S. Maharjan, Y. Zhang, and E. Hossain, “Enabling localized peer-to-peer electricity trading among plug-in hybrid electric vehicles using consortium blockchains,” *IEEE transactions on industrial informatics*, vol. 13, no. 6, pp. 3154–3164, 2017.
- [136] Z. Che, Y. Wang, J. Zhao, Y. Qiang, Y. Ma, and J. Liu, “A distributed energy trading authentication mechanism based on a consortium blockchain,” *Energies*, vol. 12, no. 15, p. 2878, 2019.
- [137] R. Khalid, M. W. Malik, T. A. Alghamdi, and N. Javaid, “A consortium blockchain based energy trading scheme for electric vehicles in smart cities,” *Journal of Information Security and Applications*, vol. 63, p. 102998, 2021.
- [138] Z. Fu, P. Dong, and Y. Ju, “An intelligent electric vehicle charging system for new energy companies based on consortium blockchain,” *Journal of Cleaner Production*, vol. 261, p. 121219, 2020.
- [139] H. N. Abishu, A. M. Seid, Y. H. Yacob, T. Ayall, G. Sun, and G. Liu, “Consensus mechanism for blockchain-enabled vehicle-to-vehicle energy trading in the internet of electric vehicles,” *IEEE Transactions on Vehicular Technology*, vol. 71, no. 1, pp. 946–960, 2021.
- [140] Z. Li, S. Chen, and B. Zhou, “Electric vehicle peer-to-peer energy trading model based on smes and blockchain,” *IEEE Transactions on Applied Superconductivity*, vol. 31, no. 8, pp. 1–4, 2021.
- [141] Y. Li and B. Hu, “An iterative two-layer optimization charging and discharging trading scheme for electric vehicle using consortium blockchain,” *IEEE Transactions on Smart Grid*, vol. 11, no. 3, pp. 2627–2637, 2019.
- [142] A. Sadiq, M. U. Javed, R. Khalid, A. Almogren, M. Shafiq, and N. Javaid, “Blockchain based data and energy trading in internet of electric vehicles,” *IEEE Access*, vol. 9, pp. 7000–7020, 2021.
- [143] I. A. Umoren, S. S. A. Jaffary, M. Z. Shakir, K. Katzis, and H. Ahmadi, “Blockchain-based energy trading in electric-vehicle-enabled microgrids,” *IEEE Consumer Electronics Magazine*, vol. 9, no. 6, pp. 66–71, 2020.
- [144] Z. Su, Y. Wang, Q. Xu, M. Fei, Y.-C. Tian, and N. Zhang, “A secure charging scheme for electric vehicles with smart communities in energy blockchain,” *IEEE Internet of Things Journal*, vol. 6, no. 3, pp. 4601–4613, 2019.
- [145] H. Liu, Y. Zhang, S. Zheng, and Y. Li, “Electric vehicle power trading mechanism based on blockchain and smart contract in v2g network,” *IEEE Access*, vol. 7, pp. 160 546–160 558, 2019.
- [146] M. Sabounchi and J. Wei, “Towards resilient networked microgrids: Blockchain-enabled peer-to-peer electricity trading mechanism,” in *2017 IEEE Conference on Energy Internet and Energy System Integration (EI2)*, 2017, pp. 1–5.
- [147] H. R. Bokkissam, S. Singh, R. M. Acharya, and M. P. Selvan, “Blockchain-based peer-to-peer transactive energy system for community microgrid with demand response management,” *CSEE Journal of Power and Energy Systems*, vol. 8, no. 1, pp. 198–211, 2022.
- [148] S. Seven, G. Yao, A. Soran, A. Onen, and S. M. Muyeun, “Peer-to-peer energy trading in virtual power plant based on blockchain smart contracts,” *IEEE Access*, vol. 8, pp. 175 713–175 726, 2020.
- [149] A. Kumari, U. Chintukumar Sukharamwala, S. Tanwar, M. S. Raboaca, F. Alqahtani, A. Tolba, R. Sharma, I. Aschilean, and T. C. Mihal-tan, “Blockchain-based peer-to-peer transactive energy management scheme for smart grid system,” *Sensors*, vol. 22, no. 13, p. 4826, 2022.
- [150] N. Lasla, M. Al-Ammari, M. Abdallah, and M. Younis, “Blockchain based trading platform for electric vehicle charging in smart cities,” *IEEE Open Journal of Intelligent Transportation Systems*, vol. 1, pp. 80–92, 2020.
- [151] G. van Leeuwen, T. AlSkaif, M. Gibescu, and W. van Sark, “An integrated blockchain-based energy management platform with bilateral trading for microgrid communities,” *Applied Energy*, vol. 263, p. 114613, 2020.
- [152] P. W. Khan and Y.-C. Byun, “Blockchain-based peer-to-peer energy trading and charging payment system for electric vehicles,” *Sustainability*, vol. 13, no. 14, p. 7962, 2021.
- [153] M. Zhang, F. Eliassen, A. Taherkordi, H.-A. Jacobsen, H.-M. Chung, and Y. Zhang, “Demandresponse games for peer-to-peer energy trading with the hyperledger blockchain,” *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 52, no. 1, pp. 19–31, 2022.
- [154] K. Zhou, J. Chong, X. Lu, and S. Yang, “Credit-based peer-to-peer electricity trading in energy blockchain environment,” *IEEE Transactions on Smart Grid*, vol. 13, no. 1, pp. 678–687, 2022.
- [155] S. Lee, H. Jin, S. H. Nengroo, and D. Har, “P2p power trading between nanogrid clusters exploiting electric vehicles and renewable energy sources,” in *2021 International Conference on Computational Science and Computational Intelligence (CSCI)*, 2021, pp. 1849–1855.
- [156] M. I. Azim, W. Tushar, and T. K. Saha, “Coalition graph game-based p2p energy trading with local voltage management,” *IEEE Transactions on Smart Grid*, vol. 12, no. 5, pp. 4389–4402, 2021.
- [157] A. Z. G. Seyyedi, E. Akbari, M. H. Atazadegan, S. M. Rashid, A. Niazazari, and S. Shahmoradi, “A stochastic tri-layer optimization framework for day-ahead scheduling of microgrids using cooperative game theory approach in the presence of electric vehicles,” *Journal of Energy Storage*, vol. 52, p. 104719, 2022.
- [158] K. V. S. M. Babu, D. Dwivedi, P. Chakraborty, P. K. Yemula, and M. Pal, “A resilient power distribution system using p2p energy sharing,” in *2023 IEEE IAS Global Conference on Emerging Technologies (GlobConET)*. IEEE, 2023, pp. 1–6.
- [159] W. Zhong, S. Xie, K. Xie, Q. Yang, and L. Xie, “Cooperative p2p energy trading in active distribution networks: An milp-based nash bargaining solution,” *IEEE Transactions on Smart Grid*, vol. 12, no. 2, pp. 1264–1276, 2021.
- [160] W. Amin, Q. Huang, K. Umer, Z. Zhang, M. Afzal, A. A. Khan, and S. A. Ahmed, “A motivational game-theoretic approach for peer-to-peer energy trading in islanded and grid-connected microgrid,” *International*

- journal of electrical power & energy systems*, vol. 123, p. 106307, 2020.
- [161] A. M. Jadhav, N. R. Patne, and J. M. Guerrero, "A novel approach to neighborhood fair energy trading in a distribution network of multiple microgrid clusters," *IEEE Transactions on Industrial Electronics*, vol. 66, no. 2, pp. 1520–1531, 2019.
 - [162] S. Cui, Y.-W. Wang, and J.-W. Xiao, "Peer-to-peer energy sharing among smart energy buildings by distributed transaction," *IEEE Transactions on Smart Grid*, vol. 10, no. 6, pp. 6491–6501, 2019.
 - [163] D. Kalathil, C. Wu, K. Poolla, and P. Varaiya, "The sharing economy for the electricity storage," *IEEE Transactions on Smart Grid*, vol. 10, no. 1, pp. 556–567, 2019.
 - [164] Ö. Erol and Ü. B. Filik, "A stackelberg game approach for energy sharing management of a microgrid providing flexibility to entities," *Applied Energy*, vol. 316, p. 118944, 2022.
 - [165] Y. Chen, N. Liu, L. Chen, and X. Yu, "Region-to-region energy sharing for prosumer clusters in distribution network: A multi-leaders and multi-followers stackelberg game," *IEEE Transactions on Energy Markets, Policy and Regulation*, vol. 1, no. 4, pp. 398–409, 2023.
 - [166] M. Adil, M. P. Mahmud, A. Z. Kouzani, and S. Khoo, "Energy trading among electric vehicles based on stackelberg approaches: A review," *Sustainable Cities and Society*, vol. 75, p. 103199, 2021.
 - [167] K. Anoh, S. Maharjan, A. Ikpehai, Y. Zhang, and B. Adebisi, "Energy peer-to-peer trading in virtual microgrids in smart grids: A game-theoretic approach," *IEEE Transactions on Smart Grid*, vol. 11, no. 2, pp. 1264–1275, 2019.
 - [168] M. Yan, M. Shahidehpour, A. Paaso, L. Zhang, A. Alabdulwahab, and A. Abusorrah, "Distribution network-constrained optimization of peer-to-peer transactive energy trading among multi-microgrids," *IEEE Transactions on Smart Grid*, vol. 12, no. 2, pp. 1033–1047, 2021.
 - [169] D. Yaga, P. Mell, N. Roby, and K. Scarfone, "Blockchain technology overview," *arXiv preprint arXiv:1906.11078*, 2019.
 - [170] T. Ahram, A. Sargolzaei, S. Sargolzaei, J. Daniels, and B. Amaba, "Blockchain technology innovations," in *2017 IEEE Technology & Engineering Management Conference (TEMSCON)*, 2017, pp. 137–141.
 - [171] Z. Zheng, S. Xie, H. Dai, X. Chen, and H. Wang, "An overview of blockchain technology: Architecture, consensus, and future trends," in *2017 IEEE International Congress on Big Data (BigData Congress)*, 2017, pp. 557–564.
 - [172] D. Efanov and P. Roschin, "The all-pervasiveness of the blockchain technology," *Procedia computer science*, vol. 123, pp. 116–121, 2018.
 - [173] M. Andoni, V. Robu, D. Flynn, S. Abram, D. Geach, D. Jenkins, P. McCallum, and A. Peacock, "Blockchain technology in the energy sector: A systematic review of challenges and opportunities," *Renewable and sustainable energy reviews*, vol. 100, pp. 143–174, 2019.
 - [174] M. K. Thukral, "Emergence of blockchain-technology application in peer-to-peer electrical-energy trading: A review," *Clean Energy*, vol. 5, no. 1, pp. 104–123, 2021.
 - [175] D. Qiu, Y. Ye, D. Papadaskalopoulos, and G. Strbac, "Scalable coordinated management of peer-to-peer energy trading: A multi-cluster deep reinforcement learning approach," *Applied energy*, vol. 292, p. 116940, 2021.
 - [176] T. Chen, S. Bu, X. Liu, J. Kang, F. R. Yu, and Z. Han, "Peer-to-peer energy trading and energy conversion in interconnected multi-energy microgrids using multi-agent deep reinforcement learning," *IEEE Transactions on Smart Grid*, vol. 13, no. 1, pp. 715–727, 2022.
 - [177] D. J. Harrold, J. Cao, and Z. Fan, "Renewable energy integration and microgrid energy trading using multi-agent deep reinforcement learning," *Applied Energy*, vol. 318, p. 119151, 2022.
 - [178] X. Fang, Q. Zhao, J. Wang, Y. Han, and Y. Li, "Multi-agent deep reinforcement learning for distributed energy management and strategy optimization of microgrid market," *Sustainable cities and society*, vol. 74, p. 103163, 2021.
 - [179] H. Zhou, A. Aral, I. Brandi, and M. Erol-Kantarci, "Multiagent bayesian deep reinforcement learning for microgrid energy management under communication failures," *IEEE Internet of Things Journal*, vol. 9, no. 14, pp. 11 685–11 698, 2022.
 - [180] Y. Ye, D. Papadaskalopoulos, Q. Yuan, Y. Tang, and G. Strbac, "Multi-agent deep reinforcement learning for coordinated energy trading and flexibility services provision in local electricity markets," *IEEE Transactions on Smart Grid*, vol. 14, no. 2, pp. 1541–1554, 2023.
 - [181] L. Yang, Q. Sun, N. Zhang, and Y. Li, "Indirect multi-energy transactions of energy internet with deep reinforcement learning approach," *IEEE Transactions on Power Systems*, vol. 37, no. 5, pp. 4067–4077, 2022.
 - [182] D. Qiu, J. Wang, Z. Dong, Y. Wang, and G. Strbac, "Mean-field multi-agent reinforcement learning for peer-to-peer multi-energy trading," *IEEE Transactions on Power Systems*, vol. 38, no. 5, pp. 4853–4866, 2023.
 - [183] B. Tan and H. Chen, "Multi-objective energy management of multiple microgrids under random electric vehicle charging," *Energy*, vol. 208, p. 118360, 2020.
 - [184] S. Shukla, S. Hussain, R. R. Irshad, A. A. Alattab, S. Thakur, J. G. Breslin, M. F. Hassan, S. Abimannan, S. Husain, and S. M. Jameel, "Network analysis in a peer-to-peer energy trading model using blockchain and machine learning," *Computer Standards & Interfaces*, p. 103799, 2023.
 - [185] L. J. Varghese, K. Dhayalini, S. S. Jacob, I. Ali, A. Abdelmaboud, and T. A. E. Eisa, "Optimal load forecasting model for peer-to-peer energy trading in smart grids," *Comput. Mater. Contin.*, vol. 70, no. 1, pp. 1053–1067, 2022.
 - [186] H. Zang and J. Kim, "Reinforcement learning based peer-to-peer energy trade management using community energy storage in local energy market," *Energies*, vol. 14, no. 14, p. 4131, 2021.
 - [187] F. S. Ali, O. Bouachir, . zkasap, and M. Aloqaily, "Synergichain: Blockchain-assisted adaptive cyber-physical p2p energy trading," *IEEE Transactions on Industrial Informatics*, vol. 17, no. 8, pp. 5769–5778, 2021.
 - [188] S. Zhou, Z. Hu, W. Gu, M. Jiang, and X.-P. Zhang, "Artificial intelligence based smart energy community management: A reinforcement learning approach," *CSEE Journal of Power and Energy Systems*, vol. 5, no. 1, pp. 1–10, 2019.
 - [189] M. A. Ferrag and L. Maglaras, "Deepcoin: A novel deep learning and blockchain-based energy exchange framework for smart grids," *IEEE Transactions on Engineering Management*, vol. 67, no. 4, pp. 1285–1297, 2020.
 - [190] R. Iacobucci and R. Bruno, "Cascaded model predictive control for shared autonomous electric vehicles systems with v2g capabilities," in *2019 IEEE International Conference on Communications, Control, and Computing Technologies for Smart Grids (SmartGridComm)*, 2019, pp. 1–7.
 - [191] Y. B. Heng, V. K. Ramachandaramurthy, R. Verayiah, and S. L. Walker, "Developing peer-to-peer (p2p) energy trading model for malaysia: A review and proposed implementation," *IEEE Access*, vol. 10, pp. 33 183–33 199, 2022.
 - [192] M. Ehjaz, M. Iqbal, S. S. H. Zaidi, and B. M. Khan, "A novel scheme for p2p energy trading considering energy congestion in microgrid," *IEEE Access*, vol. 9, pp. 147 649–147 664, 2021.
 - [193] M. Sanayha and P. Vateekul, "Model-based approach on multi-agent deep reinforcement learning with multiple clusters for peer-to-peer energy trading," *IEEE Access*, vol. 10, pp. 127 882–127 893, 2022.
 - [194] J. Li, M. E. Khodayar, J. Wang, and B. Zhou, "Data-driven distributionally robust co-optimization of p2p energy trading and network operation for interconnected microgrids," *IEEE Transactions on Smart Grid*, vol. 12, no. 6, pp. 5172–5184, 2021.
 - [195] Y. Jia, C. Wan, P. Yu, Y. Song, and P. Ju, "Security constrained p2p energy trading in distribution network: An integrated transaction and operation model," *IEEE Transactions on Smart Grid*, vol. 13, no. 6, pp. 4773–4786, 2022.
 - [196] D.-H. Park, J.-B. Park, K. Y. Lee, S.-Y. Son, and J. H. Roh, "A bidding-based peer-to-peer energy transaction model considering the green energy preference in virtual energy community," *IEEE Access*, vol. 9, pp. 87 410–87 419, 2021.
 - [197] L. Ali, S. Mueen, H. Bizhani, and A. Ghosh, "A multi-objective optimization for planning of networked microgrid using a game theory for peer-to-peer energy trading scheme," *IET Generation, Transmission & Distribution*, vol. 15, no. 24, pp. 3423–3434, 2021.
 - [198] Z. Wang, X. Yu, Y. Mu, H. Jia, Q. Jiang, and X. Wang, "Peer-to-peer energy trading strategy for energy balance service provider (ebps) considering market elasticity in community microgrid," *Applied Energy*, vol. 303, p. 117596, 2021.
 - [199] O. Jogunola, W. Wang, and B. Adebisi, "Prosumers matching and least-cost energy path optimisation for peer-to-peer energy trading," *IEEE Access*, vol. 8, pp. 95 266–95 277, 2020.
 - [200] H. Zhang, S. Zhang, X. Hu, H. Cheng, Q. Gu, and M. Du, "Parametric optimization-based peer-to-peer energy trading among commercial buildings considering multiple energy conversion," *Applied Energy*, vol. 306, p. 118040, 2022.
 - [201] K. Umer, Q. Huang, M. Khorasany, M. Afzal, and W. Amin, "A novel communication efficient peer-to-peer energy trading scheme for enhanced privacy in microgrids," *Applied Energy*, vol. 296, p. 117075, 2021.

- [202] M. J. Osborne *et al.*, *An introduction to game theory*. Oxford university press New York, 2004, vol. 3, no. 3.
- [203] S. Abapour, M. Nazari-Heris, B. Mohammadi-Ivatloo, and M. Tarafdar Hagh, "Game theory approaches for the solution of power system problems: A comprehensive review," *Archives of computational methods in engineering*, vol. 27, pp. 81–103, 2020.
- [204] W. Tushar, C. Yuen, H. Mohsenian-Rad, T. Saha, H. V. Poor, and K. L. Wood, "Transforming energy networks via peer-to-peer energy trading: The potential of game-theoretic approaches," *IEEE Signal Processing Magazine*, vol. 35, no. 4, pp. 90–111, 2018.
- [205] H. Wang, Z. Lei, X. Zhang, B. Zhou, and J. Peng, "Machine learning basics," *Deep learning*, pp. 98–164, 2016.
- [206] E. Alpaydin, *Machine learning: the new AI*. MIT press, 2016.
- [207] B. Mahesh, "Machine learning algorithms-a review," *International Journal of Science and Research (IJSR)*, vol. 9, no. 1, pp. 381–386, 2020.
- [208] S. M. Miraftebadeh, F. Foiadelli, M. Longo, and M. Pasetti, "A survey of machine learning applications for power system analytics," in *2019 IEEE International Conference on Environment and Electrical Engineering and 2019 IEEE Industrial and Commercial Power Systems Europe (EEEIC / I&CPS Europe)*, 2019, pp. 1–5.
- [209] L. Cheng and T. Yu, "A new generation of ai: A review and perspective on machine learning technologies applied to smart energy and electric power systems," *International Journal of Energy Research*, vol. 43, no. 6, pp. 1928–1973, 2019.
- [210] Y. Chen, Y. Tan, and D. Deka, "Is machine learning in power systems vulnerable?" in *2018 IEEE International Conference on Communications, Control, and Computing Technologies for Smart Grids (Smart-GridComm)*, 2018, pp. 1–6.
- [211] R. Vaish, U. Dwivedi, S. Tewari, and S. M. Tripathi, "Machine learning applications in power system fault diagnosis: Research advancements and perspectives," *Engineering Applications of Artificial Intelligence*, vol. 106, p. 104504, 2021.
- [212] J. Xie, I. Alvarez-Fernandez, and W. Sun, "A review of machine learning applications in power system resilience," in *2020 IEEE Power & Energy Society General Meeting (PESGM)*. IEEE, 2020, pp. 1–5.
- [213] H. K. Alfares, "Introduction to optimization models and techniques," in *Applied Optimization in the Petroleum Industry*. Springer, 2023, pp. 25–53.
- [214] M. T. Emmerich and A. H. Deutz, "A tutorial on multiobjective optimization: fundamentals and evolutionary methods," *Natural computing*, vol. 17, pp. 585–609, 2018.
- [215] J. A. Momoh, *Electric power system applications of optimization*. CRC press, 2017.
- [216] G. Venter, "Review of optimization techniques," 2010.
- [217] B. F. Hobbs, "Optimization methods for electric utility resource planning," *European Journal of Operational Research*, vol. 83, no. 1, pp. 1–20, 1995.
- [218] M.-O. Metais, O. Jouini, Y. Perez, J. Berrada, and E. Suomalainen, "Too much or not enough? planning electric vehicle charging infrastructure: A review of modeling options," *Renewable and Sustainable Energy Reviews*, vol. 153, p. 111719, 2022.
- [219] M. Ashfaq, O. Butt, J. Selvaraj, and N. Rahim, "Assessment of electric vehicle charging infrastructure and its impact on the electric grid: A review," *International Journal of Green Energy*, vol. 18, no. 7, pp. 657–686, 2021.
- [220] E. Veldman and R. A. Verzijlbergh, "Distribution grid impacts of smart electric vehicle charging from different perspectives," *IEEE Transactions on Smart Grid*, vol. 6, no. 1, pp. 333–342, 2015.
- [221] A. Dubey and S. Santoso, "Electric vehicle charging on residential distribution systems: Impacts and mitigations," *IEEE Access*, vol. 3, pp. 1871–1893, 2015.
- [222] Y. Wang, H. Su, W. Wang, and Y. Zhu, "The impact of electric vehicle charging on grid reliability," in *IOP Conference Series: Earth and Environmental Science*, vol. 199, no. 5. IOP Publishing, 2018, p. 052033.
- [223] S. Rahman, I. A. Khan, A. A. Khan, A. Mallik, and M. F. Nadeem, "Comprehensive review & impact analysis of integrating projected electric vehicle charging load to the existing low voltage distribution system," *Renewable and Sustainable Energy Reviews*, vol. 153, p. 111756, 2022.
- [224] R. B. Bass and N. Zimmerman, "Impacts of electric vehicle charging on electric power distribution systems," 2013.
- [225] H. Nazaripouya, Y.-W. Chung, and A. Akhil, "Nergy storage in microgrids: Challenges, applications and research need," *International Journal of Energy and Smart Grid*, vol. 3, no. 2, pp. 60–70, 2019.
- [226] S. Choudhury, "Review of energy storage system technologies integration to microgrid: Types, control strategies, issues, and future prospects," *Journal of Energy Storage*, vol. 48, p. 103966, 2022.
- [227] M. H. Bellido, L. P. Rosa, A. O. Pereira, D. M. Falcão, and S. K. Ribeiro, "Barriers, challenges and opportunities for microgrid implementation: The case of federal university of rio de janeiro," *Journal of cleaner production*, vol. 188, pp. 203–216, 2018.
- [228] A. Sanghvi and T. Markel, "Cybersecurity for electric vehicle fast-charging infrastructure," in *2021 IEEE Transportation Electrification Conference & Expo (ITEC)*, 2021, pp. 573–576.
- [229] B. Canaan, B. Colicchio, and D. Ould Abdeslam, "Microgrid cybersecurity: Review and challenges toward resilience," *Applied Sciences*, vol. 10, no. 16, p. 5649, 2020.
- [230] A. Novak and A. Ivanov, "Network security vulnerabilities in smart vehicle-to-grid systems identifying threats and proposing robust countermeasures," *Journal of Artificial Intelligence and Machine Learning in Management*, vol. 7, no. 1, pp. 48–80, 2023.
- [231] F. Nejbatkhah, Y. W. Li, H. Liang, and R. Reza Ahrahi, "Cyber-security of smart microgrids: A survey," *Energies*, vol. 14, no. 1, p. 27, 2020.
- [232] K. H. Mohd Azmi, N. A. Mohamed Radzi, N. A. Azhar, F. S. Samidi, I. Thaqifah Zulkifli, and A. M. Zainal, "Active electric distribution network: Applications, challenges, and opportunities," *IEEE Access*, vol. 10, pp. 134 655–134 689, 2022.
- [233] N. Moghadasi, Z. A. Collier, A. Koch, D. L. Slutzky, T. L. Polmateer, M. C. Manasco, and J. H. Lambert, "Trust and security of electric vehicle-to-grid systems and hardware supply chains," *Reliability Engineering & System Safety*, vol. 225, p. 108565, 2022.
- [234] D. Upadhyay and S. Sampalli, "Scada (supervisory control and data acquisition) systems: Vulnerability assessment and security recommendations," *Computers & Security*, vol. 89, p. 101666, 2020.
- [235] L. Xuefeng and Z. Wei, "Risks of cyber threats and developing robust security protocols within electric vehicle charging infrastructure," *Journal of Sustainable Urban Futures*, vol. 12, no. 12, pp. 16–31, 2022.
- [236] T. Li, B. Chen, L. Yu, and W.-A. Zhang, "Active security control approach against dos attacks in cyber-physical systems," *IEEE Transactions on Automatic Control*, vol. 66, no. 9, pp. 4303–4310, 2021.
- [237] C. Catal, A. Ozcan, E. Donmez, and A. Kasif, "Analysis of cyber security knowledge gaps based on cyber security body of knowledge," *Education and Information Technologies*, vol. 28, no. 2, pp. 1809–1831, 2023.